Bath. Ref.

No. 6457.1
1925-27

GIVEN BY

Mass. Leg. of the Commonwealth

Public Document No. 1

The Commonwealth of Massachusetts

OFFICE OF THE SECRETARY

DIVISION OF VITAL STATISTICS

ANNUAL REPORT

ON THE

VITAL STATISTICS OF MASSACHUSETTS

BIRTHS, MARRIAGES, DIVORCES AND DEATHS

FOR THE YEAR ENDING DECEMBER 31, 1926

PREPARED BY
THE SECRETARY OF THE COMMONWEALTH

EDITED BY
EDGAR A. BOWERS
STATE REGISTRAR OF VITAL STATISTICS

BOSTON PUBLIC LIBRARY

PUBLICATION OF THIS DOCUMENT APPROVED BY THE COMMISSION ON ADMINISTRATION AND FINANCE
700 4-'27 Order No. 8736

Mass. Secretary of the Commonwealth
Aug. 3, 1927

CONTENTS.

EDITORIAL REVIEW OF THE VITAL STATISTICS OF MASSACHUSETTS: 1926

Part I.

Mortality Statistics.

	PAGE
Introduction	1–13
General mortality	1–5
Death registration	1
Purpose	1
Mortality statistics	1, 2
Source of data	2
Death rates and their comparability	2
Number of deaths and death rates	2, 4
Sex	4
Age	4
Sex and age	4
Marital condition	4
Centenarians	4
Nativity	5
Seasonable distribution of deaths	5
Infant mortality	5, 6
Causes of death	6–9
Sources of error in mortality statistics	6
Principal causes of death	6–9
Deaths investigated by medical examiners	9–12
Source of data	9, 10
Number of deaths investigated	10
Autopsies	10
Cause of death	10, 12
Statistical tables	14–119
General mortality	14–90
Table 1.—Deaths, by sex and nativity, population, and death rates in each county and city: 1926	14–19
Table 2.—Deaths, by sex and age, in each county: 1926	20, 21
Table 3.—Deaths, by sex and age, in municipalities having over 10,000 inhabitants in 1925: 1926	22–27
Table 4.—Population, deaths, and death rates per 1,000 population: 1900 to 1926	28
Table 5.—Mortality of males and females: 1900 to 1926	28
Table 6.—Deaths at specified ages: census years 1900 to 1925	29
Table 7.—Per cent of deaths at specified ages—both sexes: 1900 to 1926	29
Table 8.—Male deaths per 1,000 female deaths at specified ages: 1923 to 1926	29
Table 9.—Deaths of males and females at specified ages: 1917 to 1926	30
Table 10.—Deaths of persons 100 years of age and over, by age, sex, place of death, place of birth, marital condition, date of death and name of decedent: 1926	31
Table 11.—Deaths of persons 100 years of age and over, by sex, nativity, marital condition, and age of oldest decedent: 1900 to 1926	31
Table 12.—Deaths by sex, age, and marital condition: 1926	32
Table 13.—Deaths in counties, and in cities having over 50,000 inhabitants, in 1925, by months: 1926	33
Table 14.—Deaths from each cause and class of causes, according to the detailed International List, by months and sex and by age and sex: 1926	34–59
Table 15.—Deaths from important causes in each municipality: 1926	60–84
Table 16.—Deaths from important causes: 1900 to 1926	85
Table 17.—Deaths, death rates per 100,000 population, and per cent distribution by each cause and class of causes according to the abridged International List: 1920 to 1926	86, 87
Table 18.—Death rates per 100,000 population based on annual average number of deaths for the five-year period of which the census year is the median year: census years 1900 to 1920	88
Table 19.—Deaths produced by external causes: 1902 to 1926	88
Table 20.—Deaths from cancer, by sex, age, and marital condition: 1926	89
Infant mortality	90–111
Table 21.—Deaths under 1 month of age; also under 1 year of age, by sex, in the State and each municipality: 1926	90–92
Table 22.—Live births, deaths under 1 year, infant mortality rates, and per cent of deaths under 1 year to deaths at all ages: 1900 to 1926	92
Table 23.—Infant deaths per 1,000 live births in municipalities having over 15,000 inhabitants in 1925: 1919 to 1926	93
Table 24.—Birth rates, death rates, natural increase, infant mortality rates, and survivorship in municipalities having over 15,000 inhabitants in 1925: 1926	93, 94
Table 25.—Infant mortality in Massachusetts, Boston, and the remainder of the State outside Boston: 1910 to 1926	94
Table 26.—Survivors at end of first year of life per 1,000 population and per 1,000 live births: 1900 to 1926	95
Table 27.—Infant deaths per 1,000 live births, by causes: 1919 to 1926	95
Table 28.—Deaths under 2 years of age from diarrhea and enteritis, by months: 1919 to 1926	95
Table 29.—Deaths from important causes for certain subdivisions of the first year of life for the State and for cities having 50,000 inhabitants or more in 1925: 1926	96–111
Maternal mortality	112, 113
Table 30.—Deaths and death rates per 100,000 population, and per 100,000 female population, from diseases caused by pregnancy and confinement: 1901 to 1926	112

Statistical tables—*Concluded.* PAGE
General mortality—*Concluded.*
Table 31.—Death rates per 10,000 confinements, per 10,000 births, and per 10,000 live births, from diseases caused by pregnancy and confinement: 1901 to 1926 . . . 113
Deaths investigated by medical examiners 112–119
Table 32.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners in each county, by causes; and number and per cent of deaths autopsied in each county: 1926 . . . . . 112, 113
Table 33.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners, by causes, sex, and months, and by causes, sex, and age: 1926 . 114–119
Table 34.—Deaths (inclusive of stillbirths) investigated and autopsies made by medical examiners in each county: 1917 to 1926 . . . . . 118, 119

Part II A.
Birth Statistics.

Introduction 120–122
Birth registration 120, 121
Live births 121
Birth rate 121
Changes in the birth rate 121
Stillbirths 121
Birth rates of the principal cities 121, 122
Sex proportions at birth 122
Nativity of parents 122
Plural births 122
Natural increase 122
Statistical tables 123–130
Table 35.—Live births, by sex and parent nativity; and birth rates in each county and city: 1926 123–127
Table 36.—Live births by month of birth in counties, and in cities having over 50,000 inhabitants in 1925: 1926 128
Table 37.—Plural births, by sex, and stillbirths, in counties and in cities having over 50,000 inhabitants in 1925: 1926 128
Table 38.—Live births and birth rates for the State and cities having over 100,000 inhabitants in 1925: 1900 to 1926 129
Table 39.—Live births, by sex and parent nativity, and sex proportions at birth: 1900 to 1926 129
Table 40.—Live birth rates per 1,000 population, excess of births over deaths, natural increase per 1,000 population, plural births (cases of twins and triplets), and stillbirths by sex, per 1,000 live births, and sex proportions of stillborn: 1900 to 1926 130

Part II B.
Marriage Statistics.

Introduction 131, 132
Marriage registration 131
Accuracy 131
Source of data 131
Purpose, marriage requirements 131, 132
Statistical tables 133–143
Table 41.—Marriages, classified by nativity and residence of bride and groom, in each county and municipality: 1926 133–137
Table 42.—Marriages by sex, age, and marital condition: 1926 137
Table 43.—Marriages by months, in counties, and in cities having over 100,000 inhabitants in 1925: 1926 . . . . . 138, 139
Table 44.—Marriages in each county, by sex and age: 1926 . . . . . 138, 139
Table 45.—Marriages, by sex and age: 1926 140
Table 46.—First marriages, by sex and age: 1926 140
Table 47.—First marriages of grooms and remarriages of brides, by age: 1926 . . . 140
Table 48.—Remarriages of grooms and first marriages of brides, by age: 1926 . . . 141
Table 49.—Remarriages of both parties, by age: 1926 141
Table 50.—First marriages and remarriages: 1926 141
Table 51.—Marriages, marriage rates, and nativity of persons married: 1900 to 1926 . 142
Table 52.—Proportions of first marriages and remarriages per 1,000 marriages: 1900 to 1926 142
Table 53.—Marriages and marriage rates in the State, and in cities having over 100,000 inhabitants in 1925: 1900 to 1926 143

Part II C.
Divorce Statistics.

Introduction 144, 145
Causes for divorce 144
Source of data 144
Applications for divorce 144
Contested cases 144
Number of divorces 144
Divorce rates 144, 145
Party to which granted 145
Divorces classified by causes 145
Annulment classified as divorce 145
Duration of marriages 145
Statistical tables 146–164
Table 54.—Libels for divorces granted, refused, dismissed, contested, and not contested, and number of years libellants were married, by statutory causes and sex of libellant: The State—1926 146
A. Barnstable County 147
B. Berkshire County 148
C. Bristol County 149
D. Dukes County 150
E. Essex County 151

STATISTICAL TABLES—*Concluded.* PAGE
F. Franklin County 152
G. Hampden County 153
H. Hampshire County 154
I. Middlesex County 155
J. Nantucket County 156
K. Norfolk County 157
L. Plymouth County 158
M. Suffolk County 159
N. Worcester County 160
TABLE 55.—Number and per cent of divorces granted to husbands and to wives: 1900 to 1926 161
TABLE 56.—Divorces granted, number and per cent increase in each five-year period over preceding five-year period, and per cent increase in total population over preceding census: 1900 to 1924 161
TABLE 57.—Comparison of increase in divorces and divorce rates with increase in population: 1900 to 1925 161
TABLE 58.—Divorce rates based on total population and on married population: census years, 1900 to 1920 161
TABLE 59.—Annual average number of divorces in the State and in each county: census years 1900 to 1920 162
TABLE 60.—Divorces granted for specified causes for 27 years: 1900 to 1926 . . . 162
TABLE 61.—Statutory causes of divorce: 1900 to 1926 162
TABLE 62.—Applications for divorce: 1900 to 1926 163
TABLE 63.—Divorces granted, classified by cause and party to which granted: 1926 . . 163
TABLE 64.—Libels for divorce granted and not granted, contested and not contested, classified by party to which granted: 1926 163
TABLE 65.—Number of years libellants were married at time of application for divorce: 1900 to 1926 164

PART II D.

POPULATION STATISTICS.

Introductory 165
Estimated population 165
STATISTICAL TABLE 166
TABLE 66.—Census population of municipalities having over 15,000 inhabitants in 1925: 1900 to 1925 166

APPENDIX.

International classification of causes of death 167–171
1. Detailed International List 167–170
2. Abridged International List 171

LETTER OF SUBMITTAL

The Commonwealth of Massachusetts,
Office of the Secretary,
Division of Vital Statistics, Boston, March 30, 1927.

To the Honorable Senate and House of Representatives.

I have the honor to submit herewith, as required by chapter 46, section 21 and chapter 208, section 47 of the General Laws, the eighty-fifth annual report on statistics of births, marriages, divorces, and deaths in Massachusetts, for the calendar year 1926 in two parts: Part I, Mortality Statistics; Part II, Statistics of Births, Marriages, and Divorces. The fact that deaths are reported monthly, while births, marriages, and statistics of divorce are not reportable until March, April and May of the year following that in which the events occur, makes possible the availability of the mortality report earlier than the report of births, marriages, and divorces. Hence the presentation in two parts in one volume.

The editorial review and the method of presentation of the statistical data were prepared by Edgar A. Bowers, State Registrar, in charge of the Division of Vital Statistics. The statistical tables were prepared under the direction of Agnes E. Kimball, chief clerk of the division. The exhibition of tabular results is restricted to such as are plainly of practical utility within the meaning of the statute by authority of which the tables are prepared.

Respectfully submitted,

Frederic W. Cook,
Secretary of the Commonwealth.

Editorial Review of the Vital Statistics of Massachusetts, 1926

BY EDGAR A. BOWERS, STATE REGISTRAR OF VITAL STATISTICS.

PART I

MORTALITY STATISTICS

	PAGE
Introduction	1–13
General mortality	1–5
Death registration	1
Purpose	1
Mortality statistics	1, 2
Source of data	2
Death rates and their comparability	2
Number of deaths and death rates	2, 4
Sex	4
Age	4
Sex and age	4
Marital condition	4
Centenarians	4
Nativity	5
Seasonal distribution of deaths	5
Infant mortality	5, 6
Cause of death	6–9
Sources of error in mortality statistics	6
Principal causes of death	6–9
Deaths investigated by medical examiners	9–12
Source of data	9, 10
Number of deaths investigated	10
Autopsies	10
Cause of death	10, 12
Statistical tables	14–119

INTRODUCTION.

History.

Death Registration. — There has been a registration law in Masachusetts since 1639. By Chapter 3 of the Acts of 1639 of the laws of the Colony and Province of Massachusetts Bay the registration of births, marriages and deaths was required. In 1880 the registration area for deaths recognized by the United States Bureau of the Census, i.e., the States, and cities in other States, effectively enforcing satisfactory registration laws of all deaths registered, included but two States, Massachusetts and New Jersey, the District of Columbia, and a number of cities in non-registration States.

During the period 1841 to 1926, inclusive, 3,145,780 deaths have been reported, recorded, and tabulated in the Division of Vital Statistics.

These records are not only on file in the cities and towns in which they occurred, and in the city and town given as the residence of the deceased at the time of death, but also at the State House.

Purpose. — Death registration often gives the first intimation of pestilential disease, permitting health officers to attack epidemics in their incipiency. It serves as evidence in the inheritance of property and in the settlement of life insurance. It is useful in preventing crime through the restriction placed upon the disposal of dead human bodies, and insures a permanent and uniform record of the death of each individual for both sentimental and legal reasons.

Mortality Statistics. — Mortality statistics, or statistics of deaths, are useful in showing the extent and rate of change in population produced by deaths, the average duration of life, the relative frequency with which the several causes produce death, and for their service in creating an interest in public health ad-

ministration and securing support for sanitary measures. In comparison with birth statistics they give useful information regarding population increase or decrease. Mortality statistics, however, cannot be used as an index of the prevalence of certain diseases, because there is no fixed ratio between sickness and fatality. Only cases of fatal sickness or disease are given, while morbidity statistics include all cases, whether fatal or not.

Source of Data. — Mortality statistics are based upon original data obtained by the registration of deaths, which is accomplished by the use of a blank or schedule known as the standard death certificate.

The responsibility for seeing that a certificate is properly made out and filed with the local board of health rests primarily with the undertaker, who is required by law to present a satisfactory certificate of death before he may obtain a permit to remove the body from the city or town in which the death occurred, or to bury the body. The local board of health is required to transmit the death certificate to the city or town clerk, who in turn records the death and transmits a certified copy to the Secretary of the Commonwealth on or before the tenth day of the month following that in which the death occurred. Hospitals and other institutions are required to obtain, when a person is received, the facts which would be required for record in the event of the death of such person.

Death Rates and Their Comparability. — The death rates given in this report are based upon the comparison of total deaths with the aggregate population. They are usually expressed in terms of the number of deaths per 1,000 population, and are calculated by dividing the total number of deaths by the population in thousands. This means that death rates vary with the character of the population and each element has its relation to the rate of mortality, and therefore, for comparison with other States or countries, the make-up of the population must be considered. The death rate per 1,000 males is generally higher than the rate per 1,000 females. Hence, a State having a relatively larger female population than another will normally show a lower death rate, and a community where the very young or old predominate will show a higher rate than a community made up largely of young adults. Rates will also vary with the color and nationality of the inhabitants.

Factors which seriously affect the comparability of the death rates of different communities are: (1) race composition; (2) the social, marital, and economic status of the people; (3) employment; (4) the location of hospitals and institutions; (5) migration; and (6) the birth rate.

The rates given in this report, as well as those in all the preceding registration reports, are based on the inclusion of all deaths, both resident and nonresident, occurring in each city or town. Deaths in the asylums for the insane and in other State institutions are enumerated with those of the town where they are located, and while for certain localities nonresident deaths are given (see footnote, page 14), no plan has yet been devised for charging nonresidents back to the towns from which they come. The popularity of city hospitals also affects local statistics. Many victims of diseases, contracted in the country, are carried to the city hospitals and some die there. This requires their deaths to be recorded in the city where they die. Obviously, this is an injustice which is especially apparent in some instances.

In addition to the erroneous and unwarranted conclusions sometimes arrived at by attempting to compare data which are not comparable, such as death rates of different communities of varying sex and age composition, another possible source of error in mortality statistics is the original data, which are sometimes given by persons not fully cognizant of the true facts.

Number of Deaths and Death Rates. — There was an increase in the mortality of 1926 as compared with that of 1925, the number of deaths occurring during the calendar year 1926 being 52,888, an increase, as compared with 1925, of 998. Based on the estimated population of 1926 of 4,213,700, these deaths correspond to a rate of 12.6 per 1,000 population, as compared with 12.5 in 1925. The rate for 1921, 12.3, is the lowest ever recorded in Massachusetts.

During the ten-year periods, from 1900 to 1909, inclusive, the average death rate of the Commonwealth was 16.6, and 1910 to 1919, inclusive, 15.4.

This remarkable decrease in mortality has been the rule rather than the ex-


MASSACHUSETTS
Major Communicable Diseases of Childhood
Diphtheria, Scarlet Fever, Whooping Cough, Measles
Death Rate per 100000
1900-1926
Diphtheria
Scarlet Fever
Whooping Cough
Measles
Death Rate per 100,000
50
45
40
35
30
25
20
15
10
5
1905
1910
1915
1920
1925

ception in the experiences of the other States. Since 1900 the average death rate for Massachusetts has been 15.2 per 1,000 living. During the period 1871 to 1875 this rate stood at 20.7 and as recently as the period 1896 to 1900, at 18.1, while the decade from 1910–1919 shows an average rate of 15.4, a decided decrease.

Table 4, on page 28, shows the number of deaths and the death rates per 1,000 population for the census years and per 1,000 estimated population for the intercensal years from 1900 to 1926.

Sex. — Of the 52,888 deaths in 1926, 26,943, or 50.9 per cent, were males, as compared with 51 per cent in 1925. The proportion of males in the living population, as shown by the United States Census of 1920, was 49.1 per cent. Expressed as a ratio there were 1,038 deaths of males per 1,000 deaths of females in 1926, as compared with 1,040 in 1925, 1,055 in 1924, 1,006 in 1923, 1,010 in 1922, and 1,005 in 1921.

Table 5, on page 28, shows that the death rate for males has been consistently greater than the death rate for females. The death rate of the sexes has fluctuated considerably, reaching the maximum in 1918, when the difference was 3 per 1,000.

Age. — Of the 52,888 deaths in 1926, 6,130, or 11.6 per cent, were of infants under 1 year of age, as compared with 12.1 per cent in 1925, and an average of 13.3 for the five years from 1921 to 1925, 15.4 for the five years from 1916 to 1920 and 19.1 for the five years from 1911 to 1915. A more detailed discussion of infant mortality may be found on pages 5 and 6.

Sex and Age. — The death rate of adult males might be expected to exceed the rate of adult females, on account of the more dangerous occupations of the males, but the excess in the death rate of male infants as compared with female infants has never been satisfactorily explained. Of the 6,130 decedents under 1 year of age in 1926, 3,375, or 55.1 per cent, were males. The ratio of male to female deaths among the higher age periods fluctuated somewhat. The proportion of male deaths was the larger from 1 year of age up to and including the age period 65 to 69 years, with the exception of the 20 to 24, 25 to 29, and 30 to 34 year age periods, in which the number of female deaths was larger than the number of male deaths. From the age of 70 years and upward the number of deaths of females exceeded the deaths of males. The ratios of male deaths per 1,000 deaths of females at the various age periods in the four years 1923 to 1926 are shown in Table 8, on page 29.

The excess of females in the population 65 years of age and over is so great that, even though their mortality at each age period is below that of males, the absolute number of deaths is greater. Among the 26,943 male decedents in 1926, 3,375, or 12.5 per cent, were under 1 year of age; among the 25,945 female decedents, 2,755, or 10.6 per cent, were under 1 year; and among the decedents of both sexes 11.6 per cent were under 1 year (see table 9, page 30).

Marital Condition. — Not quite one half (47.4 per cent) of the decedents 15 years of age and over, whose marital condition was reported in 1926 were married, 19.6 per cent were single, 31.7 per cent were widowed, 1 per cent was divorced, and .3 per cent was unknown. Among the male decedents 55.6 per cent were married, 20.5 per cent were single, 22.2 per cent were widowed, 1.2 per cent were divorced, and .5 per cent was unknown. Among the female decedents 39.2 per cent were married, 18.7 per cent were single, 41.1 per cent were widowed, .9 per cent was divorced, and .1 per cent was unknown. No precise study of the bearing of marital condition on mortality statistics can be made, however, without a detailed statement of the age distribution of the population. The age groups used in the census statistics do not coincide with the age groups used in the tabulation of death statistics, so that the two sets of figures cannot be used together. Table 12, on page 32, shows the number of deaths of males and females 15 years of age and over, by marital condition.

Centenarians. — Among the deaths registered during 1926, there were 21 of reputed centenarians, 16 of whom were females, 15 were native, and 6 were foreign born; 16 were widowed, 2 were married, and 3 were single. Table 11, on page 31, presents data concerning the deaths of centenarians by sex, nativity, marital condition, and maximum age at death for the twenty-seven years 1900 to 1926.

Nativity. — Over two thirds (64.1 per cent) of the decedents whose nativity was reported on the death certificates in 1926 were native, and 35.4 per cent were foreign. There was .5 per cent whose nativity was not reported.

Seasonal Distribution of Deaths. — The largest number of deaths during any month occurred in March (6,049), and the next largest number in April (5,796). Since the months are not of equal length, the monthly incidence must be reduced to a uniform basis. The average daily number of deaths for 1926 was 145. The months showing a higher average than that for the year were March (195), April (193), January (162), February (151), and May (150.) Table 13, on page 33, shows the number of deaths in each month of 1926 in the State, in counties, and in cities having over 50,000 inhabitants in 1925.

Infant Mortality.

The infant mortality for the State in 1926 was 73.4 per 1,000 live births as compared with 73.1 in 1925. The rate for 1924 (67.7) was the lowest ever recorded in the Commonwealth. Reference to Table 22, on page 92 shows in striking manner the remarkable reduction in infant mortality, actual decrements without regard for increase in the number of births and without regard for increase in population.

The greatest infant mortality occurred in 1896 (11,765 deaths); and the next greatest actual number of infant deaths occurred twelve years later, 1908 (11,606).

The figures from 1910 to 1926 are shown in the following table:

Years.	Number of deaths under one year of age.	Infant mortality rates.
1910	11,499	132.9
1911	10,543	119.4
1912	10,472	116.5
1913	10,086	110.1
1914	9,894	105.9
1915	9,490	101.9
1916	9,334	99.8
1917	9,325	97.4
1918	10,820	113.2
1919	7,769	88.5
1920	8,382	91.2
1921	7,005	75.9
1922	7,129	81.3
1923	6,968	78.1
1924	6,191	67.7
1925	6,294	73.1
1926	6,130	73.4

In the ten years from 1917 to 1926 there has been a *decrease of* 12.8 *per cent in the number of live births registered, and in the actual number of deaths under one year of* 34.3 *per cent.* In 1926 deaths in Boston under 1 year of age numbered 1,572, or 83.9 per 1,000 live births, as compared with 85.1 in 1925, 74.2 in 1924, 82.4 in 1923, 92.3 in 1922, and 77.2 in 1921. In the ten years from 1917 to 1926, there has been a decrease of 6.1 per cent in the number of live births registered, and a decrease in the actual number of deaths under 1 year of 20 per cent. For the remainder of the State the number of births registered decreased 14.5 per cent during this period, while the number of deaths under 1 year decreased 38.1 per cent. The infant mortality rates for the State, exclusive of Boston, decreased from 134.3 in 1910, to 70.4 in 1926, as compared with a decrease in Boston from 127.4 in 1910 to 83.9 in 1926. (See Table 25 on page 94.)

Deaths under one month and also under one year of age in each municipality are shown in Table 21 on pages 90 to 92.

The infant mortality rates in municipalities having 15,000 or more inhabitants in 1925 are shown for the years 1919 to 1926 in Table 23 on page 93.

A careful analysis of the returns of cities and towns in which children's hospitals are located would probably show lower infant mortality rates than appear in Table 23.

The highest proportion of deaths occurs in the early period of infancy and especially is this true of the first few days. In 1926, 2,487 deaths occurred in the first week, constituting 40.6 per cent of all deaths under 1 year of age. On the first day the percentage of deaths (20.4) was higher than on any other day. In the first month of life there were 3,197 deaths, or 52.2 per cent of all infant deaths.

In the first three months there were 4,007 deaths, or 65.4 per cent of all infant deaths. Over three fourths (78.6 per cent) of the infant deaths occurred in the first half of the year.

Over three fourths (81.4 per cent) of the 2,487 babies who died less than one week after birth died of prematurity, congenital debility, malformations, or injuries received at birth. Of the 2,805 babies who died from these causes before reaching the age of 1 year 38.7 per cent died in less than one day, 72.2 per cent died in less than one week, and 87 per cent died in less than one month. The second most important cause of infant deaths — gastric and intestinal deseases — claimed 699, or 11.4 per cent of the babies who died before reaching 1 year of age. Eleven and six-tenths per cent of the babies who died from this cause died in less than one month after birth, 13.2 per cent within one but less than two months after birth, and 10.3 per cent within two but less than three months after birth.

The largest number of deaths of infants is due to developmental and wasting diseases,* and the figures indicate a reduction in infant mortality due to these causes, — from 31.1 deaths per 1,000 live births in 1919, to 29 in 1926. Respiratory diseases also caused a considerable number of deaths. The number of deaths from bronchopneumonia* has changed but little since 1921, when there were 752 infant deaths from this cause; 1,039 in 1922, 1,040 in 1923, 770 in 1924, 906 in 1925, and 847 in 1926. The principal causes of infant deaths for the years 1919 to 1926 are shown in Table 27, page 95.

Causes of Death.[1]

Sources of Error in Mortality Statistics. — The chief element of error in mortality statistics lies in the inaccuracy of the statement of the cause of death as reported by the attending physician, who may not have been in a position to feel reasonably certain as to the nature of the terminal illness. Statements of cause of death are often incomplete as a result of the unintentional failure of the physician to state all the morbid conditions known to him which resulted in the death. It is also probable that there are many unavoidable errors of mistaken diagnosis.

It should also be borne in mind that the process of classifying the thousands of different terms — some of them of a very indefinite or unsatisfactory character — under the 205 titles of the International List of Causes of Death present many difficulties which are seldom fully appreciated by those who have not engaged in the work of classification. Even if each certificate of death out of the 52,888 received during 1926 at the Division of Vital Statistics of the office of the Secretary of the Commonwealth bore only a single cause, the process would present many difficulties. Many certificates, however, bear statement of two or more causes instead of one and a system of selection, according to the precedents and rules of the International Committee, has been adopted by the United States Bureau of the Census, and is used in the Division of Vital Statistics. Because of the complications attendant upon any attempt to show all primary and secondary terms in relation, it becomes necessary to base all statistical compilations of causes of death on the selection of a preferred term. As a result it is evident that there may be a margin of error, because in a considerable number of certificates only one of the contributory causes may be shown. Each definite cause of death as compiled, therefore, represents a minimum number, which would be increased if deaths from such causes that were not properly reported, and hence were classified under various ill-defined titles, could be included.

Principal Causes of Death. — Nearly one-third of the 52,888 deaths reported in 1926 were caused by organic heart disease* (including pericarditis), pneumonia (including bronchopneumonia), and tuberculosis in all forms. These diseases, together with apoplexy,* cancer, Bright's disease* and nephritis, external causes, malformations* and the diseases of early infancy, caused 72.4 per cent of the deaths for the year.

Pneumonia (including bronchopneumonia) caused 5,158 deaths in 1926 or 122.4 per 100,000 population. It was responsible for 5,244 deaths, or 126.5 per 100,000 population in 1925 as compared with 109 in 1924, 147 in 1923, 139.6 in 1922,

[1] In this report an asterisk (*) has been used in the text to denote those certified causes of death which the committee, after careful consideration, reported were acceptable statements of causes of death without autopsy.


MASSACHUSETTS
HEART DISEASE
87 · 90
Death Rate per 100,000
1900 - 1926
250
240
230
220
210
200
190
180
170
160
1905
1910
1915
1920
1925

and 108.1 in 1921. The deaths from *heart disease** (organic diseases of the heart* and endocarditis*) in 1926 numbered 10,031, or 19 per cent of all deaths, or 238.1 per 100,000 population, as compared with 8,894, or 17.1 per cent of all deaths, or 214.6 per 100,000 population in 1925. In 1918 deaths from this cause increased 10.5 per cent over 1917, while the death rate per 100,000 population increased to 205.4 for 1917, or 8.5 per cent over the rate of 189.4 in 1916, and 53.6 per cent over the average rate (133.7) for the five years from 1911 to 1915.

Tuberculosis in its various forms claimed 3,516 victims in 1926, of whom 2,961 died from tuberculosis of the respiratory system.* Deaths due to the latter cause constituted 5.6 per cent of all deaths during the year, as compared with 8.1 per cent for the five years 1912 to 1916. In the six years from 1910 to 1915 the death rate from tuberculosis of the respiratory system* fell from 133.2 to 116 per 100,000 population, a drop of 17.2 per cent, the decline being continuous from year to year. In 1918, however, there was an increase in the death rate to 130, but in 1919 there was a decline to 108.1, 94.6 in 1920, 84.2 in 1921, 80.5 in 1922, 77.1 in 1923, 73.8 in 1924, 69.6 in 1925, and 70.3 in 1926.

Apoplexy* was the cause of 4,123 deaths, or 97.8 per 100,000 population. The death rate from this disease has fluctuated somewhat from 103.9 in 1917, to 109.7 in 1921, 116.7 in 1922, 118 in 1923, 117.7 in 1924 and 118.1 in 1925.

Cancer and other Malignant Tumors caused 5,341 deaths in 1926 corresponding to a death rate of 126.8 as compared with 125.4 in 1925. Of the deaths from cancer 31.6 per cent resulted from cancers of the stomach and liver. The death rate from cancer has risen from 89.9 in 1910 to 126.8 in 1926. The increase has been continuous. It is possible that at least a part of this increase is due to more correct diagnosis and greater care on the part of the physicians in making reports, but a part at least is due to the lengthened span of life, resulting in a larger number of people reaching the older age groups.

Bright's Disease* and nephritis were the causes of 3,867 deaths in 1926, corresponding to a rate of 91.8 per 100,000 population, as compared with 73.2 in 1925, 80.6 in 1924, and an average rate of 86.9 for the five years from 1919 to 1923. There were 3,691 deaths caused by Bright's disease*, and 176 by acute nephritis.

Congenital Debility* and Malformations* caused 2,473 deaths in 1926 corresponding to a rate of 58.7 per 100,000 population. The death rates from these causes have shown a steady decline from 109.2 in 1910 (with the exception of 1912, 114.2).

Diarrhea and Enteritis* caused 920 deaths in 1926, or 21.8 per 100,000 population. With the exception of 1918 this rate has shown a marked decline. Eighty-two and three-tenths per cent of the total number of deaths charged to these causes in 1926 were of infants under 2 years of age. The rates from this cause for all ages have declined steadily from 129.3 in 1910 to 41.4 in 1921, 33.7 in 1922, 26.2 in 1923, 24.3 in 1924, and 20.3 in 1925.

Diphtheria and Croup* — which are classed together in the statistics, but practically all of which are of diphtheria — number 249, or 5.9 per 100,000 population in 1926, as compared with 8 in 1925, 13.3 in 1924, 14.6 in 1923, 15.4 in 1922, and 15.6 in 1921.

Typhoid Fever* has shown a steady decline since 1910, having dropped from 12.2 in that year to 1.4 in 1926. This decline is greater, relatively, than that shown for any other important cause of death. The total number of deaths due to typhoid fever in 1926 was 61 as compared with 73 in 1925, 68 in 1924, 70 in 1923, 86 in 1922, 119 in 1921, and 411 in 1910.

Alcoholism caused 285 deaths in 1926, a decrease of 15 from those in 1925, and corresponding to a rate of 6.8 per 100,000 population. In 1924 there were 287 deaths from this cause; in 1923, 283; in 1922, 238; and in 1921, 97.

Influenza was responsible for 718 deaths, or 17 per 100,000 inhabitants, as compared with 352.7 in 1918, 3.9 in 1921, 14.5 in 1922, 18.7 in 1923, 6.9 in 1924, and 12.5 in 1925.

The principal epidemic maladies of childhood (*whooping cough*, measles*, and scarlet fever**) were together responsible for 875 deaths of both adults and children, or 20.8 per 100,000 population in 1926, the rates for the three diseases separately being 9.3, 8.7, and 2.8 respectively. The mortality rates for all three of these diseases have changed greatly from year to year.

Death Rates from Violence during the past six years per 100,000 population were 77.1 in 1921, 79.8 in 1922, 85.5 in 1923, 86.8 in 1924, 86.2 in 1925, and 79.3 in 1926.

Deaths due to *railroad accidents and injuries** total 120 in 1926, or 2.8 per 100,000 population. The rates for previous years were 2.6 in 1925, 2.2 in 1924, 3 in 1923, 2.6 in 1922, and 2.8 in 1921.

Deaths resulting from *street car accidents and injuries** numbered 55 or 1.3 per 100,000 population.

Automobile Accidents and Injuries* caused 682 deaths in 1926, or 16.2 per 100,000 population. There has been an increase in this rate from year to year until 1920 when it dropped to 11.9; 13.5 in 1921, 12.7 in 1922, 16.1 in 1923, 17.6 in 1924, and 17.9 in 1925. No accurate data are available for measuring the death rate per number of automobiles in use, as the statistics compiled by the Department of Public Works show the number of machines registered, and thus contain duplications, since one machine may be registered more than once in a calendar year. It is probable, however, that the increase has not been so rapid as that of the number of machines in use.

Effects of Heat. In 1926 the deaths from this cause numbered 63. In 1925 there were 135 deaths, the highest number since 1911 when deaths from this cause numbered 614. The highest temperature recorded in 1926 was 103 degrees on July 22. The highest temperature recorded at the Weather Bureau of the United States Department of Agriculture since 1900 was 104 degrees on July 4, 1911. The highest temperature recorded in 1925 was 100 degrees on July 6.

The maximum mean temperature for the months of June, July and August was as follows:

	June.	July.	August.
1926	73.0	78.4	77.6
1925	80.7	80.5	80.0
1911	73.2	86.0	76.3

The average monthly humidity was as follows:

	June.	July.	August.
1926	62	68	72
1925	69	68	67
1911	75	65	78

Deaths caused by *machinery accidents** in 1926 numbered 54, or 1.3 per 100,000 population. The corresponding figures for previous years were 1.1 in 1921, 1.7 in 1922, 1.6 in 1923, 1.2 in 1924 and 1925.

The number of *suicides** reported in 1926 was 473, or 11.2 per 100,000 population. The rates since 1921 have been: 1921, 12.1; 1922, 11.6; 1923, 11.4; 1924, 12.1; and 1925, 11.1.

Deaths caused by *firearms* numbered 159 in 1926, corresponding to a rate of 3.7 per 100,000 population. Of these deaths 93 were suicides, 40 were homicides, and 26 were accidental (including those concerning which the status as to suicide, homicide, or accident was in doubt).

Deaths from *homicide** numbered 87 in 1926, or 2.1 per 100,000 population. The rates for homicide in recent years are 3 in 1921, 2.6 in 1922, 2.7 in 1923 and 1924, and 2.6 in 1925.

The causes of death of males and females for each month and at seventeen age periods for the Commonwealth for the full International List of Causes of Death with certain subdivisions are shown in Table 14, on pages 34 to 59. The causes denoted by letters, shown separately in indented type, Table 14, are a part of the total cause shown on the International List. In Table 15, on pages 60 to 84, the deaths are shown for 50 causes and groups of causes for each municipality.

For the Commonwealth as a whole the deaths and death rates for the seven years 1920 to 1926 are shown for the 38 causes and groups of causes in the Abridged International List in Table 17 on pages 86 and 87. The relation of this list to the Detailed International List is shown in the Appendix. In addition to the above presentations, certain other tables showing the causes of deaths are presented on pages 88 and 89.

Deaths Investigated by Medical Examiners.

Source of Data. — The statistics of deaths investigated by medical examiners published in this report are based upon annual returns made by medical examiners

and associate medical examiners to the Secretary of the Commonwealth of abstracts of the records of deaths supposably due to violence, the cause and manner of which have been investigated during the year. Deaths supposably due to violence include not only deaths caused directly or indirectly by traumatism (including resulting septicemia), and by the action of chemical (drugs and poisons), thermal, or electrical agents, and deaths following abortion, but also deaths from disease resulting from injury or infection related to occupation, the sudden deaths of persons not disabled by recognized disease, and those of persons found dead.

Medical examiners are often called upon to view cases in which the death was not due to violence (heart disease, apoplexy, etc.), but where the death was simply sudden or where no physician had been in recent attendance. Medical examiners are also required to certify that they have viewed bodies to be cremated, and to make personal inquiry into the cause and manner of death.

Discrepancies will be found in comparing deaths based upon certificates returned to the city and town clerks and those contained in the reports of medical examiners. The causes when certified on the death certificates are more nearly accurate, because the reports received from the medical examiners after they themselves have certified in many instances to the cause shown do not contain all of the facts that led to death. Both the reports and certificates should compare and efforts are now being directed toward a uniformity in this regard.

Number of Deaths Investigated. — The number of deaths investigated by the medical examiners in 1926 was 7,648, or 14.5 per cent of the total number of deaths which occurred during the year, as compared with 7,689 deaths in 1925, or 14.8 per cent of the total number of deaths. Nearly two-thirds (64.9 per cent) of these deaths were of males. Of the deaths investigated by medical examiners, 3,016, or 39.4 per cent, were reported as due to violence, while among the deaths returned to the registrars, 3,343 were reported as due to violence.

The largest number of cases investigated by medical examiners in 1926 was in Suffolk County, 1,998, as compared with 2,109 in 1925. Of the deaths investigated in Suffolk County, 819, or 40.9 per cent, were reported as due to violence (see Table 32, pages 112 and 113).

Autopsies. — Autopsies were made in 565, or 7.4 per cent of the cases investigated by the medical examiners in 1926 as compared with 7.5 per cent in 1925, 8.9 per cent in 1924, and 9.7 per cent in 1923.

The highest proportion of autopsies was in Suffolk County, where 17.9 per cent of the views were autopsied, as compared with 16.9 per cent in 1925. Table 34, on pages 118 and 119, shows the number of views and the number of autopsies in each county in each year from 1917 to 1926, and the number and per cent of views autopsied for the ten-year period, 1917 to 1926.

Cause of Death. — More than one-half (59.5 per cent) of the deaths viewed by medical examiners in 1926 were from causes not due to violence, 39.4 per cent were due to violence, and 1.1 per cent were stillbirths. Seven hundred forty-nine or 9.7 per cent of the views were for cremations.

Deaths from causes not due to violence numbered 4,553, of which 3,439 were from natural causes and 285 were due to alcoholism.

Deaths due to violence numbered 3,016, of which 2,456 were due to accident or negligence, 471 were suicides, and 89 were homicides.

Of the 2,456 deaths due to accident or negligence, 662 were due to falls and blows, 687 were due to automobile accidents, 215 resulted from drowning, 123 were due to railroad accidents, and 769 to other causes. The number of deaths due to automobile accidents in the last ten years is shown in the following table:

Years.	Deaths from automobile accidents.	Years.	Deaths from automobile accidents.
1917	380	1922	494
1918	475	1923	619
1919	503	1924	687
1920	451	1925	733
1921	506	1926	687

Suicides numbered 471, or 15.6 per cent of the deaths due to violence. Suicides committed with firearms (93) and by the use of illuminating and other gases


MASSACHUSETTS
CANCER
Death Rate per 100,000
1900 - 1926
125
120
115
110
105
100
95
90
85
80
75
70
1905
1910
1915
1920
1925

(143) constituted about one-half (50.1 per cent) of the total number. The number of suicides by poisons was (53), by hanging or strangulation (79), by drowning (43) and other methods (60). About three-fourths (73.9 per cent) of the suicides were males.

Of the 471 persons committing suicide, 80 were 50 to 59 years of age, 108 were 40 to 49 years of age, 81 were 30 to 39 years of age, 58 were 20 to 29 years of age, 126 were over 60 years of age, 18 were under 20 years. Among the male suicides the largest numbers were from 40 to 49 years of age (85) and from 50 to 59 years (66), while among the female suicides the largest numbers were from 20 to 29 years of age (31) and from 40 to 49 years of age (23). The most common method of committing suicide was by illuminating or other gases.

Homicide numbered 89 of which 38 were by firearms, 7 were by cutting or piercing instruments, 38 by other means, and 6 were cases of infanticide. Of the 89 homicides, 61, or 68.5 per cent, were males.


MASSACHUSETTS
TUBERCULOSIS
Death Rate per 100000
1900 – 1926
Tuberculosis All Forms
Tuberculosis of the Lungs
Tuberculosis All Forms
Tuberculosis of the Lungs
240
230
220
210
200
190
180
170
160
150
140
130
120
110
100
90
80
70
1905
1910
1915
1920
1925

STATISTICAL TABLES.

General Mortality.

Table 1 — Deaths,[2] by Sex and Nativity, and Death Rates in Each County and City: 1926.

Counties and Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Sex. Unknown.	Nativity. Native.	Nativity. Foreign-born.	Nativity. Unknown.	Death rate[3] per 1,000 population. Including non-residents.	Death rate[3] per 1,000 population. Excluding non-residents.	Death rate[3] per 1,000 population. Estimated June 30, 1926.
The State.	**52,888**	**26,943**	**25,945**	–	**33,895**	**18,713**	**280**	**12.6**	–	**4,213,700**
Counties.										
Barnstable	524	274	250	–	436	82	6	17.2	–	30,517
Berkshire	1,496	779	717	–	1,097	391	8	12.1	–	123,220
Bristol	4,931	2,444	2,487	–	2,947	1,959	25	12.7	–	389,690
Dukes	101	54	47	–	71	26	4	20.3	–	4,982
Essex	6,088	3,036	3,052	–	4,076	1,993	19	12.2	–	500,327
Franklin	568	286	282	–	460	105	3	11.4	–	49,658
Hampden	3,907	2,007	1,900	–	2,603	1,281	23	11.7	–	333,463
Hampshire	997	520	477	–	686	311	–	13.0	–	76,442
Middlesex	10,240	5,046	5,194	–	6,506	3,707	27	11.6	–	879,959
Nantucket	60	26	34	–	55	5	–	18.5	–	3,242
Norfolk	2,772	1,313	1,459	–	1,819	934	19	10.2	–	272,295
Plymouth	2,088	1,151	937	–	1,526	553	9	12.6	–	165,997
Suffolk	12,709	6,630	6,079	–	7,507	5,092	110	14.3	–	885,991
Worcester	6,407	3,377	3,030	–	4,106	2,274	27	12.9	–	497,932
Municipalities.										
Abington	73	37	36	–	61	12	–	–	–	–
Acton	37	21	16	–	29	8	–	–	–	–
Acushnet	67	35	32	–	46	21	–	–	–	–
Adams	114	62	52	–	67	46	1	8.3	–	13,660
Agawam	60	28	32	–	43	17	–	–	–	–
Alford	3	2	1	–	3	–	–	–	–	–
Amesbury	120	74	46	–	75	44	1	10.4	–	11,514
Amherst	61	29	32	–	50	11	–	–	–	–
Andover	104	45	59	–	67	36	1	9.7	–	10,771
Arlington	244	98	146	–	164	80	–	9.2	–	26,443
Ashburnham	29	18	11	–	21	8	–	–	–	–
Ashby	12	6	6	–	10	2	–	–	–	–
Ashfield	6	3	3	–	5	1	–	–	–	–
Ashland	15	6	9	–	9	6	–	–	–	–
Athol	101	62	39	–	72	27	2	–	–	–
Attleboro	257[4]	126	131	–	169	87	1	12.3	9.3	20,833
Auburn	40	18	22	–	27	13	–	–	–	–
Avon	22	6	16	–	20	2	–	–	–	–
Ayer	35	18	17	–	27	8	–	–	–	–
Barnstable	132	71	61	–	110	21	1	–	–	–
Barre	28	16	12	–	22	6	–	–	–	–
Becket	7	3	4	–	5	2	–	–	–	–
Bedford	13	9	4	–	8	4	1	–	–	–
Belchertown	33	19	14	–	26	7	–	–	–	–
Bellingham	26	12	14	–	15	11	–	–	–	–
Belmont	137	73	64	–	86	50	1	8.4	–	16,336
Berkley	13	7	6	–	12	–	1	–	–	–
Berlin	14	8	6	–	13	1	–	–	–	–
Bernardston	8	4	4	–	6	1	1	–	–	–
Beverly	280[5]	144	136	–	198	81	1	12.3	10.7	22,715
Billerica	55	28	27	–	39	16	–	–	–	–
Blackstone	31	16	15	–	19	12	–	–	–	–
Blandford	7	4	3	–	6	1	–	–	–	–
Bolton	11	6	5	–	8	3	–	–	–	–
Boston	11,720[6]	6,035	5,685	–	6,920	4,698	102	14.9	12.2	787,135
Bourne	52	28	24	–	44	8	–	–	–	–
Boxborough	5	1	4	–	4	1	–	–	–	–
Boxford	10	3	7	–	10	–	–	–	–	–
Boylston	7	4	3	–	5	2	–	–	–	–
Braintree	157	73	84	–	100	55	2	11.4	–	13,808
Brewster	13	8	5	–	11	1	1	–	–	–
Bridgewater	173[7]	146	27	–	110	63	–	–	–	–
Brimfield	6	1	5	–	4	2	–	–	–	–
Brockton	762[8]	395	367	–	500	257	5	11.7	9.8	65,343
Brookfield	21	14	7	–	16	5	–	–	–	–
Brookline	486[9]	194	292	–	327	152	7	11.1	7.8	43,851
Buckland	25	15	10	–	15	10	–	–	–	–
Burlington	16	11	5	–	11	5	–	–	–	–

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.
[3] The rates shown in this column are based on the total population, and make no allowance for differences in the sex and age distribution of the population. The rates for certain localities are materially affected by deaths of nonresidents who may be attracted to those localities by their superior hospital facilities, or may resort to certain localities for treatment of tuberculosis, mental defects, or other diseases. The death rate, both including and excluding nonresidents, is shown.
[4] 63 nonresidents.
[5] 37 nonresidents.
[6] 2,155 nonresidents.
[7] 113 nonresidents.
[8] 126 nonresidents.
[9] 146 nonresidents.

Table 1

DEATHS,[2] BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY AND CITY: 1926.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	Female.	Unknown.	NATIVITY. Native.	Foreign-born.	Unknown.	DEATH RATE[3] PER 1,000 POPULATION. Including nonresidents.	Excluding nonresidents.	Estimated June 30, 1926.
CAMBRIDGE	1,481[4]	755	726	–	890	588	3	12.1	10.1	122,039
Canton	63	32	31	–	41	22	–	–	–	–
Carlisle	6	3	3	–	4	2	–	–	–	–
Carver	12	8	4	–	9	3	–	–	–	–
Charlemont	8	1	7	–	8	–	–	–	–	–
Charlton	32	21	11	–	23	9	–	–	–	–
Chatham	39	22	17	–	36	3	–	–	–	–
Chelmsford	72	29	43	–	51	21	–	–	–	–
CHELSEA	630[5]	413	217	–	373	250	7	13.1	7.7	48,207
Cheshire	10	6	4	–	8	2	–	–	–	–
Chester	26	14	12	–	19	6	1	–	–	–
Chesterfield	5	5	–	–	3	2	–	–	–	–
CHICOPEE	361[6]	198	163	–	223	136	2	8.4	8.1	43,232
Chilmark	5	2	3	–	4	1	–	–	–	–
Clarksburg	12	4	8	–	10	2	–	–	–	–
Clinton	188	102	86	–	110	78	–	13.0	–	14,465
Cohasset	50	22	28	–	39	11	–	–	–	–
Colrain	15	8	7	–	12	3	–	–	–	–
Concord	76	32	44	–	57	19	–	–	–	–
Conway	17	10	7	–	16	1	–	–	–	–
Cummington	7	3	4	–	7	–	–	–	–	–
Dalton	45	18	27	–	36	9	–	–	–	–
Dana	6	2	4	–	6	–	–	–	–	–
Danvers	308[7]	145	163	–	195	112	1	25.7	7.8	11,963
Dartmouth	100	53	47	–	65	35	–	–	–	
Dedham	118	50	68	–	74	43	1	8.0	–	14,668
Deerfield	18	9	9	–	13	5	–	–	–	–
Dennis	37	13	24	–	34	3	–	–	–	–
Dighton	38	18	20	–	28	9	1	–	–	–
Douglas	25	12	13	–	15	10	–	–	–	–
Dover	4	3	1	–	3	1	–	–	–	–
Dracut	71	31	40	–	44	27	–	–	–	–
Dudley	55	32	23	–	26	29	–	–	–	–
Dunstable	5	3	2	–	4	–	1	–	–	–
Duxbury	20	7	13	–	16	4	–	–	–	–
East Bridgewater	49	23	26	–	35	14	–	–	–	–
East Brookfield	11	7	4	–	7	4	–	–	–	–
East Longmeadow	29	20	9	–	20	8	1	–	–	–
Eastham	7	5	2	–	6	1	–	–	–	–
Easthampton	114	49	65	–	68	46	–	9.8	–	11,662
Easton	50	29	21	–	38	11	1	–	–	–
Edgartown	12	6	6	–	7	5	–	–	–	–
Egremont	6	4	2	–	6	–	–	–	–	–
Enfield	9	3	6	–	9	–	–	–	–	–
Erving	7	3	4	–	6	1	–	–	–	–
Essex	17	10	7	–	11	6	–	–	–	–
EVERETT	370[8]	180	190	–	230	140	–	8.7	8.2	42,537
Fairhaven	107	54	53	–	74	33	–	–	–	–
FALL RIVER	1,712[9]	833	879	–	899	803	10	13.1	12.3	131,018
Falmouth	46	28	18	–	30	12	4	–	–	–
FITCHBURG	491[10]	247	244	–	308	183	–	11.1	10.4	44,224
Florida	–	–	–	–	–	–	–	–	–	–
Foxborough	124[11]	69	55	–	84	38	2	–	–	–
Framingham	296[12]	152	144	–	195	100	1	13.4	9.9	22,038
Franklin	53	27	26	–	34	19	–	–	–	–
Freetown	10	2	8	–	8	2	–	–	–	–
GARDNER	273[13]	142	131	–	174	98	1	14.3	9.4	19,150
Gay Head	2	1	1	–	2	–	–	–	–	–
Georgetown	31	13	18	–	27	4	–	–	–	–
Gill	12	6	6	–	9	3	–	–	–	–
GLOUCESTER	313[14]	162	151	–	209	104	–	13.3	12.3	23,480
Goshen	7	6	1	–	7	–	–	–	–	–
Gosnold	1	1	–	–	–	–	1	–	–	–
Grafton	131[15]	61	70	–	77	50	4	–	–	–
Granby	4	2	2	–	3	1	–	–	–	–
Granville	6	4	2	–	4	2	–	–	–	–
Great Barrington	96	46	50	–	76	20	–	–	–	–
Greenfield	185	95	90	–	156	28	1	12.1	–	15,246
Greenwich	5	2	3	–	5	–	–	–	–	–
Groton	40	21	19	–	34	6	–	–	–	–
Groveland	37	15	22	–	33	4	–	–	–	–
Hadley	14	10	4	–	10	4	–	–	–	–

See footnotes 1–3, on page 14.

[4] 246 nonresidents.
[5] 260 nonresidents.
[6] 12 nonresidents.
[7] 215 nonresidents.
[8] 20 nonresidents.
[9] 95 nonresidents.
[10] 33 nonresidents.
[11] 79 nonresidents.
[12] 77 nonresidents.
[13] 93 nonresidents.
[14] 25 nonresidents.
[15] 55 nonresidents.

Table 1

DEATHS,[2] BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY AND CITY: 1926.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	Female.	Unknown.	NATIVITY. Native.	Foreign-born.	Unknown.	DEATH RATE[3] PER 1,000 POPULATION. Including non-residents.	Excluding non-residents.	Estimated June 30, 1926.
Halifax	5	3	2	–	3	2	–	–	–	–
Hamilton	20	10	10	–	17	3	–	–	–	–
Hampden	6	4	2	–	5	1	–	–	–	–
Hancock	5	3	2	–	5	–	–	–	–	–
Hanover	36	19	17	–	31	5	–	–	–	–
Hanson	49	28	21	–	40	9	–	–	–	–
Hardwick	22	10	12	–	10	12	–	–	–	–
Harvard	11	1	10	–	7	4	–	–	–	–
Harwich	42	20	22	–	39	3	–	–	–	–
Hatfield	17	8	9	–	12	5	–	–	–	–
HAVERHILL	651[4]	310	341	–	468	181	2	13.2	12.6	49,232
Hawley	3	1	2	–	3	–	–	–	–	–
Heath	4	2	2	–	3	1	–	–	–	–
Hingham	75	41	34	–	58	17	–	–	–	–
Hinsdale	15	6	9	–	13	2	–	–	–	–
Holbrook	49	26	23	–	42	7	–	–	–	–
Holden	59	24	35	–	40	19	–	–	–	–
Holland	1	–	1	–	1	–	–	–	–	–
Holliston	22	13	9	–	19	2	1	–	–	–
HOLYOKE	782[5]	397	385	–	419	361	2	13.0	10.8	60,365
Hopedale	16	5	11	–	14	2	–	–	–	–
Hopkinton	37	17	20	–	28	9	–	–	–	–
Hubbardston	7	3	4	–	6	1	–	–	–	–
Hudson	97	52	45	–	67	30	–	–	–	–
Hull	25	16	9	–	17	6	2	–	–	–
Huntington	15	8	7	–	9	6	–	–	–	–
Ipswich	95	48	47	–	68	27	–	–	–	–
Kingston	33	19	14	–	27	6	–	–	–	–
Lakeville	29[6]	16	13	–	17	12	–	–	–	–
Lancaster	22	9	13	–	20	2	–	–	–	–
Lanesborough	14	7	7	–	14	–	–	–	–	–
LAWRENCE	940[7]	482	458	–	501	435	4	10.1	9.3	93,527
Lee	43	26	17	–	28	15	–	–	–	–
Leicester	38	14	24	–	29	9	–	–	–	–
Lenox	30	16	14	–	22	8	–	–	–	–
LEOMINSTER	288[8]	152	136	–	198	90	–	12.7	12.2	22,690
Leverett	10	4	6	–	10	–	–	–	–	–
Lexington	73	33	40	–	46	27	–	–	–	–
Leyden	2	1	1	–	1	1	–	–	–	–
Lincoln	13	6	7	–	11	2	–	–	–	–
Littleton	13	7	6	–	8	5	–	–	–	–
Longmeadow	21	11	10	–	18	3	–	–	–	–
LOWELL	1,550[9]	791	759	–	898	650	2	14.1	13.2	110,296
Ludlow	117	58	59	–	79	38	–	–	–	–
Lunenburg	26	17	9	–	22	4	–	–	–	–
LYNN	1,182[10]	566	616	–	759	418	5	11.4	10.6	104,011
Lynnfield	22	10	12	–	20	2	–	–	–	–
MALDEN	558[11]	269	289	–	357	198	3	10.6	9.5	52,434
Manchester	29	16	13	–	24	5	–	–	–	–
Mansfield	58	29	29	–	42	16	–	–	–	–
Marblehead	135	57	78	–	113	22	–	–	–	–
Marion	13	6	7	–	11	2	–	–	–	–
MARLBOROUGH	197[12]	95	102	–	136	60	1	11.9	9.9	16,521
Marshfield	37	20	17	–	32	5	–	–	–	–
Mashpee	7	4	3	–	7	–	–	–	–	–
Mattapoisett	21	11	10	–	20	1	–	–	–	–
Maynard	49	27	22	–	23	26	–	–	–	–
Medfield	120[13]	42	78	–	66	53	1	–	–	–
MEDFORD	476[14]	215	261	–	316	160	–	9.6	8.2	49,667
Medway	28	11	17	–	20	8	–	–	–	–
MELROSE	232[15]	92	140	–	179	53	–	11.2	9.1	20,630
Mendon	10	5	5	–	9	1	–	–	–	–
Merrimac	23	8	15	–	21	2	–	–	–	–
Methuen	170[16]	85	85	–	100	70	–	7.8	6.4	21,896
Middleborough	113	58	55	–	92	21	–	–	–	–
Middlefield	2	1	1	–	2	–	–	–	–	–
Middleton	104	66	38	–	66	38	–	–	–	–
Milford	184	110	74	–	117	67	–	12.2	–	15,096
Millbury	50	24	26	–	33	17	–	–	–	–
Millis	11	6	5	–	8	3	–	–	–	–
Millville	18	10	8	–	10	8	–	–	–	–

See footnotes 1–3, on page 14.

[4] 47 nonresidents.
[5] 133 nonresidents.
[6] 19 nonresidents.
[7] 71 nonresidents.
[8] 11 nonresidents.
[9] 89 nonresidents.
[10] 82 nonresidents.
[11] 59 nonresidents.
[12] 34 nonresidents.
[13] 98 nonresidents.
[14] 67 nonresidents.
[15] 44 nonresidents.
[16] 29 nonresidents.

Table 1

Municipalities.[1]	Deaths,[2] by Sex and Nativity, and Death Rates in Each County and City: 1926.									
		Sex.			Nativity.			Death rate[3] per 1,000 population.		
	Total number.	Male.	Female.	Unknown.	Native.	Foreign-born.	Unknown.	Including nonresidents.	Excluding nonresidents.	Estimated June 30, 1926.
Milton	125	57	68	–	81	44	–	9.2	–	13,686
Monroe	–	–	–	–	–	–	–	–	–	–
Monson	142[4]	81	61	–	116	25	1	–	–	–
Montague	115	67	48	–	79	35	1	–	–	–
Monterey	4	2	2	–	3	1	–	–	–	–
Montgomery	4	1	3	–	4	–	–	–	–	–
Mount Washington	1	1	–	–	1	–	–	–	–	–
Nahant	16	12	4	–	13	3	–	–	–	–
Nantucket	60	26	34	–	55	5	–	–	–	–
Natick	160	65	95	–	116	43	1	12.0	–	13,336
Needham	76	31	45	–	48	28	–	–	–	–
New Ashford	–	–	–	–	–	–	–	–	–	–
New Bedford	1,498[5]	738	760	–	875	615	8	12.5	11.7	119,539
New Braintree	5	3	2	–	4	1	–	–	–	–
New Marlborough	5	1	4	–	5	–	–	–	–	–
New Salem	7	2	5	–	7	–	–	–	–	–
Newbury	17	9	8	–	16	1	–	–	–	–
Newburyport	250[6]	125	125	–	209	40	1	15.9	12.4	15,671
Newton	559[7]	253	306	–	389	169	1	10.2	8.9	54,653
Norfolk	13	8	5	–	12	1	–	–	–	–
North Adams	309[8]	161	148	–	220	89	–	13.5	12.0	22,822
North Andover	57	35	22	–	36	21	–	–	–	–
North Attleborough	102	46	56	–	63	37	2	–	–	–
North Brookfield	46	21	25	–	34	12	–	–	–	–
North Reading	33	20	13	–	22	11	–	–	–	–
Northampton	512[9]	272	240	–	340	172	–	20.8	9.9	24,670
Northborough	27	9	18	–	22	5	–	–	–	–
Northbridge	92	51	41	–	52	40	–	9.2	–	10,051
Northfield	19	7	12	–	18	1	–	–	–	–
Norton	29	11	18	–	22	7	–	–	–	–
Norwell	27	14	13	–	24	3	–	–	–	–
Norwood	123	63	60	–	67	56	–	8.5	–	14,511
Oak Bluffs	45	20	25	–	32	13	–	–	–	–
Oakham	5	2	3	–	4	1	–	–	–	–
Orange	61	28	33	–	52	9	–	–	–	–
Orleans	20	12	8	–	19	1	–	–	–	–
Otis	4	4	–	–	4	–	–	–	–	–
Oxford	40	20	20	–	29	11	–	–	–	–
Palmer	110	55	55	–	80	30	–	9.7	–	11,314
Paxton	6	3	3	–	3	3	–	–	–	–
Peabody	226[10]	117	109	–	148	77	1	11.3	10.0	19,945
Pelham	4	4	–	–	4	–	–	–	–	–
Pembroke	19	13	6	–	14	5	–	–	–	–
Pepperell	45	20	25	–	35	10	–	–	–	–
Peru	2	1	1	–	2	–	–	–	–	–
Petersham	14	6	8	–	12	2	–	–	–	–
Phillipston	6	4	2	–	5	1	–	–	–	–
Pittsfield	674[11]	353	321	–	490	178	6	14.0	11.3	48,092
Plainfield	6	3	3	–	4	2	–	–	–	–
Plainville	8	3	5	–	4	4	–	–	–	–
Plymouth	173	87	86	–	129	42	2	13.1	–	13,206
Plympton	11	5	6	–	8	3	–	–	–	–
Prescott	4	3	1	–	4	–	–	–	–	–
Princeton	9	4	5	–	9	–	–	–	–	–
Provincetown	55	28	27	–	34	21	–	–	–	–
Quincy	536[12]	294	242	–	314	220	2	8.5	7.9	62,950
Randolph	70	27	43	–	43	27	–	–	–	–
Raynham	28	16	12	–	20	8	–	–	–	–
Reading	72	33	39	–	54	18	–	–	–	–
Rehoboth	27	17	10	–	25	2	–	–	–	–
Revere	202[13]	103	99	–	106	96	–	5.9	5.7	34,311
Richmond	3	2	1	–	3	–	–	–	–	–
Rochester	20	10	10	–	18	2	–	–	–	–
Rockland	89	41	48	–	72	17	–	–	–	–
Rockport	62	33	29	–	38	24	–	–	–	–
Rowe	3	–	3	–	2	1	–	–	–	–
Rowley	15	11	4	–	13	2	–	–	–	–
Royalston	9	4	5	–	6	3	–	–	–	–
Russell	12	5	7	–	11	–	1	–	–	–
Rutland	229[14]	174	55	–	157	72	–	–	–	–
Salem	588[15]	289	299	–	410	177	1	13.7	12.2	42,896

See footnotes 1–3, on page 14.

[4] 95 nonresidents.
[5] 94 nonresidents.
[6] 55 nonresidents.
[7] 75 nonresidents.
[8] 36 nonresidents.
[9] 267 nonresidents.
[10] 26 nonresidents.
[11] 131 nonresidents.
[12] 41 nonresidents.
[13] 7 nonresidents.
[14] 214 nonresidents.
[15] 63 nonresidents.

Table 1

DEATHS,[2] BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY AND CITY: 1926.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	Female.	Unknown.	NATIVITY. Native.	Foreign-born.	Unknown.	DEATH RATE[3] PER 1,000 POPULATION. Including nonresidents.	Excluding nonresidents.	Estimated June 30, 1926.
Salisbury	29	17	12	–	26	3	–	–	–	–
Sandisfield	6	4	2	–	3	3	–	–	–	–
Sandwich	19	8	11	–	15	4	–	–	–	–
Saugus	110	55	55	–	87	22	1	8.3	–	13,193
Savoy	4	4	–	–	4	–	–	–	–	–
Scituate	54	34	20	–	47	7	–	–	–	–
Seekonk	49	25	24	–	30	18	1	–	–	–
Sharon	60	30	30	–	48	12	–	–	–	–
Sheffield	22	14	8	–	20	2	–	–	–	–
Shelburne	15	4	11	–	15	–	–	–	–	–
Sherborn	11	7	4	–	9	2	–	–	–	–
Shirley	19	8	11	–	16	3	–	–	–	–
Shrewsbury	45	25	20	–	31	14	–	–	–	–
Shutesbury	4	3	1	–	3	1	–	–	–	–
Somerset	52	32	20	–	33	19	–	–	–	–
SOMERVILLE	1,085[4]	510	575	–	647	437	1	10.8	10.1	100,442
South Hadley	41	21	20	–	28	13	–	–	–	–
Southampton	13	6	7	–	8	5	–	–	–	–
Southborough	16	5	11	–	6	10	–	–	–	–
Southbridge	135	75	60	–	73	62	–	8.6	–	15,789
Southwick	14	8	6	–	9	5	–	–	–	–
Spencer	74	36	38	–	55	18	1	–	–	–
SPRINGFIELD	1,822[5]	916	906	–	1,265	545	12	12.6	10.6	145,035
Sterling	12	9	3	–	7	5	–	–	–	–
Stockbridge	18	9	9	–	15	2	1	–	–	–
Stoneham	110	50	60	–	73	36	1	–	–	–
Stoughton	75	41	34	–	53	22	–	–	–	–
Stow	10	5	5	–	9	1	–	–	–	–
Sturbridge	23	12	11	–	16	7	–	–	–	–
Sudbury	9	6	3	–	6	1	2	–	–	–
Sunderland	8	5	3	–	6	2	–	–	–	–
Sutton	20	8	12	–	12	8	–	–	–	–
Swampscott	90	46	44	–	66	24	–	–	–	–
Swansea	27	17	10	–	15	12	–	–	–	–
TAUNTON	639[6]	320	319	–	434	205	–	16.1	11.7	39,765
Templeton	43	24	19	–	35	7	1	–	–	–
Tewksbury	26	11	15	–	15	11	–	–	–	–
State Infirmary	520	364	156	–	241	277	2	–	–	–
Tisbury	29	21	8	–	19	7	3	–	–	–
Tolland	4	3	1	–	4	–	–	–	–	–
Topsfield	14	5	9	–	11	3	–	–	–	–
Townsend	26	9	17	–	23	3	–	–	–	–
Truro	11	7	4	–	9	2	–	–	–	–
Tyngsborough	10	8	2	–	7	2	1	–	–	–
Tyringham	2	–	2	–	1	1	–	–	–	–
Upton	16	2	14	–	11	5	–	–	–	–
Uxbridge	59	35	24	–	39	20	–	–	–	–
Wakefield	128	57	71	–	82	46	–	7.9	–	16,226
Wales	7	4	3	–	7	–	–	–	–	–
Walpole	51	25	26	–	37	14	–	–	–	–
WALTHAM	407[7]	186	221	–	288	118	1	11.4	9.4	35,661
Ware	110	61	49	–	77	33	–	–	–	–
Wareham	65	36	29	–	53	12	–	–	–	–
Warren	26	12	14	–	15	11	–	–	–	–
Warwick	4	2	2	–	4	–	–	–	–	–
Washington	1	–	1	–	1	–	–	–	–	–
Watertown	202[8]	88	114	–	128	73	1	7.6	–	26,440
Wayland	24	12	12	–	21	3	–	–	–	–
Webster	111	57	54	–	61	50	–	8.3	–	13,419
Wellesley	69	33	36	–	52	17	–	–	–	–
Wellfleet	20	8	12	–	18	2	–	–	–	–
Wendell	7	3	4	–	7	–	–	–	–	–
Wenham	9	6	3	–	9	–	–	–	–	–
West Boylston	18	11	7	–	15	3	–	–	–	–
West Bridgewater	27	18	9	–	20	7	–	–	–	–
West Brookfield	21	11	10	–	14	7	–	–	–	–
West Newbury	14	7	7	–	12	2	–	–	–	–
West Springfield	122	64	58	–	92	30	–	7.7	–	15,776
West Stockbridge	7	6	1	–	4	3	–	–	–	–
West Tisbury	7	3	4	–	7	–	–	–	–	–
Westborough	231[9]	119	112	–	153	77	1	–	–	–
WESTFIELD	222[10]	111	111	–	155	64	3	11.4	9.5	19,522
Westford	31	15	16	–	19	12	–	–	–	–
Westhampton	3	2	1	–	3	–	–	–	–	–

See footnotes 1–3, on page 14.

[4] 70 nonresidents.
[5] 291 nonresidents.
[6] 172 nonresidents.
[7] 71 nonresidents.
[8] 15 nonresidents.
[9] 172 nonresidents.
[10] 37 nonresidents.

Table 1

Municipalities.[1]	Deaths,[2] by Sex and Nativity, and Death Rates in Each County and City: 1926.									
		Sex.			Nativity.			Death rate[3] per 1,000 population.		
	Total number.	Male.	Female.	Unknown.	Native.	Foreign-born.	Unknown.	Including non-residents.	Excluding non-residents.	Estimated June 30, 1926.
Westminster	19	9	10	–	17	2	–	–	–	–
Weston	25	17	8	–	22	3	–	–	–	–
Westport	68	36	32	–	49	19	–	–	–	–
Westwood	21	8	13	–	15	6	–	–	–	–
Weymouth	197	106	91	–	144	50	3	11.1	–	17,778
Whately	5	3	2	–	4	1	–	–	–	–
Whitman	78	40	38	–	62	16	–	–	–	–
Wilbraham	26	20	6	–	19	7	–	–	–	–
Williamsburg	10	3	7	–	7	3	–	–	–	–
Williamstown	33	13	20	–	27	6	–	–	–	–
Wilmington	44	24	20	–	29	15	–	–	–	–
Winchendon	103	48	55	–	79	24	–	–	–	–
Winchester	163	71	92	–	131	32	–	13.8	–	11,820
Windsor	1	1	–	–	1	–	–	–	–	–
Winthrop	157	79	78	–	108	48	1	9.6	–	16,323
Woburn	218[4]	113	105	–	140	76	2	11.6	10.3	18,805
Worcester	2,702[5]	1,406	1,296	–	1,666	1,019	17	14.0	11.3	193,382
Worthington	1	–	1	–	–	1	–	–	–	–
Wrentham	37[6]	14	23	–	28	8	1	–	–	–
Yarmouth	24	12	12	–	24	–	–	–	–	–

See footnotes 1–3, on page 14.

[4] 24 nonresidents.

[5] 517 nonresidents.

[6] 8 nonresidents.

Line No.	Table 2 — Counties and Sex.	Deaths,[1] by Sex and — All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	**The State.**	**52,888**	**8,503**	**6,130**	**1,218**	**519**	**340**	**296**	**834**	**533**	**872**	**1,102**	**1,228**
2	Males . . .	26,943	4,669	3,375	662	286	196	150	463	285	463	509	561
3	Females . .	25,945	3,834	2,755	556	233	144	146	371	248	409	593	667
4	Barnstable.	524											
5	Males . . .	274	34	28	3	1	2	–	3	1	3	9	2
6	Females . .	250	20	15	2	–	1	2	6	2	2	3	1
7	Berkshire.	1,496											
8	Males . . .	779	112	73	18	12	6	3	19	5	16	16	10
9	Females . .	717	71	56	8	2	3	2	12	6	14	11	14
10	Bristol.	4,931											
11	Males . . .	2,444	582	409	98	31	28	16	45	32	43	46	49
12	Females . .	2,487	520	357	81	35	21	26	41	29	47	67	61
13	Dukes.	101											
14	Males . . .	54	4	3	1	–	–	–	1	–	1	2	1
15	Females . .	47	5	1	1	1	1	1	–	1	1	–	–
16	Essex.	6,088											
17	Males . . .	3,036	492	356	69	32	23	12	53	29	58	56	58
18	Females . .	3,052	405	287	58	30	18	12	37	25	39	55	90
19	Franklin.	568											
20	Males . . .	286	37	29	3	2	–	3	4	7	4	6	3
21	Females . .	282	37	32	2	1	–	2	4	2	3	6	8
22	Hampden.	3,907											
23	Males . . .	2,007	436	299	60	34	24	19	46	31	41	34	37
24	Females . .	1,900	355	250	60	18	11	16	43	21	43	58	47
25	Hampshire.	997											
26	Males . . .	520	64	47	13	2	1	1	7	4	11	8	24
27	Females . .	477	51	39	7	3	2	1	8	4	8	11	7
28	Middlesex.	10,240											
29	Males . . .	5,046	840	611	119	45	36	29	88	49	87	93	109
30	Females . .	5,194	693	507	93	41	29	23	69	53	63	107	136
31	Nantucket.	60											
32	Males . . .	26	3	3	–	–	–	–	–	1	1	–	–
33	Females . .	34	2	2	–	–	–	–	–	–	1	–	1
34	Norfolk.	2,772											
35	Males . . .	1,313	150	109	20	8	6	7	13	13	16	20	24
36	Females . .	1,459	108	84	8	12	3	1	10	6	21	26	28
37	Plymouth.	2,088											
38	Males . . .	1,151	130	101	12	9	1	7	12	6	15	19	19
39	Females . .	937	93	73	10	6	2	2	10	8	13	18	21
40	Suffolk.	12,709											
41	Males . . .	6,630	1,226	896	159	81	53	37	118	72	106	133	151
42	Females . .	6,079	1,057	765	158	57	38	39	85	66	109	150	173
43	Worcester.	6,407											
44	Males . . .	3,377	559	411	87	29	16	16	54	35	61	67	74
45	Females . .	3,030	416	287	68	27	15	19	46	25	45	81	80

[1] Exclusive of stillbirths.

AGE,[2] IN EACH COUNTY: 1926.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1	1,398	1,768	2,072	2,629	3,123	3,920	4,579	5,005	4,990	4,414	3,246	1,837	649	148	27	11
2	686	974	1,148	1,442	1,749	2,137	2,374	2,594	2,462	2,099	1,365	691	212	42	8	10
3	712	794	924	1,187	1,374	1,783	2,205	2,411	2,528	2,315	1,881	1,146	437	106	19	1
4																
5	7	4	4	12	9	17	24	29	30	28	31	14	8	3	1	1
6	4	5	10	7	12	15	18	18	27	35	31	26	6	2	–	–
7																
8	14	24	45	31	49	68	61	89	89	66	38	22	4	1	–	–
9	19	18	26	31	32	56	66	75	82	76	53	35	17	3	–	–
10																
11	43	82	80	90	159	172	202	237	207	191	99	64	16	2	–	3
12	64	72	80	113	133	159	203	221	217	183	154	80	32	10	1	–
13																
14	3	–	2	4	3	8	5	2	7	3	5	1	1	–	–	1
15	1	1	–	1	–	2	7	2	9	5	5	4	3	–	–	–
16																
17	74	99	131	136	157	224	270	326	299	264	180	85	35	7	3	–
18	78	97	111	143	144	201	279	287	316	286	228	161	51	16	3	–
19																
20	5	7	6	20	13	18	24	29	39	23	27	12	2	–	–	–
21	2	10	7	11	13	24	21	31	21	40	21	13	5	3	–	–
22																
23	46	86	86	106	116	156	171	175	170	129	81	46	11	2	–	1
24	65	66	85	83	91	114	169	152	159	144	112	60	23	7	3	–
25																
26	20	22	20	26	29	41	30	51	55	54	34	13	6	1	–	–
27	20	13	12	21	21	33	37	53	36	54	42	29	11	5	–	–
28																
29	129	127	192	242	310	427	462	484	498	439	274	140	47	6	1	2
30	123	130	165	210	262	336	453	493	543	534	428	257	113	21	5	–
31																
32	1	1	2	1	1	2	3	3	4	1	1	–	1	–	–	–
33	1	1	1	1	3	–	5	5	3	3	5	2	–	–	–	–
34																
35	18	40	60	74	84	85	118	167	132	127	96	58	16	1	–	1
36	37	37	47	71	64	95	122	162	171	175	140	94	33	8	4	–
37																
38	21	32	39	72	71	87	98	136	131	121	76	43	16	5	1	1
39	20	27	27	38	42	64	78	93	119	91	83	53	34	5	–	–
40																
41	201	303	340	434	540	608	605	571	471	366	241	104	28	10	2	–
42	197	214	244	311	384	480	512	536	537	411	341	195	64	12	1	–
43																
44	104	147	141	194	208	224	301	295	330	287	182	89	21	4	–	–
45	81	103	109	146	173	204	235	283	288	278	238	137	45	14	2	1

[2] Age at last birthday.

Line No.	Table 3 — Municipalities and Sex.	Deaths,[1] by Sex and Age,[2] in Municipalities											
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	Adams (town).	114											
2	Males	62	13	11	1	1	–	–	3	2	–	–	–
3	Females	52	8	8	–	–	–	–	–	–	2	1	1
4	Amesbury (town).	120											
5	Males	74	13	9	3	1	–	–	2	–	–	–	–
6	Females	46	8	5	1	1	1	–	1	1	–	–	–
7	Andover (town).	104											
8	Males	45	7	7	–	–	–	–	1	1	–	2	3
9	Females	59	5	4	1	–	–	–	–	–	–	–	2
10	Arlington (town).	244											
11	Males	98	15	11	3	1	–	–	2	–	1	–	4
12	Females	146	26	19	2	2	2	1	–	1	4	2	3
13	Attleboro.	257											
14	Males	126	18	8	6	3	1	–	6	2	4	3	2
15	Females	131	27	17	4	4	2	–	–	2	6	6	6
16	Belmont (town).	137											
17	Males	73	1	–	1	–	–	–	–	–	–	1	3
18	Females	64	2	1	–	–	1	–	1	–	–	–	2
19	Beverly.	280											
20	Males	144	20	17	1	–	2	–	3	2	4	1	1
21	Females	136	10	8	1	1	–	–	–	3	2	–	–
22	Boston.	11,720											
23	Males	6,035	1,169	852	152	76	53	36	109	62	92	123	129
24	Females	5,685	998	720	152	55	35	36	77	59	104	145	164
25	Braintree (town).	157											
26	Males	73	4	2	1	–	1	–	–	1	2	3	2
27	Females	84	7	5	1	–	–	1	1	1	2	1	4
28	Brockton.	762											
29	Males	395	61	48	4	4	–	5	4	5	6	6	4
30	Females	367	42	36	3	1	–	2	6	4	8	5	8
31	Brookline (town).	486											
32	Males	194	12	9	2	1	–	–	1	–	3	1	1
33	Females	292	4	2	–	2	–	–	–	1	2	4	5
34	Cambridge.	1,481											
35	Males	755	143	115	17	6	4	1	10	3	19	17	16
36	Females	726	107	84	14	4	2	3	14	13	14	23	21
37	Chelsea.	630											
38	Males	413	35	28	3	4	–	–	7	5	9	9	18
39	Females	217	37	30	3	2	1	1	8	5	3	4	7
40	Chicopee.	361											
41	Males	198	62	40	13	3	5	1	11	1	3	2	2
42	Females	163	46	31	9	3	3	–	5	1	5	8	4
43	Clinton (town).	188											
44	Males	102	27	21	3	2	–	1	2	1	2	2	1
45	Females	86	11	6	2	1	1	1	2	–	1	1	1
46	Danvers (town).	308											
47	Males	145	4	4	–	–	–	–	–	1	2	1	3
48	Females	163	1	1	–	–	–	–	1	1	1	2	7
49	Dedham (town).	118											
50	Males	50	7	7	–	–	–	–	2	–	1	–	–
51	Females	68	7	7	–	–	–	–	–	–	–	2	–
52	Easthampton (town).	114											
53	Males	49	13	10	3	–	–	–	2	–	1	1	3
54	Females	65	14	11	2	1	–	–	1	1	–	1	2
55	Everett.	370											
56	Males	180	28	24	3	–	–	1	4	4	1	4	3
57	Females	190	36	24	5	4	3	–	2	–	2	6	3
58	Fairhaven (town).	107											
59	Males	54	10	8	1	–	1	–	1	2	3	–	–
60	Females	53	7	1	3	1	–	2	–	–	1	1	3
61	Fall River.	1,712											
62	Males	833	195	138	27	13	14	3	17	9	12	12	17
63	Females	879	211	139	36	11	11	14	15	4	13	29	18
64	Fitchburg.	491											
65	Males	247	50	35	7	4	3	1	2	3	7	4	2
66	Females	244	49	33	10	4	1	1	3	5	5	7	6
67	Framingham (town).	296											
68	Males	152	26	18	5	–	2	1	3	3	1	1	3
69	Females	144	23	17	3	1	2	–	2	2	5	4	4
70	Gardner.	273											
71	Males	142	23	18	3	–	–	2	2	3	2	7	3
72	Females	131	25	20	3	1	1	–	1	3	4	2	3
73	Gloucester.	313											
74	Males	162	24	21	2	–	1	–	2	–	2	1	–
75	Females	151	21	15	3	1	1	1	1	1	1	5	4
76	Greenfield (town).	185											
77	Males	95	13	11	–	–	–	2	1	4	3	2	–
78	Females	90	13	10	1	–	–	2	3	–	–	2	6
79	Haverhill.	651											
80	Males	310	37	29	3	2	2	1	6	2	5	5	10
81	Females	341	36	28	5	2	1	–	7	2	2	7	12

[1] Exclusive of stillbirths.

HAVING OVER 10,000 INHABITANTS: 1926.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1																
2	1	2	3	5	1	7	8	6	7	4	–	–	–	–	–	–
3	2	1	3	4	4	4	5	–	9	6	2	–	–	–	–	–
4																
5	2	1	2	3	6	3	9	9	8	7	8	1	–	–	–	–
6	–	–	1	–	2	5	4	5	4	3	8	3	1	–	–	–
7																
8	1	–	2	–	2	2	2	2	9	5	4	1	1	–	–	–
9	–	2	1	4	1	6	4	4	10	9	7	2	1	1	–	–
10																
11	5	2	3	4	11	9	7	8	9	11	5	1	1	–	–	–
12	3	1	5	4	7	11	10	13	20	11	11	11	1	2	–	–
13																
14	4	6	6	3	5	11	12	7	8	13	9	6	1	–	–	–
15	8	3	6	4	10	6	7	11	8	15	5	–	1	–	–	–
16																
17	2	2	5	1	4	3	14	10	11	6	8	2	–	–	–	–
18	1	2	3	2	2	2	8	5	9	8	11	4	2	–	–	–
19																
20	3	3	1	6	10	11	10	23	11	16	10	6	2	1	–	–
21	3	7	3	6	6	12	15	12	16	13	16	9	1	2	–	–
22																
23	163	273	312	400	496	567	561	537	439	314	182	75	22	8	2	–
24	186	204	223	290	364	454	481	506	491	376	309	184	59	10	1	–
25																
26	2	3	6	4	6	1	7	8	6	6	7	4	1	–	–	–
27	2	1	4	1	8	2	6	10	8	9	11	5	1	–	–	–
28																
29	8	10	15	35	32	33	35	40	40	29	20	8	3	1	–	–
30	12	14	14	17	20	25	26	37	48	28	22	19	11	1	–	–
31																
32	3	4	7	12	15	10	23	29	22	28	15	6	2	–	–	–
33	7	9	13	12	19	28	26	41	33	39	20	14	10	3	2	–
34																
35	25	31	30	40	57	60	62	73	76	42	25	20	5	1	–	–
36	22	17	34	35	39	54	69	57	61	64	50	23	6	2	1	–
37																
38	36	24	20	28	25	21	31	21	18	27	46	26	6	1	–	–
39	6	7	14	13	11	12	17	12	24	11	18	5	2	1	–	–
40																
41	3	13	4	9	7	15	14	9	13	13	11	5	1	–	–	–
42	2	3	1	6	5	11	12	14	13	17	6	3	–	1	–	–
43																
44	3	4	4	1	5	11	13	10	8	6	2	–	–	–	–	–
45	3	2	2	3	8	7	6	20	3	4	5	5	1	1	–	–
46																
47	4	8	7	11	7	15	13	26	15	10	10	6	1	–	1	–
48	8	6	10	14	13	14	17	16	15	17	11	7	1	–	1	–
49																
50	–	1	1	1	5	3	6	6	5	7	2	2	1	–	–	–
51	1	1	3	3	6	5	6	7	8	7	4	8	–	–	–	–
52																
53	1	3	1	3	4	5	2	4	2	2	2	–	–	–	–	–
54	3	1	–	–	2	6	11	8	6	6	1	–	1	1	–	–
55																
56	2	2	11	5	8	14	14	15	21	22	13	6	3	–	–	–
57	6	4	7	6	10	20	18	18	23	14	8	5	1	1	–	–
58																
59	–	1	–	1	–	2	5	4	11	9	4	–	1	–	–	–
60	–	1	1	4	3	3	3	5	6	7	5	2	1	–	–	–
61																
62	21	25	33	31	65	78	71	86	58	53	31	14	5	–	–	–
63	26	25	25	41	59	61	83	80	68	47	41	22	9	2	–	–
64																
65	8	9	13	15	11	18	19	28	16	26	5	10	–	1	–	–
66	1	10	7	11	14	14	15	23	32	21	11	6	3	1	–	–
67																
68	6	1	7	12	10	7	10	17	18	13	12	1	1	–	–	–
69	4	4	4	7	5	11	8	15	10	13	13	8	1	1	–	–
70																
71	5	6	4	6	12	12	13	12	11	12	5	4	–	–	–	–
72	5	6	4	8	10	3	8	11	11	7	12	7	1	–	–	–
73																
74	4	5	10	13	4	9	21	20	11	16	13	4	3	–	–	–
75	4	2	4	4	7	11	13	19	18	12	13	7	2	2	–	–
76																
77	1	3	2	6	5	7	9	11	9	8	7	3	1	–	–	–
78	1	4	1	4	3	10	8	8	4	10	4	4	3	2	–	–
79																
80	13	9	20	12	15	20	22	29	41	37	14	10	3	–	–	–
81	5	16	19	11	14	20	28	36	42	34	24	21	4	1	–	–

[2] Age at last birthday.

Line No.	Table 3 — Municipalities and Sex.	Deaths,[1] by Sex and Age,[2] in Municipalities — All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	Holyoke.	782											
2	Males . . .	397	90	63	14	7	2	4	11	12	3	6	8
3	Females . . .	385	80	57	9	4	4	6	9	2	11	15	11
4	Lawrence.	940											
5	Males . . .	482	107	82	19	3	2	1	13	7	13	16	10
6	Females . . .	458	89	63	12	7	2	5	10	5	11	9	18
7	Leominster.	288											
8	Males . . .	152	31	20	6	4	–	1	3	1	2	2	1
9	Females . . .	136	27	13	9	2	1	2	3	1	–	4	1
10	Lowell.	1,550											
11	Males . . .	791	172	124	22	11	10	5	26	11	10	14	15
12	Females . . .	759	130	98	20	5	6	1	11	4	5	10	28
13	Lynn.	1,182											
14	Males . . .	566	85	55	8	10	8	4	14	4	8	10	7
15	Females . . .	616	98	71	13	6	6	2	5	4	11	11	19
16	Malden.	558											
17	Males . . .	269	52	36	9	4	1	2	6	2	4	4	7
18	Females . . .	289	36	15	10	5	5	1	2	3	3	5	9
19	Marlborough.	197											
20	Males . . .	95	14	11	1	1	1	–	1	1	2	3	2
21	Females . . .	102	14	8	2	2	–	2	1	1	2	4	2
22	Medford.	476											
23	Males . . .	215	36	27	5	2	–	2	6	3	6	1	5
24	Females . . .	261	33	27	1	1	1	3	6	3	3	5	6
25	Melrose.	232											
26	Males . . .	92	13	9	3	–	1	–	1	2	–	3	–
27	Females . . .	140	11	10	–	1	–	–	5	4	2	–	3
28	Methuen (town).	170											
29	Males . . .	85	21	15	3	1	–	2	1	2	2	1	1
30	Females . . .	85	9	8	–	1	–	–	2	1	–	1	5
31	Milford (town).	184											
32	Males . . .	110	22	18	2	1	–	1	–	1	3	–	2
33	Females . . .	74	11	8	–	2	–	1	2	–	1	–	3
34	Milton (town).	125											
35	Males . . .	57	7	6	–	–	–	1	–	–	1	–	1
36	Females . . .	68	4	4	–	–	–	–	–	1	1	1	–
37	Natick (town).	160											
38	Males . . .	65	10	9	–	–	1	–	2	–	2	2	2
39	Females . . .	95	15	10	3	2	–	–	2	2	–	–	2
40	New Bedford.	1,498											
41	Males . . .	738	224	151	50	10	8	5	12	9	17	17	18
42	Females . . .	760	187	130	28	15	6	8	18	12	17	17	23
43	Newburyport.	250											
44	Males . . .	125	19	13	3	3	–	–	2	2	4	2	2
45	Females . . .	125	10	7	2	1	–	–	1	–	–	4	3
46	Newton.	559											
47	Males . . .	253	34	24	5	3	–	2	3	2	5	2	6
48	Females . . .	306	28	22	2	2	1	1	7	1	2	4	12
49	North Adams.	309											
50	Males . . .	161	32	19	7	3	1	2	3	–	2	6	1
51	Females . . .	148	12	11	1	–	–	–	3	3	3	2	4
52	Northampton.	512											
53	Males . . .	272	21	16	3	1	1	–	3	2	7	3	12
54	Females . . .	240	21	15	4	1	–	1	4	1	3	4	4
55	Northbridge (town).	92											
56	Males . . .	51	11	5	5	1	–	–	1	–	–	–	–
57	Females . . .	41	8	8	–	–	–	–	1	–	–	–	–
58	Norwood (town).	123											
59	Males . . .	63	11	8	1	1	–	1	2	1	1	–	1
60	Females . . .	60	12	11	–	–	1	–	–	–	2	2	1
61	Palmer (town).	110											
62	Males . . .	55	15	13	1	–	1	–	3	1	3	1	–
63	Females . . .	55	12	7	3	1	–	1	4	2	1	1	2
64	Peabody.	226											
65	Males . . .	117	25	17	7	1	–	–	–	1	4	2	–
66	Females . . .	109	23	14	5	2	1	1	2	2	–	1	6
67	Pittsfield.	674											
68	Males . . .	353	41	25	7	6	2	1	9	1	8	8	6
69	Females . . .	321	37	24	6	2	3	2	9	2	7	6	6
70	Plymouth (town).	173											
71	Males . . .	87	11	9	–	1	–	1	1	–	1	2	3
72	Females . . .	86	13	9	2	2	–	–	–	–	–	4	3
73	Quincy.	536											
74	Males . . .	294	58	40	11	4	–	3	4	3	1	8	5
75	Females . . .	242	31	26	1	4	–	–	2	1	3	3	7
76	Revere.	202											
77	Males . . .	103	15	12	2	1	–	–	–	4	3	–	2
78	Females . . .	99	14	10	1	–	2	1	–	2	1	–	–
79	Salem.	588											
80	Males . . .	289	79	53	11	6	6	3	7	2	5	3	6
81	Females . . .	299	47	30	7	3	5	2	5	3	2	4	4

[1] Exclusive of stillbirths.

HAVING OVER 10,000 INHABITANTS: 1926 — Con.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1																
2	7	17	15	21	29	34	35	28	34	19	17	8	3	–	–	–
3	14	12	15	22	24	18	33	30	30	18	25	11	4	1	–	–
4																
5	6	21	17	18	28	43	44	53	36	23	19	6	1	1	–	–
6	10	16	26	27	23	24	40	43	32	36	22	15	2	–	–	–
7																
8	–	4	4	4	8	9	19	11	20	17	13	2	1	–	–	–
9	1	3	3	4	3	11	9	17	16	14	11	7	1	–	–	–
10																
11	16	20	31	62	60	67	76	72	49	45	28	13	4	–	–	–
12	20	27	27	39	41	52	82	61	66	59	56	26	10	4	1	–
13																
14	13	21	25	27	39	43	64	52	59	46	28	15	4	1	1	–
15	21	23	16	34	28	38	58	59	63	47	42	29	7	3	–	–
16																
17	7	3	5	12	13	27	21	33	23	25	14	7	3	1	–	–
18	7	5	13	9	20	18	23	20	34	34	21	15	11	1	–	–
19																
20	2	–	3	4	7	6	8	6	9	16	6	3	1	–	–	1
21	3	5	1	3	3	4	8	12	12	10	10	4	3	–	–	–
22																
23	4	5	7	10	22	19	18	27	16	12	14	3	1	–	–	–
24	6	6	8	9	14	16	25	22	31	29	17	16	4	1	1	–
25																
26	4	1	5	5	1	10	10	5	8	10	8	4	2	–	–	–
27	5	4	6	4	12	8	4	12	16	21	11	7	5	–	–	–
28																
29	–	2	2	6	4	4	6	11	7	6	6	3	–	–	–	–
30	3	4	4	5	3	10	8	6	8	6	5	3	1	1	–	–
31																
32	3	6	4	11	6	11	11	12	7	5	3	2	1	–	–	–
33	2	3	2	3	7	5	6	6	2	8	5	6	1	1	–	–
34																
35	1	2	–	5	2	5	2	13	5	6	1	3	2	1	–	–
36	1	1	3	4	5	5	8	5	6	10	5	7	1	–	–	–
37																
38	1	3	1	6	3	3	6	6	4	8	5	1	–	–	–	–
39	2	2	2	5	7	2	4	12	10	16	4	5	2	1	–	–
40																
41	12	20	22	32	46	44	59	59	50	44	30	15	6	2	–	–
42	16	22	25	32	33	56	52	59	60	56	45	20	7	3	–	–
43																
44	–	3	4	2	5	10	8	19	15	19	7	1	–	1	–	–
45	2	2	3	3	5	6	16	10	17	14	14	8	7	–	–	–
46																
47	4	11	13	10	13	27	19	31	19	19	17	13	3	2	–	–
48	1	7	8	10	21	14	22	30	33	44	31	20	10	–	1	–
49																
50	1	6	8	5	7	11	10	21	26	13	3	6	–	–	–	–
51	8	4	7	8	4	18	14	17	19	5	9	7	1	–	–	–
52																
53	10	14	10	18	13	26	17	26	28	36	14	7	4	1	–	–
54	17	7	8	10	16	19	16	28	13	26	18	18	5	2	–	–
55																
56	–	2	2	4	3	4	4	6	6	4	3	1		–	–	–
57	2	2	3	1	2	3	5	2	3	4	2	2	–	1	–	–
58																
59	1	4	5	2	3	4	9	6	2	5	4	1	–	–	–	1
60	2	3	–	5	1	5	4	5	4	5	5	2	1	1	–	–
61																
62	–	2	6	–	1	4	5	4	4	2	2	1	–	1	–	–
63	1	5	4	–	2	2	3	8	3	1	1	2	1	–	–	–
64																
65	3	4	4	5	8	12	7	7	15	8	6	4	2	–	–	–
66	5	6	1	4	7	5	14	11	10	6	4	1	1	–	–	–
67																
68	9	10	25	16	28	39	34	40	25	25	20	7	2	–	–	–
69	8	10	13	14	18	26	30	31	27	32	21	16	7	1	–	–
70																
71	1	3	3	3	5	8	5	9	10	10	6	4	1	1	–	–
72	1	3	5	2	4	2	7	8	14	8	4	5	2	1	–	–
73																
74	5	10	13	12	16	27	25	34	27	14	19	12	1	–	–	–
75	5	9	7	14	5	19	17	27	30	28	24	7	2	–	1	–
76																
77	2	3	3	5	10	11	9	4	8	16	6	2	–	–	–	–
78	3	2	4	5	4	8	10	10	13	11	5	4	2	1	–	–
79																
80	10	7	13	14	11	26	26	25	14	22	8	6	4	1	–	–
81	5	7	12	16	15	18	28	25	30	36	16	19	5	2	–	–

[2] Age at last birthday.

Line No.	Table 3 — Municipalities and Sex.	Deaths,[1] by Sex and Age,[2] in Municipalities — All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	Saugus (town).	110											
2	Males	55	15	7	5	2	1	–	–	1	1	1	1
3	Females	55	17	12	3	2	–	–	–	–	2	–	–
4	Somerville.	1,085											
5	Males	510	89	60	13	4	5	8	9	5	4	8	12
6	Females	575	65	50	11	3	2	1	4	7	7	13	12
7	Southbridge (town).	135											
8	Males	75	16	13	2	–	1	–	1	–	–	–	–
9	Females	60	11	7	2	2	–	–	1	–	1	–	3
10	Springfield.	1,822											
11	Males	916	184	122	22	19	12	9	17	8	20	14	14
12	Females	906	146	107	21	8	3	7	19	9	13	24	22
13	Taunton.	639											
14	Males	320	49	40	3	1	2	3	3	3	3	7	5
15	Females	319	40	33	4	1	1	1	3	4	7	5	4
16	Wakefield (town).	128											
17	Males	57	8	7	1	–	–	–	1	–	1	1	2
18	Females	71	9	6	–	–	–	3	–	1	–	1	3
19	Waltham.	407											
20	Males	186	38	24	8	1	3	2	1	5	5	9	6
21	Females	221	49	31	8	6	1	3	4	3	3	1	6
22	Watertown (town).	202											
23	Males	88	22	14	4	2	2	–	–	–	2	1	1
24	Females	114	9	7	2	–	–	–	–	–	1	2	1
25	Webster (town).	111											
26	Males	57	13	10	3	–	–	–	–	–	–	1	1
27	Females	54	6	4	1	1	–	–	–	–	2	2	2
28	W. Springfield (town).	122											
29	Males	64	7	3	2	–	2	–	–	2	2	1	–
30	Females	58	8	5	3	–	–	–	–	–	1	1	1
31	Westfield.	222											
32	Males	111	24	16	3	2	2	1	–	1	2	3	3
33	Females	111	19	14	4	1	–	–	2	3	9	1	2
34	Weymouth (town).	197											
35	Males	106	13	9	–	2	1	1	1	3	–	1	–
36	Females	91	6	4	1	1	–	–	–	–	1	4	–
37	Winchester (town).	163											
38	Males	71	15	12	1	1	1	–	1	1	2	4	4
39	Females	92	18	15	1	–	1	1	1	1	–	4	1
40	Winthrop (town).	157											
41	Males	79	7	4	2	–	–	1	2	1	2	1	2
42	Females	78	8	5	2	–	–	1	–	–	1	1	2
43	Woburn.	218											
44	Males	113	24	19	3	2	–	–	2	3	1	2	4
45	Females	105	9	8	–	1	–	–	2	–	3	1	2
46	Worcester.	2,702											
47	Males	1,406	257	190	41	10	9	7	27	17	25	22	17
48	Females	1,296	186	131	25	11	10	9	24	13	17	33	29

[1] Exclusive of stillbirths.

HAVING OVER 10,000 INHABITANTS: 1926 — Con.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1																
2	2	–	1	3	1	5	1	7	4	3	4	4	1	–	–	–
3	–	1	–	2	1	2	4	7	6	5	3	3	2	–	–	–
4																
5	10	5	21	16	19	45	54	44	66	49	26	20	6	1	–	–
6	10	21	14	23	21	40	47	78	61	63	40	36	10	1	–	–
7																
8	1	2	3	5	5	3	8	10	13	5	3	–	–	–	–	–
9	1	2	1	5	4	3	4	4	9	4	5	1	–	1	–	–
10																
11	25	41	43	59	57	73	80	89	73	60	31	21	5	1	–	1
12	35	34	44	47	50	56	97	75	73	69	53	27	9	3	1	–
13																
14	4	24	11	13	28	18	22	38	34	33	8	15	1	–	–	1
15	7	13	10	18	15	19	34	30	28	32	24	17	6	3	–	–
16																
17	1	–	2	1	4	5	2	2	12	6	5	3	1	–	–	–
18	–	1	1	2	3	3	5	4	6	12	10	4	5	1	–	–
19																
20	4	5	7	6	15	13	18	11	15	13	7	5	1	1	1	–
21	4	9	5	7	10	7	25	22	16	16	15	12	6	1	–	–
22																
23	2	3	3	6	7	7	12	6	5	7	1	3	–	–	–	–
24	3	4	2	7	6	3	9	13	12	15	18	5	3	1	–	–
25																
26	1	4	1	1	2	5	4	6	7	5	4	1	1	–	–	–
27	1	4	1	4	3	1	4	2	7	4	7	2	2	–	–	–
28																
29	2	1	3	5	3	5	6	8	7	4	5	3	–	–	–	–
30	3	–	2	–	–	5	3	5	10	9	2	4	4	–	–	–
31																
32	2	5	5	2	4	5	9	11	16	13	5	1	–	–	–	–
33	2	3	2	1	4	10	5	8	11	11	9	4	1	2	2	–
34																
35	1	6	3	5	6	5	10	15	14	13	4	5	1	–	–	–
36	3	4	2	7	2	3	8	11	15	9	5	7	3	1	–	–
37																
38	4	–	3	3	2	4	6	5	5	8	3	1	–	–	–	–
39	4	1	4	3	2	3	6	10	14	8	7	4	1	–	–	–
40																
41	–	3	5	1	9	9	4	9	6	9	7	1	–	1	–	–
42	2	1	3	3	5	6	4	8	9	13	9	2	1	–	–	–
43																
44	5	3	4	2	3	5	16	4	11	10	9	3	2	–	–	–
45	2	1	4	3	3	4	9	17	16	16	8	3	2	–	–	–
46																
47	30	58	67	93	97	99	116	115	152	114	64	26	9	1	–	–
48	40	49	55	74	70	99	114	120	111	110	87	48	13	3	1	–

[2] Age at last birthday.

Table 4

Years.	Population, Deaths,[1] and Death Rates, per 1,000 Population: 1900 to 1926.		
	Population.	Deaths.	Death rates.
1900	2,805,346	51,156	18.2
1901	2,849,047	48,275	16.9
1902	2,889,386	47,491	16.4
1903	2,929,725	49,054	16.7
1904	2,970,064	48,482	16.3
1905	3,015,872	50,486	16.7
1906	3,089,029	50,624	16.4
1907	3,162,186	54,234	17.2
1908	3,235,343	51,788	16.0
1909	3,308,500	51,236	15.5
1910	3,380,151	54,407	16.1
1911	3,446,079	53,062	15.4
1912	3,512,007	52,400	14.9
1913	3,577,935	53,402	14.9
1914	3,643,863	52,978	14.5
1915	3,693,310	53,131	14.4
1916	3,775,720	56,366	14.9
1917	3,841,648	56,628	14.7
1918	3,907,576	78,842	20.2
1919	3,835,614	52,345	13.6
1920	3,852,356	53,632	13.9
1921	3,885,836	47,780	12.3
1922	3,936,056	51,115	13.0
1923	3,969,536	52,380	13.2
1924	4,003,016	49,466	12.4
1925	4,144,205	51,890	12.5
1926	4,213,700	52,888	12.6

[1] Exclusive of stillbirths.

Table 5

Years.	Mortality[1] of Males and Females: 1900 to 1926.					
	Deaths.		Deaths of males to 1,000 deaths of females.	Death rates[2] per 1,000 population.		
	Males.	Females.		Males.	Females.	Excess of male rate.
1900	*25,934*	*25,222*	*1,028*	*18.9*	*17.5*	*1.4*
1901	24,858	23,417	1,061	–	–	–
1902	24,199	23,292	1,039	–	–	–
1903	25,157	23,897	1,050	–	–	–
1904	24,726	23,756	1,040	–	–	–
1905	*25,996*	*24,490*	*1,061*	*17.8*	*15.9*	*1.9*
1906	26,190	24,434	1,072	–	–	–
1907	28,023	26,211	1,069	–	–	–
1908	26,772	25,016	1,070	–	–	–
1909	26,320	24,916	1,056	–	–	–
1910	*28,259*	*26,148*	*1,081*	*17.1*	*15.3*	*1.8*
1911	27,526	25,536	1,078	–	–	–
1912	27,027	25,373	1,065	–	–	–
1913	28,039	25,363	1,106	–	–	–
1914	27,569	25,409	1,085	–	–	–
1915	*27,335*	*25,792*	*1,060*	*15.1*	*13.7*	*1.4*
1916	29,536	26,823	1,101	–	–	–
1917	29,622	27,005	1,097	–	–	–
1918	41,670	37,163	1,121	–	–	–
1919	26,407	25,930	1,018	–	–	–
1920	*26,625*	*27,004*	*986*	*14.1*	*13.8*	*.3*
1921	23,944	23,836	1,005	12.6	12.0	.6
1922	25,679	25,433	1,010	13.3	12.7	.6
1923	26,268	26,111	1,006	13.5	12.9	.6
1924	25,392	24,074	1,055	12.9	11.8	1.1
1925	*26,457*	*25,433*	*1,040*	–	–	–
1926	26,943	25,945	1,038	–	–	–

[1] Exclusive of stillbirths.
[2] Rates are calculated on census population except for the years 1921, 1922, 1923 and 1924, for which the estimated population is used. Male and female population not enumerated in State census of 1925.

Table 6

Age Periods.	Deaths[1] at Specified Ages: Census Years 1900 to 1925.					
	1925.	1920.	1915.	1910.	1905.	1900.
All Ages.	51,890	53,632	53,131	54,407	50,486	51,156
Under 5 years	8,623	11,739	12,891	15,433	14,055	16,310
Under 1 year	6,294	8,382	9,490	11,499	10,519	11,500
5 to 9 years	922	1,129	1,026	1,091	1,017	1,347
10 to 14 years	678	689	648	678	734	673
15 to 19 years	891	957	984	1,002	1,050	1,146
20 to 29 years	2,498	3,282	3,234	3,329	3,562	3,904
30 to 39 years	3,161	3,916	3,823	4,102	4,149	4,034
40 to 49 years	4,521	4,554	4,825	4,615	4,139	3,896
50 to 59 years	6,838	6,154	6,058	5,501	5,174	4,692
60 to 69 years	9,186	7,784	7,323	7,168	6,346	5,687
70 to 79 years	8,882	8,049	7,613	6,977	6,106	5,608
80 years and over	5,685	5,370	4,667	4,471	4,101	3,837
Age unknown	5	9	39	40	53	22
	Death Rates per 1,000 Population[2] at Specified Ages.					
All Ages.	12.5	13.9	14.4	16.2	16.8	18.2
Under 5 years	–	30.4	35.5	46.9	53.6	57.8
Under 1 year	–	111.9	126.1	162.6	208.0	190.1
5 to 9 years	–	3.1	3.1	3.7	3.7	5.3
10 to 14 years	–	2.1	2.1	2.4	2.8	2.9
15 to 19 years	–	3.2	3.1	3.4	4.0	4.8
20 to 29 years	–	4.9	4.6	5.2	6.3	7.0
30 to 39 years	–	6.4	6.5	7.4	8.2	8.8
40 to 49 years	–	9.1	10.3	11.0	11.2	12.0
50 to 59 years	–	17.2	19.1	19.9	21.4	21.3
60 to 69 years	–	37.5	40.5	43.1	41.1	41.0
70 to 79 years	–	85.5	87.1	79.2	83.2	85.8
80 years and over	–	193.0	177.5	191.3	179.6	197.8

[1] Exclusive of stillbirths.
[2] Population by age groups not enumerated for 1925.

Table 7

Years.	Per Cent of Deaths[1] at Specified Ages — Both Sexes.			
	Under 1 year.	Under 5 years.	20 to 29 years.	All others.
1900	22.5	31.9	7.6	60.5
1901	20.6	28.9	7.8	63.3
1902	21.2	30.0	7.6	62.3
1903	20.9	29.2	7.1	63.7
1904	20.6	27.4	7.4	65.2
1905	20.8	27.8	7.1	65.1
1906	21.9	29.7	6.5	63.8
1907	20.8	27.5	6.6	66.0
1908	22.4	28.3	6.3	65.4
1909	20.9	27.9	6.1	66.0
1910	21.1	28.4	6.1	65.5
1911	19.9	26.4	6.1	67.5
1912	20.0	26.3	6.0	67.6
1913	18.9	25.8	6.0	68.2
1914	18.7	24.6	6.0	69.4
1915	17.9	24.3	6.1	69.7
1916	16.6	23.2	5.8	71.0
1917	16.5	22.5	5.9	71.6
1918	13.7	21.0	13.7	65.3
1919	14.8	20.7	7.3	72.0
1920	15.6	21.9	6.1	72.0
1921	14.7	19.7	5.3	75.0
1922	13.9	19.2	4.9	75.9
1923	13.3	18.4	4.9	76.7
1924	12.5	16.9	4.9	78.2
1925	12.1	16.6	4.8	78.6
1926	11.6	16.1	4.4	79.5

[1] Exclusive of stillbirths.

Table 8

Age Periods.	Male Deaths per 1,000 Female Deaths at Specified Ages.				Age Periods.	Male Deaths per 1,000 Female Deaths at Specified Ages.			
	1926.	1925.	1924.	1923.		1926.	1925.	1924.	1923.
All Ages.	1,038	1,040	1,055	1,006	40 to 44 years	1,242	1,198	1,236	1,191
Under 1 year	1,225	1,369	1,322	1,297	45 to 49 years	1,215	1,225	1,184	1,182
1 year	1,191	1,019	1,182	1,140	50 to 54 years	1,273	1,167	1,166	1,102
2 years	1,227	1,356	1,219	1,232	55 to 59 years	1,199	1,185	1,197	1,141
3 years	1,361	1,154	1,179	1,123	60 to 64 years	1,077	1,083	1,184	1,052
4 years	1,027	1,308	1,181	1,106	65 to 69 years	1,076	1,072	1,046	1,030
5 to 9 years	1,248	1,420	1,387	1,092	70 to 74 years	974	958	964	908
10 to 14 years	1,149	1,396	1,081	1,308	75 to 79 years	907	847	882	805
15 to 19 years	1,132	1,157	1,135	964	80 to 84 years	726	739	710	709
20 to 24 years	858	869	1,007	880	85 to 89 years	603	633	604	578
25 to 29 years	841	868	885	914	90 to 94 years	485	468	544	491
30 to 34 years	963	968	1,016	959	95 to 99 years	396	301	400	615
35 to 39 years	1,227	1,057	1,179	1,097	100 years and over	421	375	200	769

Table 9

Age Periods and Years.	Deaths[1] of Males and Females at Specified Ages: 1917 to 1926.						
	Both sexes.		Males.		Females.		Female deaths per 1,000 male deaths.
	Number.	Per Cent distribution.	Number.	Per Cent distribution.	Number.	Per Cent distribution.	
All Ages.							
1917	56,628[3]	100.0	29,622	100.0	27,005	100.0	912
1918	78,842[4]	100.0	41,670	100.0	37,163	100.0	892
1919	52,345[5]	100.0	26,407	100.0	25,930	100.0	982
1920	53,632[6]	100.0	26,625	100.0	27,004	100.0	1,014
1921	47,780	100.0	23,944	100.0	23,836	100.0	995
1922	51,115[6]	100.0	25,679	100.0	25,433	100.0	990
1923	52,380[3]	100.0	26,268	100.0	26,111	100.0	994
1924	49,466[12]	100.0	25,390	100.0	24,076	100.0	948
1925	51,890[13]	100.0	26,457	100.0	25,433	100.0	961
1926	52,888[14]	100.0	26,943	100.0	25,945	100.0	963
Under 1 Year.							
1917	9,325	16.5	5,326	18.0	3,999	14.8	751
1918	10,820[7]	13.7	6,120	14.7	4,698	12.6	768
1919	7,769[8]	14.8	4,395	16.6	3,373	13.0	767
1920	8,382	15.6	4,804	18.0	3,578	13.2	745
1921	7,005	14.7	4,066	17.0	2,939	12.3	723
1922	7,129[6]	13.9	4,150	16.2	2,976	11.7	717
1923	6,968	13.3	3,935	15.0	3,033	11.6	771
1924	6,191	12.5	3,525	13.9	2,666	11.1	756
1925	6,294	12.1	3,637	13.7	2,657	10.4	731
1926	6,130	11.6	3,375	12.5	2,755	10.6	816
Under 5 Years.							
1917	12,728	22.5	7,157	24.2	5,571	20.6	778
1918	16,548[7]	21.0	9,089	21.8	7,457	20.0	820
1919	10,813[8]	20.7	6,031	22.8	4,781	18.4	793
1920	11,739	21.9	6,577	24.7	5,162	19.1	785
1921	9,432	19.7	5,356	22.4	4,076	17.1	761
1922	9,807[6]	19.2	5,604	21.8	4,200	16.5	749
1923	9,653	18.4	5,373	20.4	4,280	16.4	797
1924	8,350	16.9	4,698	18.5	3,652	15.2	777
1925	8,623	16.6	4,879	18.4	3,744	14.7	767
1926	8,503	16.1	4,669	17.3	3,834	14.8	821
20 to 29 Years.							
1917	3,347	5.9	1,760	5.9	1,587	4.9	902
1918	10,816	13.7	5,657	13.6	5,159	13.9	912
1919	3,797	7.3	1,741	6.6	2,056	8.0	1,181
1920	3,282	6.1	1,487	5.6	1,795	6.7	1,207
1921	2,523	5.3	1,192	5.0	1,331	5.6	1,117
1922	2,511	4.9	1,169	4.6	1,342	5.3	1,148
1923	2,541	4.9	1,203	4.6	1,338	5.1	1,112
1924	2,450	4.9	1,187	4.7	1,263	5.2	1,064
1925	2,498	4.8	1,161	4.4	1,337	5.3	1,151
1926	2,330	4.4	1,070	4.0	1,260	4.8	1,178
All Other Ages.							
1917	40,553[3]	71.6	20,705	69.9	19,847	73.5	959
1918	51,478[2]	65.3	26,924	64.6	24,547	66.1	912
1919	37,735[9]	72.0	18,635	70.6	19,093	73.6	1,024
1920	38,611[10]	72.0	18,561	69.7	20,047	74.2	1,080
1921	35,825	75.0	17,396	72.6	18,429	77.3	1,059
1922	38,800[11]	75.9	18,906	73.6	19,891	78.2	1,052
1923	40,186[3]	76.7	19,692	75.0	20,493	78.5	1,041
1924	38,666[12]	78.2	19,505	76.8	19,161	79.6	982
1925	40,769[13]	78.6	20,417	77.2	20,352	80.0	997
1926	42,055[14]	79.5	21,204	78.7	20,851	80.4	983

[1] Exclusive of stillbirths.
[2] Includes 7 deaths, sex and age not reported.
[3] Includes 1 death, sex and age not reported.
[4] Includes 9 deaths, sex not reported.
[5] Includes 8 deaths, sex not reported.
[6] Includes 3 deaths, sex not reported.
[7] Includes 2 deaths, sex not reported.
[8] Includes 1 death, sex not reported.
[9] Includes 7 deaths, sex not reported.
[10] Includes 9 deaths, age not reported.
[11] Includes 10 deaths, age not reported.
[12] Includes 12 deaths, age not reported.
[13] Includes 5 deaths, age not reported.
[14] Includes 11 deaths, age not reported.

Table 10 — Deaths of Persons 100 Years of Age and Over: 1926.

Age at Death. Yrs.	Mos.	Sex.	Place of death.	Place of birth.	Marital condition.	Date of death.	Name (and maiden name of married and widowed women).
105	11	F.	Salisbury	Dundee, Scotland	Widowed	Feb. 17	Helen L. Felch, m.n. unknown.
103	6	F.	Springfield	Woolwich, Me.	Widowed	Dec. 10	Eliza N. Marshall, m.n. Chase.
103	6	M.	Danvers	Weymouth	Widowed	Sept. 27	Jaazamiah C. Pierce.
103	5	F.	Worcester	Quincy	Widowed	Mar. 1	Susan R. (Osborn) Follett, m.n. Osborn.
102	7	M.	Scituate	Nova Scotia	Widowed	April 6	Dimon Jellows.
102	–	F.	Newbury	Deerfield, N. H.	Single	April 1	Anna True Ambrose.
102	–	M.	Ipswich	Kent, England	Widowed	Jan. 5	James Field.
102	–	M.	Boston	Cape Verde Islands	Widowed	April 1	Charles Rose.
102	–	F.	Brookline	Cape Breton, Canada	Widowed	Jan. 18	Elizabeth MacDougal, m.n. Morrison.
101	6	M.	Boston	England	Widowed	Feb. 3	Thomas Scrivens.
101	4	F.	Westfield	Westfield	Single	June 15	Amelia Rogers.
101	–	F.	Lowell	Ireland	Single	Sept. 24	Ann Barton.
100	10	F.	Boston	New Hampshire	Widowed	May 15	Laura J. Hayford, m.n. Page.
100	7	F.	Danvers	Ware, N. H.	Single	July 19	Caroline C. Johnson.
100	7	M.	Waltham	Ireland	Married	Mar. 13	Peter Paine.
100	6	F.	Stoneham	Chester, Vt.	Widowed	April 29	Martha Redfield, m.n. Cook.
100	6	F.	Acushnet	Middleborough	Widowed	Nov. 17	Mary C. Davis, m.n. Ryder.
100	6	F.	Newton	Prospect, Conn.	Widowed	June 25	Ellen Elizabeth Manney, m.n. Smith.
100	5	F.	Medford	Bacro, Shelburne Co., N. S.	Widowed	July 8	Charlotte A. Brown, m.n. Connell.
100	4	M.	Lynn	Boston	Widowed	July 15	William Foster Whitney.
100	1	F.	West Boylston	Holden	Widowed	Nov. 12	Emily Walker Parker, m.n. Walker.
100	1	F.	Quincy	Wiscasset, Me.	Widowed	Mar. 11	Mary Jane Wood, m.n. Pratt.
100	–	F.	Cambridge	Alexandria, Va.	Widowed	Oct. 10	Harriet E. Bell, m.n. Bruce.
100	–	F.	Westwood	Hingham	Widowed	Dec. 14	Anne Lincoln Locke, m.n. Lincoln.
100	–	M.	Eastham	Eastham	Married	Sept. 16	Russell Snow Higgins.
100	–	F.	Brookline	Portsmouth, N. H.	Widowed	Mar. 31	Fanny Clark Pratt, m.n. Clark.
100	–	F.	Westfield	Maryland	Widowed	Oct. 5	Matilda Shipley, m.n. unknown.

Table 11 — Deaths of Persons 100 Years of Age and Over: 1900 to 1926.

Years.	Total.	Sex. Males.	Sex. Females.	Nativity. Native.	Nativity. Foreign.	Nativity. Unknown.	Marital condition. Single.	Marital condition. Married.	Marital condition. Widowed.	Marital condition. Divorced.	Age of oldest decedent.
1900	19	4	15	10	9	–	–	2	17	–	110
1901	9	2	7	5	4	–	–	–	9	–	106
1902	20	7	13	10	10	–	1	1	18	–	111
1903	19	6	13	10	9	–	1	–	18	–	105
1904	24	6	18	15	9	–	4	1	19	–	105
1905	16	6	10	5	11	–	1	2	13	–	110
1906	21	7	14	11	10	–	3	–	18	–	107
1907	23	6	17	11	12	–	–	1	22	–	112
1908	22	8	14	10	12	–	2	–	20	–	106
1909	13	2	11	5	7	1	1	1	11	–	108
1910	23	9	14	12	11	–	3	2	18	–	106
1911	17	8	9	8	9	–	1	2	14	–	108
1912	21	6	15	12	9	–	–	–	21	–	112
1913	18	4	14	10	8	–	2	–	16	–	104
1914	20	4	16	7	13	–	–	–	20	–	113
1915	25	10	15	15	10	–	–	3	22	–	105
1916	21	9	12	10	11	–	–	1	20	–	111
1917	29	10	19	15	14	–	4	2	23	–	108
1918	21	7	14	9	12	–	3	–	18	–	112
1919	21	5	16	11	10	–	3	3	15	–	113
1920	16	3	13	8	8	–	–	1	15	–	104
1921	19	4	15	9	10	–	1	1	17	–	107
1922	25	5	20	13	12	–	2	–	23	–	108
1923	23	10	13	9	14	–	–	1	21	1	115
1924	18	3	15	12	6	–	1	–	17	–	109
1925	22	6	16	11	10	1	1	1	20	–	118
1926	27	8	19	18	9	–	4	2	21	–	105

Table 12

DEATHS BY SEX, AGE, AND MARITAL CONDITION: 1926.

Age at Death.	Both Sexes.	Males.						Females.					
		Total.	Single.	Married.	Widowed.	Divorced.	Unknown.	Total.	Single.	Married.	Widowed.	Divorced.	Unknown.
The State.													
15 Years and Over.	**43,018**	**21,526**	**4,412**	**11,969**	**4,785**	**247**	**113**	**21,492**	**4,028**	**8,422**	**8,838**	**194**	**10**
15 to 19 years .	872	463	462	1	–	–	–	409	369	40	–	–	–
20 to 29 years .	2,330	1,070	773	284	6	2	5	1,260	510	722	17	11	–
30 to 39 years .	3,166	1,660	583	1,003	37	23	14	1,506	282	1,162	49	12	1
40 to 49 years .	4,701	2,590	655	1,746	129	40	20	2,111	391	1,474	201	44	1
50 to 59 years .	7,043	3,886	671	2,673	455	60	27	3,157	511	1,872	732	40	2
60 to 69 years .	9,584	4,968	652	3,154	1,074	61	27	4,616	762	1,880	1,925	46	3
70 to 79 years .	9,404	4,561	479	2,373	1,651	49	9	4,843	731	1,024	3,056	30	2
80 years and over	5,907	2,318	137	733	1,432	12	4	3,589	471	248	2,858	11	1
Unknown age .	11	10	–	2	1	–	7	1	1	–	–	–	–
BOSTON.													
15 Years and Over.	**9,246**	**4,695**	**1,173**	**2,562**	**852**	**65**	**43**	**4,551**	**1,027**	**1,778**	**1,708**	**35**	**3**
15 to 19 years .	196	92	92	–	–	–	–	104	91	13	–	–	–
20 to 29 years .	561	252	183	66	1	–	2	309	129	173	5	2	–
30 to 39 years .	826	436	169	247	6	8	6	390	75	293	19	2	1
40 to 49 years .	1,225	712	210	446	34	12	10	513	103	344	56	10	–
50 to 59 years .	1,881	1,063	208	701	120	24	10	818	147	450	212	8	1
60 to 69 years .	2,085	1,098	181	648	246	14	9	987	207	320	454	6	–
70 to 79 years .	1,620	753	103	368	270	7	5	867	175	146	541	4	1
80 years and over	852	289	27	86	175	–	1	563	100	39	421	3	–
Unknown age .	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 13
COUNTIES AND CITIES HAVING OVER 50,000 INHABITANTS IN 1925 (Grouped in order of population).

DEATHS,[1] IN COUNTIES AND IN CITIES HAVING OVER 50,000 INHABITANTS, BY MONTHS: 1926.

	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	**52,888**	**5,044**	**4,230**	**6,049**	**5,796**	**4,651**	**3,926**	**3,681**	**3,463**	**3,596**	**4,016**	**3,941**	**4,495**
Average daily number of deaths.	144.9	162.7	151.1	195.1	193.2	150.0	130.9	118.7	111.7	119.9	129.5	131.4	145.0
COUNTIES.													
Suffolk	12,709	1,171	1,033	1,558	1,313	1,117	866	870	866	849	974	986	1,106
Middlesex	10,240	1,002	815	1,170	1,155	848	754	686	669	667	815	784	875
Essex	6,088	571	500	739	637	553	456	409	390	466	433	452	482
Worcester	6,407	621	541	702	748	584	495	436	407	427	505	417	524
Bristol	4,931	470	371	512	609	466	394	337	327	334	345	362	404
Hampden	3,907	358	295	452	383	352	306	307	244	273	287	301	349
Norfolk	2,772	276	205	298	295	249	186	204	164	179	228	232	256
Plymouth	2,088	204	171	239	242	163	170	152	135	136	153	151	172
Berkshire	1,496	156	105	140	177	129	103	110	100	102	124	110	140
Hampshire	997	94	96	106	96	87	87	79	65	57	78	67	85
Franklin	568	67	39	64	76	39	53	33	36	41	34	35	51
Barnstable	524	42	50	53	48	48	43	45	45	45	31	34	40
Dukes	101	5	4	13	13	10	8	11	11	12	3	6	5
Nantucket	60	7	5	3	4	6	5	2	4	8	6	4	6
CITIES OVER 100,000.													
Boston	11,720	1,070	953	1,450	1,196	1,028	794	793	802	787	898	928	1,021
Worcester	2,702	265	196	319	344	259	207	175	160	180	212	180	205
Springfield	1,822	178	135	214	178	164	141	140	107	122	135	149	159
Fall River	1,712	172	137	152	221	141	138	106	126	125	117	132	145
Cambridge	1,481	126	118	194	167	111	121	99	91	85	134	105	130
New Bedford	1,498	130	103	179	189	148	119	99	105	98	108	113	107
Lowell	1,550	156	132	144	174	148	111	100	101	118	138	113	115
Lynn	1,182	124	112	158	94	106	100	72	61	84	70	86	115
CITIES 50,000 TO 100,000.													
Somerville	1,085	118	85	115	139	83	63	67	70	66	86	83	110
Lawrence	940	92	70	93	123	81	68	66	64	70	55	78	80
Brockton	762	78	63	84	90	61	69	52	36	43	58	52	76
Holyoke	782	66	64	84	68	72	65	63	58	50	61	66	65
Quincy	536	42	34	45	50	58	38	39	32	40	49	47	62
Newton	559	60	45	72	72	45	36	35	22	34	43	42	53
Malden	558	38	53	73	69	42	40	45	34	32	37	44	51

[1] Exclusive of stillbirths.

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) from List, by Months and Sex — Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes.	T	52,888	5,044	4,230	6,049	5,796	4,651	3,926	3,681	3,463	3,596	4,016	3,941	4,495
		M	26,943	2,512	2,196	3,024	2,928	2,343	2,022	1,916	1,802	1,840	2,044	2,039	2,277
		F	25,945	2,532	2,034	3,025	2,868	2,308	1,904	1,765	1,661	1,756	1,972	1,902	2,218
1.	Epidemic, Endemic and Infectious Diseases.	T	5,956	–	–	–	–	–	–	–	–	–	–	–	–
		M	3,209	314	270	428	421	332	240	218	203	189	198	195	201
		F	2,747	251	234	384	379	262	208	182	175	138	171	170	193
1	Typhoid and paratyphoid fever	T	61	–	–	–	–	–	–	–	–	–	–	–	–
		M	33	1	2	3	1	2	–	4	2	2	10	2	4
		F	28	4	1	–	3	3	3	1	2	5	2	2	2
1a	Typhoid fever	T	61	–	–	–	–	–	–	–	–	–	–	–	–
		M	33	1	2	3	1	2	–	4	2	2	10	2	4
		F	28	4	1	–	3	3	3	1	2	5	2	2	2
1b	Paratyphoid fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Typhus fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Relapsing fever (spirillum obermeieri)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Malta fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
5	Malaria	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Small-pox	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
7	Measles	T	367	–	–	–	–	–	–	–	–	–	–	–	–
		M	197	46	34	42	30	20	8	11	4	1	–	–	1
		F	170	41	39	29	21	17	9	4	1	1	1	4	3
8	Scarlet fever	T	117	–	–	–	–	–	–	–	–	–	–	–	–
		M	63	6	5	12	6	3	6	5	3	3	1	6	7
		F	54	5	4	2	8	8	9	5	4	1	3	3	2
9	Whooping cough	T	391	–	–	–	–	–	–	–	–	–	–	–	–
		M	186	17	18	53	36	23	11	3	7	6	5	2	5
		F	205	14	24	49	28	24	9	12	6	8	14	9	8
10	Diphtheria	T	249	–	–	–	–	–	–	–	–	–	–	–	–
		M	135	11	13	10	15	7	9	5	4	14	10	23	14
		F	114	13	9	13	10	7	11	4	3	5	8	6	25
11	Influenza	T	718	–	–	–	–	–	–	–	–	–	–	–	–
		M	338	27	28	85	107	21	12	4	2	9	18	11	14
		F	380	22	20	107	121	30	10	3	6	8	15	15	23
11a	With pulmonary complications specified	T	488	–	–	–	–	–	–	–	–	–	–	–	–
		M	230	18	19	59	73	14	9	3	1	4	14	8	8
		F	258	19	7	79	82	21	9	2	6	2	8	9	14
11b	Without pulmonary complications specified	T	230	–	–	–	–	–	–	–	–	–	–	–	–
		M	108	9	9	26	34	7	3	1	1	5	4	3	6
		F	122	3	13	28	39	9	1	1	–	6	7	6	9
12	Miliary fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Mumps	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
14	Asiatic cholera	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Cholera nostras	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
16	Dysentery	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	1	–	1	2	1	1	–	1
		F	6	–	–	–	–	2	–	–	–	–	3	1	–
16a	Amebic	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
16b	Bacillary	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	1	–	–	–	1	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
16c	Unspecified or due to other causes	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	1	2	–	–	–	1
		F	6	–	–	–	–	2	–	–	–	–	3	1	–
17	Plague	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1926.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
	6,130	1,218	519	340	296	834	533	872	2,330	3,166	4,701	7,043	9,584	9,404	5,083	797	27	11
	3,375	662	286	196	150	463	285	463	1,070	1,660	2,590	3,886	4,968	4,561	2,056	254	8	10
	2,755	556	233	144	146	371	248	409	1,260	1,506	2,111	3,157	4,616	4,843	3,027	543	19	1
1.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	325	234	92	68	54	142	37	107	395	497	466	368	255	113	52	3	1	–
	262	222	95	53	56	125	60	196	501	321	270	207	164	134	69	12	–	–
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	1	5	6	9	5	4	1	1	–	–	–	–
	–	–	–	1	1	3	2	5	4	4	3	3	2	–	–	–	–	–
1a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	1	5	6	9	5	4	1	1	–	–	–	–
	–	–	–	1	1	3	2	5	4	4	3	3	2	–	–	–	–	–
1b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	51	75	23	17	7	14	5	–	–	1	1	–	2	1	–	–	–	–
	47	68	18	11	8	13	1	2	1	–	–	1	–	–	–	–	–	–
8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	8	9	9	5	21	2	1	2	2	1	–	–	–	–	–	–	–
	1	4	6	5	6	18	2	1	6	2	3	–	–	–	–	–	–	–
9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	110	49	8	8	5	5	–	–	–	1	–	–	–	–	–	–	–	–
	104	67	20	1	4	7	1	–	–	1	–	–	–	–	–	–	–	–
10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	20	14	20	17	42	6	–	5	1	2	1	1	–	–	–	–	–
	6	14	14	14	15	35	6	3	3	1	3	–	–	–	–	–	–	–
11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	42	22	5	2	3	12	2	10	9	24	37	38	36	54	38	3	1	–
	32	17	7	3	3	10	2	5	23	15	29	45	55	76	49	9	–	–
11a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	28	18	4	–	1	7	–	8	5	16	28	24	28	39	23	1	–	–
	24	10	5	1	2	8	2	4	13	10	18	33	41	53	29	5	–	–
11b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14	4	1	2	2	5	2	2	4	8	9	14	8	15	15	2	1	–
	8	7	2	2	1	2	–	1	10	5	11	12	14	23	20	4	–	–
12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–
16a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
16b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
16c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–
17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 14

Deaths (exclusive of Stillbirths) from List, by Months and Sex

Detailed Int. List No	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
17a	Bubonic	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
17b	Pneumonic	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
17c	Septicemic	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
17d	Unspecified	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Yellow fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
19	Spirochetal hemorrhagic jaundice	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
20	Leprosy	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Erysipelas	T	106	–	–	–	–	–	–	–	–	–	–	–	–
		M	47	6	3	8	5	8	4	–	2	2	2	4	3
		F	59	5	7	8	4	9	7	6	4	1	2	1	5
22	Acute poliomyelitis	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	27	–	–	1	3	1	–	5	9	4	3	1	–
		F	17	–	–	1	–	–	2	2	4	2	2	2	2
23	Lethargic encephalitis	T	78	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	2	3	8	4	3	1	5	4	2	4	1	1
		F	40	4	7	7	5	6	1	2	3	–	1	2	2
24	Meningococcus meningitis	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	3	–	5	2	1	2	3	1	1	1	1	–
		F	19	3	2	2	1	2	–	2	–	2	–	2	3
25	Other epidemic and endemic diseases	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	–	–	1	1	–	–	1	–	–	–	1
		F	7	1	1	–	1	1	1	–	2	–	–	–	–
25a	Chicken-pox	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	1	1	–	–	–	–	–	–	1
		F	3	–	1	–	1	–	–	–	1	–	–	–	–
25b	German measles	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	3	1	–	–	–	1	1	–	–	–	–	–	–
25c	Others under this title	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
26	Glanders	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
27	Anthrax	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
28	Rabies	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
29	Tetanus	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	1	–	1	–	–	2	6	6	1	1	1	2
		F	2	–	–	–	–	–	–	–	–	2	–	–	–
30	Mycoses	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
31–37	Tuberculosis (total)	T	3,516	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,961	181	154	183	198	231	173	159	144	130	135	135	138
		F	1,555	129	113	156	163	146	138	134	129	97	118	118	114
31	Tuberculosis of the respiratory system	T	2,961	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,682	167	128	161	178	200	148	132	123	112	110	112	111
		F	1,279	105	94	128	133	118	118	113	107	80	98	97	88
32	Tuberculosis of the meninges and central nervous system	T	237	–	–	–	–	–	–	–	–	–	–	–	–
		M	125	8	13	14	12	15	6	11	12	10	8	9	7
		F	112	7	9	8	12	10	7	6	12	7	13	9	12
33	Tuberculosis of the intestines and peritoneum	T	93	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	1	2	4	2	2	7	4	2	3	3	4	4
		F	55	4	1	6	4	7	4	8	6	4	3	4	4
34	Tuberculosis of the vertebral column	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	1	3	–	–	3	1	4	1	2	–	1	6
		F	17	2	2	2	3	2	–	1	1	–	1	1	2
35	Tuberculosis of the joints	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	–	–	1	–	1	2	1	1	–	7	2	3
		F	7	2	–	–	–	1	1	–	–	–	1	1	1

Each Cause and Class of Causes, according to the Detailed International and by Age and Sex: 1926.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
17a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	19	–	1	–	–	–	1	1	–	2	8	6	3	3	3	–	–	–
	14	–	–	–	–	–	1	–	1	5	7	8	5	9	9	–	–	–
22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	5	4	–	3	7	1	4	2	–	–	–	–	–	–	–	–	–
	1	1	1	–	–	5	2	3	2	1	1	–	–	–	–	–	–	–
23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	5	3	–	1	3	–	2	5	4	3	5	4	1	–	–	–	–
	–	1	–	1	1	1	4	2	4	4	9	5	6	–	2	–	–	–
24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	1	1	–	2	3	2	1	–	3	2	1	–	–	–	–	–	–
	2	5	2	–	–	2	2	2	–	1	1	2	–	–	–	–	–	–
25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
25a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
25b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	–	–	2	–	3	2	4	1	2	2	1	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31–37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	55	47	23	8	9	30	13	78	359	429	381	280	189	51	9	–	–	–
	31	41	26	17	17	28	35	169	446	271	200	136	84	46	7	1	–	–
31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	7	4	2	2	6	7	66	331	406	359	253	174	48	9	–	–	–
	9	5	7	3	1	5	24	152	397	252	182	120	72	43	6	1	–	–
32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	33	30	13	5	4	14	4	4	5	5	5	2	1	–	–	–	–	–
	17	26	13	9	11	15	2	3	12	1	–	1	1	1	–	–	–	–
33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	4	1	–	1	4	1	–	7	3	6	5	1	–	–	–	–	–
	3	4	2	1	1	4	1	4	18	5	6	6	–	–	–	–	–	–
34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	3	–	2	4	1	2	5	3	1	–	–	–	–
	–	–	–	–	–	2	2	2	1	3	2	2	3	–	–	–	–	–
35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	1	1	1	3	1	5	2	3	–	–	–	–	–
	–	–	–	–	–	1	1	1	–	1	–	1	2	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
36	Tuberculosis of other organs	T	68	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	2	4	2	3	5	4	3	1	–	2	2	2
		F	38	3	2	6	5	4	4	3	2	1	1	2	5
36a	Tuberculosis of the skin and subcutaneous cellular tissue	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
36b	Tuberculosis of the bones (vertebral column excepted)	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	–	1	–	–	–	–
		F	9	1	–	4	–	–	2	1	–	–	–	1	–
36c	Tuberculosis of the lymphatic system (mesenteric and retroperitoneal glands excepted)	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	–	–	1	1	–	1	–	–	1	–	1
		F	12	–	2	1	3	2	1	–	–	–	1	–	2
36d	Tuberculosis of the genito-urinary system	T	35	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	1	4	1	2	2	3	1	–	–	1	2	1
		F	17	2	–	1	2	2	1	2	2	1	–	1	3
36e	Tuberculosis of organs other than the above.	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	1	1	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Disseminated tuberculosis	T	93	–	–	–	–	–	–	–	–	–	–	–	–
		M	46	2	4	1	3	5	5	4	4	3	5	5	5
		F	47	6	5	6	6	4	4	3	1	5	1	4	2
37a	Acute	T	79	–	–	–	–	–	–	–	–	–	–	–	–
		M	40	2	4	1	3	4	5	4	4	2	4	4	3
		F	39	6	4	4	6	3	4	3	1	3	–	3	2
37b	Chronic	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	1	–	–	–	1	1	1	2
		F	8	–	1	2	–	1	–	–	–	2	1	1	–
38	Syphilis	T	165	–	–	–	–	–	–	–	–	–	–	–	–
		M	101	9	9	13	12	7	9	5	7	11	5	6	8
		F	64	8	6	9	6	5	5	4	8	5	1	4	3
39	Soft chancre	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
40	Gonococcus infection	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	1	1	–	1	–	–	1	1
		F	10	–	–	–	3	–	1	1	2	1	1	–	1
41	Purulent infection, septicemia	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	1	1	2	–	–	–	2	4	2	2	1	1
		F	15	2	1	1	5	2	2	1	–	–	–	1	–
42	Other infectious diseases	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
II.	General Diseases not included above.	T	7,450	–	–	–	–	–	–	–	–	–	–	–	–
		M	3,292	291	284	336	304	274	251	267	242	285	230	262	266
		F	4,158	367	325	355	360	392	326	322	340	303	338	357	373
43–49	Cancer and other malignant tumors (total)	T	5,341	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,230	202	184	211	204	186	163	182	177	188	166	192	175
		F	3,111	282	233	259	250	289	235	243	262	237	261	273	287
43	Of the buccal cavity	T	172	–	–	–	–	–	–	–	–	–	–	–	–
		M	151	8	13	16	15	12	13	9	12	13	14	16	10
		F	21	3	–	–	1	–	2	1	4	2	3	1	4
44	Of the stomach and liver	T	1,689	–	–	–	–	–	–	–	–	–	–	–	–
		M	916	77	74	80	94	75	75	85	60	73	81	70	72
		F	773	75	60	64	54	79	62	66	63	55	56	60	79
45	Of the peritoneum, intestines and rectum	T	1,004	–	–	–	–	–	–	–	–	–	–	–	–
		M	426	40	41	42	41	35	28	31	27	49	24	42	26
		F	578	53	31	55	50	49	38	48	53	57	53	52	39
46	Of the female genital organs	T	688	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	688	53	51	64	60	65	57	49	61	39	54	72	63
47	Of the breast	T	610	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	–	1	1	–	1	1	–	2	1	–	2
		F	601	59	54	53	47	54	41	48	43	49	52	48	53
48	Of the skin	T	95	–	–	–	–	–	–	–	–	–	–	–	–
		M	61	7	5	6	4	9	3	3	8	5	3	5	3
		F	34	–	4	3	3	4	–	1	3	4	5	4	3
49	Of other or unspecified organs	T	1,083	–	–	–	–	–	–	–	–	–	–	–	–
		M	667	70	51	66	49	55	43	53	70	46	43	59	62
		F	416	39	33	20	35	38	35	30	35	31	38	36	46
50	Benign tumors and tumors not returned as malignant (tumors of the female genital organs excepted)	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	2	–	3	1	2	3	3	3	3	1	–	–
		F	23	2	4	1	2	1	4	–	–	2	4	2	1
51	Acute rheumatic fever	T	53	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	3	5	1	–	2	1	4	2	2	2	1	3
		F	27	2	1	1	–	2	5	4	2	1	3	3	3

Each Cause and Class of Causes, according to the Detailed International and by Age and Sex: 1926.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	–	–	2	–	–	2	3	6	4	7	3	–	–	–	–	–
	–	2	3	1	1	–	–	1	10	4	7	4	3	1	1	–	–	–
36a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
36b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	1	1	–	–	–	–	–	2	1	1	2	1	–	–	–	–	–
36c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–
	–	1	2	1	1	–	–	–	3	–	3	–	1	–	–	–	–	–
36d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	2	4	4	4	2	–	–	–	–	–
	–	–	–	–	–	–	–	1	5	3	3	2	1	1	1	–	–	–
36e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	4	4	1	–	2	–	3	6	7	–	6	4	2	–	–	–	–
	2	4	1	3	3	1	5	6	8	5	3	2	3	1	–	–	–	–
37a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	4	4	1	–	2	–	2	6	5	–	6	1	2	–	–	–	–
	2	3	1	3	3	1	5	6	7	4	3	1	–	–	–	–	–	–
37b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	2	–	–	3	–	–	–	–	–
	–	1	–	–	–	–	–	–	1	1	–	1	3	1	–	–	–	–
38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	19	1	–	–	1	–	2	–	2	13	18	28	15	1	1	–	–	–
	16	2	–	–	–	1	1	–	7	12	10	5	8	1	1	–	–	–
39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	2	4	2	2	–	–	–	–	–	–	–
41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	1	1	3	3	4	2	–	1	–	–	–
	3	–	–	–	–	–	–	2	–	1	1	2	3	2	1	–	–	–
42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
II.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	117	13	15	9	7	14	20	24	55	161	330	727	948	646	201	5	–	–
	105	13	5	6	4	18	17	21	79	214	531	897	1,152	794	282	20	–	–
43–49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	3	2	2	5	5	4	13	76	185	509	726	526	169	5	–	–
	2	1	3	1	–	2	1	6	38	165	434	712	871	631	225	19	–	–
43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	1	–	1	1	8	39	58	25	15	2	–	–
	–	–	–	–	–	–	1	–	–	1	1	2	7	5	4	–	–	–
44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	3	22	86	245	287	211	59	2	–	–
	–	–	–	–	–	1	–	–	6	27	75	151	233	209	68	3	–	–
45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	1	1	1	4	14	34	91	145	99	35	–	–	–
	–	–	–	–	–	–	–	–	9	19	59	125	171	138	54	3	–	–
46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	9	55	152	187	159	99	24	2	–	–
47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	3	5	–	–	–	–
	–	–	–	–	–	–	–	–	3	32	100	149	167	99	42	9	–	–
48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	3	3	9	17	16	11	1	–	–
	–	–	–	–	–	–	–	–	1	–	3	6	7	10	5	2	–	–
49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	2	1	2	3	3	5	36	53	125	216	170	49	–	–	–
	2	1	3	1	–	1	–	5	10	31	44	92	127	71	28	–	–	–
50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	1	–	–	1	–	1	1	4	3	2	2	3	–	–	–	–
	–	–	–	–	–	–	1	–	–	2	3	4	4	4	5	–	–	–
51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	–	3	5	3	3	5	2	1	2	–	–	–	–	–
	–	–	–	–	–	4	4	3	9	1	4	1	–	1	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				Months.											
52	Chronic rheumatism, osteoarthritis, gout	T	62	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	1	3	4	–	2	2	3	–	1	1	3	2
		F	40	4	4	1	4	3	5	3	3	5	2	3	3
53	Scurvy	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
54	Pellagra	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	1	1	–	–	–	1
		F	8	–	1	–	–	1	2	–	1	–	1	2	–
55	Beriberi	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
56	Rickets	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	–	–	1	–	1	1	–	2	1	1	1
		F	6	–	–	–	2	1	1	–	1	1	–	–	–
57	Diabetes mellitus	T	835	–	–	–	–	–	–	–	–	–	–	–	–
		M	333	38	33	43	33	24	28	28	24	23	18	19	22
		F	502	44	40	46	54	47	32	36	43	32	42	41	45
58	Anemia, chlorosis	T	298	–	–	–	–	–	–	–	–	–	–	–	–
		M	117	9	13	16	19	10	9	7	5	6	6	3	14
		F	181	16	16	19	29	23	20	14	9	10	5	11	9
58a	Pernicious anemia	T	276	–	–	–	–	–	–	–	–	–	–	–	–
		M	106	8	13	16	16	10	7	7	4	6	6	3	10
		F	170	16	15	17	28	21	19	14	9	10	4	9	8
58b	Other anemias and chlorosis	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	–	–	3	–	2	–	1	–	–	–	4
		F	11	–	1	2	1	2	1	–	–	–	1	2	1
59	Diseases of the pituitary gland	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
60	Diseases of the thyroid gland	T	56	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	3	1	–	–	3	–	2	1	–	2	–
		F	44	3	6	5	3	4	5	3	1	3	5	4	2
60a	Exophthalmic goiter	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	–	–	1	–	–	1	–
		F	17	–	4	1	–	3	2	1	–	2	2	2	–
60b	Other diseases of the thyroid gland	T	36	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	2	1	–	–	3	–	1	1	–	1	–
		F	27	3	2	4	3	1	3	2	1	1	3	2	2
61	Diseases of the parathyroid glands	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	5	1	1	1	–	1	–	–	–	1	–	–	–
62	Diseases of the thymus gland	T	102	–	–	–	–	–	–	–	–	–	–	–	–
		M	58	2	5	9	5	4	2	6	2	6	3	8	6
		F	44	5	6	8	2	3	3	3	2	1	4	4	3
63	Diseases of the adrenals (Addison's disease)	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	2	–	–	–	–	–	2	1	–	1
		F	11	–	1	–	2	1	1	1	1	1	1	–	2
64	Diseases of the spleen	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
65	Leukemia and Hodgkin's disease	T	155	–	–	–	–	–	–	–	–	–	–	–	–
		M	99	9	5	9	5	10	7	10	10	11	9	6	8
		F	56	2	3	5	3	5	4	7	6	4	5	4	8
65a	Leukemia	T	93	–	–	–	–	–	–	–	–	–	–	–	–
		M	59	5	4	7	3	6	3	7	4	5	8	3	4
		F	34	1	3	4	2	3	–	7	2	1	4	3	4
65b	Hodgkin's disease	T	62	–	–	–	–	–	–	–	–	–	–	–	–
		M	40	4	1	2	2	4	4	3	6	6	1	3	4
		F	22	1	–	1	1	2	4	–	4	3	1	1	4
66	Alcoholism (acute or chronic)	T	285	–	–	–	–	–	–	–	–	–	–	–	–
		M	261	13	25	25	29	23	25	15	12	29	17	24	24
		F	24	1	2	2	3	3	2	3	1	–	2	1	4
67	Chronic poisoning by mineral substances	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	2	–	3	1	1	1	1	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
67a	Chronic lead poisoning	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	2	–	2	1	1	1	1	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
67b	Others under this title	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
68	Chronic poisoning by organic substances	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	–	1	–	–	–	–
		F	2	–	1	–	–	–	–	–	–	1	–	–	–
69	Other general diseases	T	152	–	–	–	–	–	–	–	–	–	–	–	–
		M	78	9	7	8	5	9	6	5	3	10	5	3	8
		F	74	5	6	7	6	8	7	5	8	4	3	9	6

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1926.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	1	2	2	5	6	2	3	–	–	–
	–	–	–	–	–	1	–	–	2	–	1	4	9	12	11	–	–	–
53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
54	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	3	–	2	1	–	–	–	–
55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
56	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
57	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	1	2	2	9	5	9	20	73	107	81	23	–	–	–
	2	–	–	2	–	3	5	3	11	15	28	105	181	111	35	1	–	–
58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	–	1	1	1	2	6	14	29	40	18	3	–	–	–
	3	–	–	1	1	1	–	2	5	12	32	38	61	22	3	–	–	–
58a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	1	–	1	2	5	12	28	36	17	3	–	–	–
	–	–	–	1	–	–	–	2	5	12	31	38	58	20	3	–	–	–
58b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	1	–	–	1	2	1	4	1	–	–	–	–
	3	–	–	–	1	1	–	–	–	–	1	–	3	2	–	–	–	–
59	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
60	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	2	4	3	–	1	–	1	–	–	–
	–	–	–	–	–	1	1	2	3	1	10	9	12	3	2	–	–	–
60a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	1	1	–	6	4	4	–	–	–	–	–
60b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	2	2	2	–	1	–	1	–	–	–
	–	–	–	–	–	1	–	1	2	1	4	5	8	3	2	–	–	–
61	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
62	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	47	3	3	1	1	–	1	–	–	1	1	–	–	–	–	–	–	–
	36	5	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–
63	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	2	–	1	1	1	–	–	–
	–	–	–	–	–	–	–	–	3	–	4	3	1	–	–	–	–	–
64	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	4	1	2	–	6	5	12	7	19	21	17	4	–	–	–	–
	1	–	2	2	3	–	2	3	4	6	4	13	9	7	–	–	–	–
65a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	4	1	1	–	4	3	6	4	10	13	9	3	–	–	–	–
	1	–	2	2	3	–	1	2	3	2	3	7	5	3	–	–	–	–
65b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	2	2	6	3	9	8	8	1	–	–	–	–
	–	–	–	–	–	–	1	1	1	4	1	6	4	4	–	–	–	–
66	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	12	41	73	82	44	8	1	–	–	–
	–	–	–	–	–	–	–	–	2	7	6	7	1	1	–	–	–	–
67	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	3	2	2	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
67a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	2	2	2	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
67b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
69	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	62	4	2	2	1	–	–	–	1	1	2	2	–	1	–	–	–	–
	56	1	–	–	–	4	3	2	2	3	–	1	–	1	1	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
III.	Diseases of the Nervous System and of the Organs of Special Sense.	T	5,510	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,629	251	240	236	271	226	202	189	172	190	202	222	228
		F	2,881	302	237	298	291	236	218	183	194	205	239	212	266
70	Encephalitis	T	61	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	–	2	6	3	3	2	1	2	5	4	1	2
		F	30	4	2	6	2	2	6	1	1	2	3	1	–
71	Meningitis (does not include meningitis specified as meningococcic, tuberculous, rheumatic, etc.)	T	147	–	–	–	–	–	–	–	–	–	–	–	–
		M	79	4	8	12	8	11	5	6	3	8	2	5	7
		F	68	8	6	7	18	2	2	5	3	5	1	5	6
71a	Simple meningitis	T	94	–	–	–	–	–	–	–	–	–	–	–	–
		M	48	2	5	8	5	6	4	5	3	5	–	2	3
		F	46	3	4	5	15	2	1	4	3	1	–	5	3
71b	Non-epidemic cerebro-spinal meningitis	T	53	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	2	3	4	3	5	1	1	–	3	2	3	4
		F	22	5	2	2	3	–	1	1	–	4	1	–	3
72	Tabes dorsalis (locomotor ataxia)	T	61	–	–	–	–	–	–	–	–	–	–	–	–
		M	42	4	1	6	5	4	7	3	1	3	5	2	1
		F	19	4	3	5	–	1	1	1	–	1	–	2	1
73	Other diseases of the spinal cord	T	120	–	–	–	–	–	–	–	–	–	–	–	–
		M	58	7	3	4	6	5	4	5	8	2	3	5	6
		F	62	4	5	6	3	6	3	4	3	3	7	9	9
74	Cerebral hemorrhage, apoplexy	T	4,123	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,833	169	176	157	185	156	127	129	121	118	151	164	180
		F	2,290	244	189	227	221	192	179	147	161	169	183	168	210
74a	Cerebral hemorrhage	T	3,948	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,751	159	167	148	177	151	121	122	115	113	147	156	175
		F	2,197	235	181	219	214	181	171	138	153	163	178	162	202
74b	Cerebral thrombosis and embolism	T	175	–	–	–	–	–	–	–	–	–	–	–	–
		M	82	10	9	9	8	5	6	7	6	5	4	8	5
		F	93	9	8	8	7	11	8	9	8	6	5	6	8
75	Paralysis without specified cause	T	98	–	–	–	–	–	–	–	–	–	–	–	–
		M	54	9	6	6	6	6	3	3	3	5	1	3	3
		F	44	4	5	6	7	3	2	2	4	2	4	2	3
75a	Hemiplegia	T	74	–	–	–	–	–	–	–	–	–	–	–	–
		M	42	7	5	5	3	5	3	2	2	4	1	2	3
		F	32	3	4	4	7	2	2	1	1	1	4	2	1
75b	Others under this title	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	2	1	1	3	1	–	1	1	1	–	1	–
		F	12	1	1	2	–	1	–	1	3	1	–	–	2
76	General paralysis of the insane	T	230	–	–	–	–	–	–	–	–	–	–	–	–
		M	163	18	14	13	21	12	16	11	10	12	14	15	7
		F	67	5	7	10	8	3	3	3	7	4	9	6	2
77	Other forms of mental alienation	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	2	1	1	–	1	–	1	–	1	–	–	1
		F	20	3	2	–	4	1	2	2	–	1	2	1	2
78	Epilepsy	T	158	–	–	–	–	–	–	–	–	–	–	–	–
		M	82	11	6	7	8	8	7	6	8	8	3	4	6
		F	76	6	4	9	6	7	6	8	5	6	9	5	5
79	Convulsions (non-puerperal) (5 years and over)	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	–	–	–	1	1	–	–	1	–
		F	4	1	1	–	–	–	1	–	–	–	–	1	–
80	Infantile convulsions (under 5 years of age)	T	42	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	2	1	4	2	3	–	1	1	2	–	2	4
		F	20	–	2	1	–	4	1	1	–	2	4	2	3
81	Chorea	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	2	1	–	–	1	–	–	–	–	–	–	–	–
82	Neuralgia and neuritis	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	–	–	–	–	–	1
		F	5	1	–	–	–	2	–	1	1	–	–	–	–
83	Softening of the brain	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	1	3	–	1	–	1	–	–	–	–	1
		F	10	–	1	2	1	–	1	1	–	–	–	1	3
84	Other diseases of the nervous system	T	238	–	–	–	–	–	–	–	–	–	–	–	–
		M	132	13	12	6	17	7	16	13	6	14	10	13	5
		F	106	10	7	11	14	10	5	4	8	6	9	6	16
85	Diseases of the eye and annexa	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	1	2	–	–
		F	4	1	–	–	–	–	1	–	–	1	–	–	1
86	Diseases of the ear and of the mastoid process	T	161	–	–	–	–	–	–	–	–	–	–	–	–
		M	107	10	9	10	10	9	15	8	8	11	7	7	3
		F	54	6	3	8	6	3	5	3	1	3	8	3	5
86a	Diseases of the ear	T	99	–	–	–	–	–	–	–	–	–	–	–	–
		M	59	8	2	5	6	5	7	3	4	7	6	4	2
		F	40	4	3	3	6	3	4	2	1	3	6	2	3

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1926.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
111.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	59	26	21	12	13	38	22	36	66	97	224	430	638	637	285	23	1	1
	59	21	13	11	8	26	21	14	43	82	185	396	649	789	487	74	3	–
70	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	5	2	1	1	1	2	–	2	4	3	3	1	1	–	–	–	–
	4	4	2	2	–	2	3	–	2	3	3	2	1	2	–	–	–	–
71	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	20	8	4	7	2	7	4	5	7	5	3	7	–	–	–	–	–	–
	26	7	6	4	2	8	5	1	1	2	2	2	2	–	–	–	–	–
71a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	15	5	2	3	2	5	2	2	5	1	2	4	–	–	–	–	–	–
	19	3	5	3	2	4	3	–	1	2	1	2	1	–	–	–	–	–
71b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	3	2	4	–	2	2	3	2	4	1	3	–	–	–	–	–	–
	7	4	1	1	–	4	2	1	–	–	1	–	1	–	–	–	–	–
72	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	4	13	12	10	2	–	–	–
	–	–	–	–	–	–	–	–	1	–	1	6	6	3	2	–	–	–
73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	1	2	2	–	4	2	7	7	9	18	5	–	–	–	–
	1	–	–	1	–	–	–	–	3	3	11	13	15	9	6	–	–	–
74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	1	–	1	–	1	1	6	27	100	300	537	572	260	22	1	1
	6	2	–	1	–	–	1	2	5	24	118	311	575	725	450	67	3	–
74a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	1	–	1	–	1	1	6	25	92	282	517	552	250	19	1	1
	6	2	–	1	–	–	–	1	3	23	114	295	562	703	421	63	3	–
74b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	2	8	18	20	20	10	3	–	–
	–	–	–	–	–	–	1	1	2	1	4	16	13	22	29	4	–	–
75	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	2	3	17	20	10	–	–	–
	–	–	–	1	–	–	–	1	1	–	1	3	14	16	6	1	–	–
75a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	2	1	13	15	9	–	–	–
	–	–	–	–	–	–	–	–	1	–	1	3	9	12	6	–	–	–
75b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	4	5	1	–	–	–
	–	–	–	1	–	–	–	1	–	–	–	–	5	4	–	1	–	–
76	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	8	24	56	40	20	12	1	1	–	–
	–	–	–	–	–	–	–	2	–	9	15	19	6	12	4	–	–	–
77	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	–	1	1	2	1	–	1	–	–	–
	–	–	–	–	–	–	–	–	3	7	5	2	1	2	–	–	–	–
78	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	2	4	8	18	8	13	17	5	3	2	–	–	–
	–	1	–	1	1	3	5	3	15	13	12	8	4	5	5	–	–	–
79	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	–	–	1	–	–	1	–	–	–	–	–	–
80	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	15	3	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	15	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
81	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
82	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	1	1	–	1	–	–	–	1	–	–
83	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	1	2	3	1	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	1	4	3	1	–	–
84	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	2	3	1	1	3	4	4	10	15	24	27	18	11	6	–	–	–
	–	–	1	–	–	4	–	1	7	15	12	21	22	9	10	4	–	–
85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–
86	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13	7	7	2	1	21	3	12	12	4	10	7	7	–	1	–	–	–
	7	4	2	–	4	7	6	4	2	4	5	5	2	1	1	–	–	–
86a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	6	4	2	–	9	1	7	7	1	6	5	2	–	1	–	–	–
	7	4	2	–	2	5	3	2	1	4	4	4	–	1	1	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
86b	Diseases of the mastoid process	T	62	–	–	–	–	–	–	–	–	–	–	–	–
		M	48	2	7	5	4	4	8	5	4	4	1	3	1
		F	14	2	–	5	–	–	1	1	–	–	2	1	2
IV.	Diseases of the Circulatory System.	T	13,023	–	–	–	–	–	–	–	–	–	–	–	–
		M	6,604	655	571	737	658	594	513	459	379	409	484	533	612
		F	6,419	651	502	765	682	553	468	471	340	426	500	467	594
87	Pericarditis	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	–	2	5	1	–	–	1	3	–	1	–	3
		F	14	1	2	1	2	2	–	3	–	–	2	1	–
88	Endocarditis and myocarditis (acute)	T	326	–	–	–	–	–	–	–	–	–	–	–	–
		M	167	18	9	23	14	21	6	13	14	9	13	12	15
		F	159	12	12	16	18	10	13	18	6	10	12	14	18
89	Angina pectoris	T	790	–	–	–	–	–	–	–	–	–	–	–	–
		M	523	64	40	43	55	53	43	35	26	33	28	43	60
		F	267	35	24	23	24	28	18	14	14	15	24	22	26
90	Other diseases of the heart	T	9,705	–	–	–	–	–	–	–	–	–	–	–	–
		M	4,786	447	421	548	478	432	375	336	275	291	352	387	444
		F	4,919	513	371	594	539	418	353	356	257	337	365	352	464
91	Diseases of the arteries	T	1,921	–	–	–	–	–	–	–	–	–	–	–	–
		M	972	116	86	97	98	78	78	62	56	70	79	70	82
		F	949	80	83	123	91	81	75	75	54	57	88	68	74
91a	Aneurism	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	29	6	3	3	5	–	2	3	2	2	1	1	1
		F	11	2	2	1	3	1	2	–	–	–	–	–	–
91b	Arteriosclerosis	T	1,861	–	–	–	–	–	–	–	–	–	–	–	–
		M	933	110	81	92	92	78	74	58	54	67	77	69	81
		F	928	78	80	120	87	80	73	73	54	56	88	67	72
91c	Other diseases of the arteries	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	2	2	1	–	2	1	–	1	1	–	–
		F	10	–	1	2	1	–	–	2	–	1	–	1	2
92	Embolism and thrombosis (not cerebral)	T	188	–	–	–	–	–	–	–	–	–	–	–	–
		M	112	7	10	18	9	8	8	10	4	4	10	17	7
		F	76	6	8	4	4	11	6	3	3	6	9	8	8
93	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	T	48	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	1	3	2	1	–	3	1	1	2	1	3	1
		F	29	4	1	3	3	2	3	2	5	1	–	1	4
94	Diseases of the lymphatic system (lymphangitis, etc.)	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	2	–	–	1	1	–	1	–	–	–	–	–
		F	3	–	1	–	1	1	–	–	–	–	–	–	–
95	Hemorrhage without specified cause	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
96	Other diseases of the circulatory system	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	–	–	–	1	–
		F	2	–	–	1	–	–	–	–	–	–	–	1	–
V.	Diseases of the Respiratory System.	T	5,820	–	–	–	–	–	–	–	–	–	–	–	–
		M	3,049	368	269	576	531	255	166	91	83	96	167	170	277
		F	2,771	367	233	551	506	244	149	72	55	105	135	144	210
97	Diseases of the nasal fossae and their annexa	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	1	1	–	1	1	1	–	1	2	–	2	3
		F	10	–	–	1	1	1	1	–	1	1	–	1	3
97a	Diseases of the nasal fossae	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	1	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	1	–	–	1	–
97b	Others under this title	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	1	–	1	1	–	–	1	2	–	2	3
		F	8	–	–	1	1	1	1	–	–	1	–	–	3
98	Diseases of the larynx	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	3	–	1	1	1	2	2	–	–	–	–	3
		F	11	2	2	–	1	1	–	–	–	–	1	1	3
99	Bronchitis	T	316	–	–	–	–	–	–	–	–	–	–	–	–
		M	158	14	12	32	20	19	14	5	5	8	10	4	15
		F	158	22	12	25	28	9	9	10	2	10	12	7	12
99a	Acute	T	153	–	–	–	–	–	–	–	–	–	–	–	–
		M	75	8	7	19	11	9	2	2	3	3	3	2	6
		F	78	9	6	18	13	5	6	2	1	5	4	6	3
99b	Chronic	T	101	–	–	–	–	–	–	–	–	–	–	–	–
		M	55	3	3	9	7	6	8	1	2	2	6	–	8
		F	46	7	3	1	9	2	2	7	1	3	5	1	5
99c	Not otherwise defined (under 5 years of age)	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	2	1	2	–	3	1	–	1	–	–	1
		F	5	–	1	–	2	–	–	–	–	1	1	–	–
99d	Not otherwise defined (5 years and over)	T	45	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	2	–	3	–	4	1	1	–	2	1	2	–
		F	29	6	2	6	4	2	1	1	–	1	2	–	4
100	Bronchopneumonia (including capillary bronchitis)	T	2,749	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,376	168	121	270	253	108	73	41	27	38	92	77	108
		F	1,373	174	125	262	257	120	72	35	36	56	70	72	94

Each Cause and Class of Causes, according to the Detailed International and by Age and Sex: 1926.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
86b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	1	3	–	1	12	2	5	5	3	4	2	5	–	–	–	–	–
	–	–	–	–	2	2	3	2	1	–	1	1	2	–	–	–	–	–
IV.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	19	5	5	4	10	26	43	58	108	182	489	1,029	1,690	1,842	952	137	4	1
	13	7	3	4	2	32	46	47	104	202	362	727	1,410	1,860	1,320	270	10	–
87	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	1	1	1	1	–	–	3	4	3	–	–	–	–
	1	1	–	–	–	–	2	–	2	2	2	3	1	–	–	–	–	–
88	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	1	1	1	8	8	9	13	19	19	27	16	13	21	8	–	–	–
	3	3	1	2	1	10	7	14	26	24	21	14	13	15	3	2	–	–
89	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	6	41	129	170	133	40	3	–	–
	–	–	–	–	–	–	–	1	–	1	14	37	70	104	34	6	–	–
90	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11	4	4	2	1	17	32	44	82	144	378	773	1,270	1,312	631	78	2	1
	8	3	1	2	1	22	37	32	75	168	309	608	1,164	1,389	913	181	6	–
91	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	4	22	78	190	359	259	56	2	–
	–	–	–	–	–	–	–	–	–	1	5	44	139	321	355	80	4	–
91a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	6	12	6	3	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	3	2	3	2	–	–	–
91b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	3	14	64	182	354	258	56	2	–
	–	–	–	–	–	–	–	–	–	–	3	41	136	313	352	79	4	–
91c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	2	2	2	2	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	2	–	1	5	1	1	–	–
92	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	3	4	17	20	41	13	13	–	–	–
	–	–	–	–	–	–	–	–	–	1	6	12	20	27	9	1	–	–
93	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	1	–	–	3	4	6	2	1	1	–	–	–
	–	–	–	–	–	–	–	–	–	5	4	9	2	4	5	–	–	–
94	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
95	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
96	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
V.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	637	259	84	35	12	45	30	43	108	191	298	344	388	354	197	22	1	1
	486	200	66	25	24	51	22	24	84	144	180	235	385	425	350	67	3	–
97	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	7	1	1	1	–	1	–	–	–	–
	1	–	–	–	–	1	–	1	2	1	–	3	1	–	–	–	–	–
97a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
97b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	7	1	1	1	–	–	–	–	–	–
	1	–	–	–	–	–	–	1	1	1	–	3	1	–	–	–	–	–
98	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	2	2	–	1	–	–	–	–	1	4	–	–	1	–	–	–
	4	–	1	1	–	1	–	–	–	3	1	–	–	–	–	–	–	–
99	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	52	15	1	1	–	3	–	2	2	1	5	10	11	26	25	3	–	1
	27	7	1	–	1	–	–	–	–	–	2	8	14	35	44	18	1	–
99a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	41	10	–	1	–	1	–	–	–	1	–	2	2	10	6	1	–	–
	20	6	1	–	1	–	–	–	–	–	–	3	7	15	15	9	1	–
99b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	1	1	–	–	–	–	2	2	–	4	7	6	15	13	1	–	–
	2	1	–	–	–	–	–	–	–	–	1	4	2	13	18	5	–	–
99c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
99d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	–	–	–	–	1	1	3	1	6	1	–	1
	–	–	–	–	–	–	–	–	–	–	1	1	5	7	11	4	–	–
100	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	486	182	55	19	5	20	8	5	18	40	63	71	137	154	101	11	1	–
	382	142	38	16	12	22	10	6	12	27	51	77	156	205	178	37	2	–

Table 14

Detailed Int. List No.	Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
100a	Bronchopneumonia	T	2,702	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,354	163	119	267	248	107	71	39	26	38	91	77	108
		F	1,348	171	122	255	255	116	69	35	36	55	70	72	92
100b	Capillary bronchitis	T	47	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	5	2	3	5	1	2	2	1	–	1	–	–
		F	25	3	3	7	2	4	3	–	–	1	–	–	2
101	Pneumonia	T	2,409	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,295	161	122	243	234	112	58	30	31	41	58	76	129
		F	1,114	162	89	245	203	103	52	21	15	33	46	52	93
101a	Lobar	T	2,315	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,245	155	117	237	227	108	53	29	29	38	53	73	126
		F	1,070	153	86	241	196	98	52	20	13	29	44	51	87
101b	Not otherwise defined	T	94	–	–	–	–	–	–	–	–	–	–	–	–
		M	50	6	5	6	7	4	5	1	2	3	5	3	3
		F	44	9	3	4	7	5	–	1	2	4	2	1	6
102	Pleurisy	T	165	–	–	–	–	–	–	–	–	–	–	–	–
		M	112	10	8	17	15	9	10	9	12	1	3	6	12
		F	53	4	3	10	9	8	11	1	1	2	–	3	1
103	Congestion and hemorrhagic infarct of the lung	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	–	1	2	3	1	2	1	1	–	2	3	1
		F	12	–	1	3	1	1	–	1	–	1	2	1	1
104	Gangrene of the lung	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
105	Asthma	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	1	–	3	1	1	1	–	2	3	1	–	3
		F	17	1	1	2	3	–	1	2	–	1	2	2	2
106	Pulmonary emphysema	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	–	–	–	–	1
		F	2	–	–	–	1	1	–	–	–	–	–	–	–
107	Other diseases of the respiratory system (tuberculosis excepted)	T	67	–	–	–	–	–	–	–	–	–	–	–	–
		M	46	9	3	8	3	3	5	3	4	3	1	2	2
		F	21	2	–	3	2	–	3	2	–	1	2	5	1
107a	Chronic interstitial pneumonia, including occupational diseases of the lung	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	1	–	–	–	1	1	–	2	–	–	1
		F	3	–	–	–	–	–	1	1	–	–	1	–	–
107b	Diseases of the mediastinum	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
107c	Others under this title	T	57	–	–	–	–	–	–	–	–	–	–	–	–
		M	39	8	2	8	3	3	4	2	4	1	1	2	1
		F	18	2	–	3	2	–	2	1	–	1	1	5	1
VI.	Diseases of the Digestive System.	T	3,189	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,724	122	104	147	128	128	112	148	196	174	197	129	139
		F	1,465	108	97	111	138	112	103	106	165	161	125	127	112
108	Diseases of the mouth and annexa	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	2	1	1	2	1	–	2	1	1	–	–	–
		F	10	3	–	2	–	–	1	–	2	2	–	–	–
109	Diseases of the pharynx and tonsils (including adenoid vegetations)	T	117	–	–	–	–	–	–	–	–	–	–	–	–
		M	63	6	2	10	2	5	5	6	5	5	6	6	5
		F	54	6	6	3	2	2	1	4	7	3	1	11	8
109a	Adenoid vegetations	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
109b	Others under this title	T	116	–	–	–	–	–	–	–	–	–	–	–	–
		M	62	6	2	10	2	5	5	5	5	5	6	6	5
		F	54	6	6	3	2	2	1	4	7	3	1	11	8
110	Diseases of the esophagus	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	1	–	–	–	–	1	–	–	1
		F	2	1	–	–	–	–	–	–	–	–	–	–	1
111	Ulcer of the stomach and duodenum	T	268	–	–	–	–	–	–	–	–	–	–	–	–
		M	215	20	18	19	14	16	19	16	15	18	22	18	20
		F	53	–	6	5	5	2	4	4	1	7	4	8	7
111a	Ulcer of the stomach	T	183	–	–	–	–	–	–	–	–	–	–	–	–
		M	145	9	14	13	8	12	14	10	13	15	13	14	10
		F	38	–	3	4	4	–	3	2	1	6	3	5	7
111b	Ulcer of the duodenum	T	85	–	–	–	–	–	–	–	–	–	–	–	–
		M	70	11	4	6	6	4	5	6	2	3	9	4	10
		F	15	–	3	1	1	2	1	2	–	1	1	3	–
112	Other diseases of the stomach (cancer excepted)	T	107	–	–	–	–	–	–	–	–	–	–	–	–
		M	64	6	3	4	4	6	5	4	3	9	4	7	9
		F	43	2	5	4	8	4	6	1	3	3	2	1	4
113	Diarrhea and enteritis (under 2 years of age)	T	757	–	–	–	–	–	–	–	–	–	–	–	–
		M	430	22	14	26	23	17	22	23	81	79	76	17	30
		F	327	16	7	13	23	7	21	25	72	59	44	23	17
114	Diarrhea and enteritis (2 years and over)	T	163	–	–	–	–	–	–	–	–	–	–	–	–
		M	76	7	4	3	5	4	7	6	8	13	10	5	4
		F	87	11	8	5	9	5	2	4	12	11	3	8	9

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1926.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
100a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	474	181	53	19	5	19	8	5	18	40	63	71	135	153	98	11	1	–
	373	138	36	16	11	22	10	6	12	27	51	77	153	203	174	37	2	–
100b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12	1	2	–	–	1	–	–	–	–	–	–	2	1	3	–	–	–
	9	4	2	–	1	–	–	–	–	–	–	–	3	2	4	–	–	–
101	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	75	50	23	11	4	17	15	25	71	135	202	226	214	162	60	5	–	–
	67	45	23	5	10	20	10	14	57	103	121	140	202	173	114	10	–	–
101a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	61	45	21	9	4	15	15	24	70	135	197	221	211	156	56	5	–	–
	62	41	21	5	10	17	10	14	55	103	120	138	194	168	104	8	–	–
101b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14	5	2	2	–	2	–	1	1	–	5	5	3	6	4	–	–	–
	5	4	2	–	–	3	–	–	2	–	1	2	8	5	10	2	–	–
102	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14	7	3	2	3	4	5	7	8	7	11	19	12	7	3	–	–	–
	4	6	3	3	1	6	1	2	7	4	1	3	4	3	5	–	–	–
103	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	1	1	–	–	–	4	–	–	7	3	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	2	7	2	–	–
104	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
105	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	–	2	3	4	4	1	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	4	3	2	5	1	–	–	–
106	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
107	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	4	–	–	–	–	1	1	2	5	12	3	10	3	–	–	–	–
	1	–	–	–	–	1	1	–	5	5	–	1	5	1	1	–	–	–
107a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
107b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	3	–	–	–	–	1	1	2	5	12	3	7	2	–	–	–	–
	1	–	–	–	–	1	1	–	5	5	–	1	2	1	1	–	–	–
VI.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	443	65	31	24	14	39	30	45	89	119	200	263	180	128	48	6	–	–
	327	47	18	23	17	35	28	34	75	95	155	204	191	135	70	10	1	–
108	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	1	1	–	–	2	1	1	2	–	1	–	–	–	–
	2	–	–	–	–	–	1	1	1	1	1	–	2	1	–	–	–	–
109	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	1	7	6	2	4	2	–	13	5	5	6	2	1	1	–	–	–
	3	1	4	4	4	6	1	3	6	5	6	2	2	5	1	1	–	–
109a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
109b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	1	7	6	2	4	2	–	12	5	5	6	2	1	1	–	–	–
	3	1	4	4	4	6	1	3	6	5	6	2	2	5	1	1	–	–
110	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
111	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	1	13	29	54	68	29	18	2	–	–	–
	–	–	–	–	–	–	–	–	6	9	9	8	9	6	6	–	–	–
111a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	9	17	34	49	19	15	1	–	–	–
	–	–	–	–	–	–	–	–	6	6	6	4	8	4	4	–	–	–
111b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	4	12	20	19	10	3	1	–	–	–
	–	–	–	–	–	–	–	–	–	3	3	4	1	2	2	–	–	–
112	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	21	3	2	–	2	1	1	–	3	–	5	1	7	12	5	1	–	–
	11	1	–	1	1	1	–	–	1	2	5	4	3	7	6	–	–	–
113	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	379	51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	287	40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
114	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	13	9	1	5	2	5	3	4	7	5	6	9	7	–	–	–
	–	–	12	7	6	5	2	1	4	2	6	8	9	12	12	1	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
115	Ankylostomiasis	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
116	Diseases due to other intestinal parasites	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	1	–	–	1	–	–	–	–	–
116a	Cestodes (hydatids of the liver excepted)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
116b	Trematodes	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
116c	Nematodes (other than ankylostoma)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
116d	Coccidia	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
116e	Other parasites specified	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
116f	Parasites not specified	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	1	–	–	1	–	–	–	–	–
117	Appendicitis and typhlitis	T	521	–	–	–	–	–	–	–	–	–	–	–	–
		M	308	17	25	31	25	27	19	38	40	19	28	21	18
		F	213	15	18	26	17	22	17	16	21	15	14	17	15
118	Hernia, intestinal obstruction	T	416	–	–	–	–	–	–	–	–	–	–	–	–
		M	209	15	12	19	18	14	11	25	14	12	23	26	20
		F	207	15	17	19	28	15	13	15	19	22	18	16	10
118a	Hernia	T	191	–	–	–	–	–	–	–	–	–	–	–	–
		M	103	5	9	7	11	7	6	13	7	5	9	13	11
		F	88	5	9	8	10	6	7	8	9	7	10	4	5
118b	Intestinal obstruction	T	225	–	–	–	–	–	–	–	–	–	–	–	–
		M	106	10	3	12	7	7	5	12	7	7	14	13	9
		F	119	10	8	11	18	9	6	7	10	15	8	12	5
119	Other diseases of the intestines	T	58	–	–	–	–	–	–	–	–	–	–	–	–
		M	33	–	3	3	2	5	2	3	2	2	3	6	2
		F	25	3	–	–	1	4	1	1	4	4	5	2	–
120	Acute yellow atrophy of the liver	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	–	4	–	1	1	–	–	1	–	1	–
		F	19	1	–	1	2	1	2	2	–	1	5	3	1
121	Hydatid tumor of the liver	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
122	Cirrhosis of the liver	T	220	–	–	–	–	–	–	–	–	–	–	–	–
		M	144	16	10	14	17	15	5	9	12	6	16	12	12
		F	76	7	5	8	5	8	4	4	6	4	8	10	7
122a	Specified as alcoholic	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	2	–	3	2	–	–	–	–	1	–	1	1
		F	2	–	–	–	–	1	–	–	1	–	–	–	–
122b	Not specified as alcoholic	T	208	–	–	–	–	–	–	–	–	–	–	–	–
		M	134	14	10	11	15	15	5	9	12	5	16	11	11
		F	74	7	5	8	5	7	4	4	5	4	8	10	7
123	Biliary calculi	T	213	–	–	–	–	–	–	–	–	–	–	–	–
		M	51	5	6	5	3	6	5	3	5	5	3	2	3
		F	162	11	9	12	17	22	13	15	12	16	10	11	14
124	Other diseases of the liver	T	229	–	–	–	–	–	–	–	–	–	–	–	–
		M	76	4	5	4	11	9	5	9	8	2	5	7	7
		F	153	15	11	13	14	17	16	12	5	10	9	13	18
125	Diseases of the pancreas	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	1	–	2	–	1	2	2	1	–	1	1	2
		F	12	–	1	–	3	1	1	–	–	2	–	3	1
126	Peritonitis without specified cause	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	1	–	2	1	1	4	2	1	1	–	–	6
		F	20	2	4	–	3	2	1	2	1	2	2	1	–
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VII.	Non-Venereal Diseases of the Genito-urinary System and Annexa.	T	4,525	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,282	203	176	238	222	202	177	144	175	176	195	191	183
		F	2,243	224	182	221	235	223	177	135	156	154	181	165	190
128	Acute nephritis (including unspecified under 10 years of age)	T	176	–	–	–	–	–	–	–	–	–	–	–	–
		M	98	15	9	12	6	6	6	8	7	3	6	14	6
		F	78	7	6	5	5	12	9	6	3	3	7	8	7

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1926.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
115	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
116	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
116a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
116b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
116c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
116d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
116e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
116f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
117	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	4	6	6	7	21	22	30	40	41	44	52	23	10	–	–	–	–
	1	2	1	7	5	21	19	26	25	25	24	25	22	8	2	–	–	–
118	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	22	5	1	–	1	2	2	6	6	12	24	38	30	37	20	3	–	–
	20	–	1	–	1	–	1	2	8	7	28	40	42	33	20	4	–	–
118a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	2	–	–	–	–	1	2	2	5	10	21	19	22	13	1	–	–
	2	–	–	–	–	–	1	–	1	–	9	22	26	17	8	2	–	–
118b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17	3	1	–	1	2	1	4	4	7	14	17	11	15	7	2	–	–
	18	–	1	–	1	–	–	2	7	7	19	18	16	16	12	2	–	–
119	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	–	–	–	2	1	–	2	4	7	8	1	4	1	–	–	–
	2	1	–	1	–	1	–	1	2	2	4	3	2	4	1	1	–	–
120	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	1	4	–	2	–	–	–	–	–
	–	–	–	–	–	–	–	–	3	5	5	2	3	1	–	–	–	–
121	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	1	4	11	22	36	40	23	6	–	–	–
	–	–	–	–	–	–	–	–	2	5	11	20	22	12	3	1	–	–
122a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	2	4	3	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
122b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	1	4	10	20	32	37	23	6	–	–	–
	–	–	–	–	–	–	–	–	2	5	9	20	22	12	3	1	–	–
123	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	3	6	20	14	3	4	1	–	–
	–	–	–	–	–	–	–	–	4	13	32	45	36	24	7	1	–	–
124	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	–	2	–	2	1	5	16	17	20	9	1	1	–	–
	1	–	–	–	–	–	2	–	10	11	18	44	34	20	11	1	1	–
125	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	4	5	2	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	6	1	1	2	2	–	–	–	–
126	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	1	2	–	1	–	–	2	1	1	4	3	–	1	–	–	–
	–	2	–	1	–	1	2	–	3	2	5	2	2	–	–	–	–	–
127	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12	4	3	3	3	12	9	20	40	104	213	371	588	619	243	38	–	–
	19	7	2	1	5	10	11	15	67	135	288	382	516	496	254	33	1	1
128	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	1	3	2	11	4	2	8	11	18	12	13	10	–	–	–	–
	5	5	1	–	4	10	2	3	4	5	15	9	9	5	1	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
129	Chronic nephritis (including unspecified 10 years and over)	T	3,691	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,811	147	146	190	181	161	144	116	128	138	162	149	149
		F	1,880	198	157	187	197	179	144	113	131	132	153	129	160
130	Chyluria	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
131	Other diseases of the kidneys and annexa (diseases of the kidneys in pregnancy excepted)	T	138	–	–	–	–	–	–	–	–	–	–	–	–
		M	73	10	3	11	4	3	9	4	11	5	5	3	5
		F	65	2	5	5	10	8	6	3	4	3	7	7	5
132	Calculi of the urinary passages	T	35	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	–	1	2	2	–	–	2	4	4	1	3	2
		F	14	1	1	1	1	–	–	–	3	2	2	1	2
133	Diseases of the bladder	T	55	–	–	–	–	–	–	–	–	–	–	–	–
		M	39	4	3	5	4	3	2	3	6	4	–	2	3
		F	16	2	1	2	2	–	2	–	2	–	2	1	2
134	Diseases of the urethra, urinary abscess, etc.	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	–	–	4	1	3	1	1	–	–	2	1	1
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
134a	Stricture of the urethra	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	–	3	1	1	–	1	–	–	2	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
134b	Others under this title	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	–	2	1	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
135	Diseases of the prostate	T	219	–	–	–	–	–	–	–	–	–	–	–	–
		M	219	24	12	14	23	26	15	10	19	22	19	18	17
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
136	Non-venereal diseases of the male genital organs	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	3	2	–	1	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
137	Cysts and other benign tumors of the ovary	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	23	–	1	1	2	4	2	1	2	4	1	1	4
138	Salpingitis and pelvic abscess	T	42	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	42	1	2	7	5	2	6	2	6	1	2	3	5
139	Benign tumors of the uterus	T	74	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	74	12	4	6	7	8	6	5	4	5	4	9	4
140	Non-puerperal uterine hemorrhage	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	1	–	–	1	–	–	–	–	–	–
141	Other diseases of the female genital organs	T	46	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	46	1	4	6	6	9	1	5	–	4	3	6	1
142	Non-puerperal diseases of the breast (cancer excepted)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	1	–	–	1	–	–	–	–
VIII.	The Puerperal State.	T	501	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	501	39	40	74	64	37	29	48	30	38	38	26	38
143	Accidents of pregnancy	T	52	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	52	2	4	12	7	1	–	4	6	3	6	3	4
143a	Abortion	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	22	1	3	6	2	1	–	1	5	1	1	1	–
143b	Ectopic gestation	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	14	1	–	4	1	–	–	1	1	1	2	1	2
143c	Others under this title	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	16	–	1	2	4	–	–	2	–	1	3	1	2
144	Puerperal hemorrhage	T	59	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	59	5	3	9	6	1	6	5	10	7	4	–	3
145	Other accidents of labor	T	93	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	93	7	12	15	14	9	2	9	1	6	8	3	7
145a	Cesarean section	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	30	2	6	3	3	3	–	4	–	3	2	1	3
145b	Other surgical operations and instrumental delivery	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	8	2	–	2	1	–	–	1	–	1	1	–	–
145c	Others under this title	T	55	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	55	3	6	10	10	6	2	4	1	2	5	2	4

Each Cause and Class of Causes, according to the Detailed International and by Age and Sex: 1926.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
129	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	5	16	29	79	175	324	484	489	180	30	–	–
	–	–	–	–	1	–	9	7	38	79	190	324	486	469	243	32	1	1
130	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
131	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	3	2	–	1	–	–	2	1	7	6	10	9	19	4	2	–	–
	11	2	1	1	–	–	–	1	6	5	11	10	6	10	1	–	–	–
132	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	2	3	2	4	4	5	–	–	–	–
	–	–	–	–	–	–	–	–	2	3	4	3	1	1	–	–	–	–
133	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	4	2	7	11	12	2	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	3	4	6	1	–	–
134	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	5	2	2	3	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
134a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	3	1	2	3	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
134b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
135	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	3	16	68	82	46	4	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
136	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	2	2	4	2	8	1	3	–	–	–	–
138	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	7	14	13	6	–	–	–	–	–	–
139	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	5	16	37	12	1	1	2	–	–	–
140	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
141	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	8	14	9	9	3	1	–	–	–
142	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	22	210	224	45	–	–	–	–	–	–	–
143	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	3	21	21	7	–	–	–	–	–	–	–
143a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	6	11	3	–	–	–	–	–	–	–
143b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	6	4	3	–	–	–	–	–	–	–
143c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	9	6	1	–	–	–	–	–	–	–
144	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	22	30	7	–	–	–	–	–	–	–
145	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	44	39	9	–	–	–	–	–	–	–
145a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	14	15	1	–	–	–	–	–	–	–
145b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	4	2	–	–	–	–	–	–	–
145c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	28	20	6	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
146	Puerperal septicemia	T	150	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	150	13	10	19	20	13	13	18	6	10	11	7	10
147	Puerperal phlegmasia alba dolens, embolus, sudden death	T	50	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	50	7	2	7	8	5	3	3	3	2	1	3	6
148	Puerperal albuminuria and convulsions	T	96	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	96	5	9	12	9	7	5	9	4	10	8	10	8
149	Following childbirth (not otherwise defined)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
150	Puerperal diseases of the breast	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
IX.	Diseases of the Skin and of the Cellular Tissue.	T	140	–	–	–	–	–	–	–	–	–	–	–	–
		M	70	8	9	6	5	4	3	4	8	9	5	5	4
		F	70	3	3	5	7	5	7	9	4	11	5	5	6
151	Gangrene	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	2	2	1	–	1	1	3	–	1	–	1
		F	15	–	–	3	2	–	2	2	2	2	1	1	–
152	Furuncle	T	49	–	–	–	–	–	–	–	–	–	–	–	–
		M	25	5	2	–	2	2	–	2	1	7	2	2	–
		F	24	2	–	1	2	2	2	4	1	6	–	2	2
153	Acute abscess	T	38	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	2	2	3	2	1	2	–	2	1	–	2	3
		F	18	1	–	–	3	3	3	2	1	2	1	–	2
154	Other diseases of the skin and annexa	T	26	–	–	–	–	–	–	–	–	–			–
		M	13	1	3	1	–	1	–	1	2	1	2	1	–
		F	13	–	3	1	–	–	–	1	–	1	3	2	2
X.	Diseases of the Bones and of the Organs of Locomotion.	T	59	–	–	–	–	–	–	–	–	–	–	–	–
		M	32	7	1	4	3	2	1	1	5	–	1	1	6
		F	27	2	2	3	2	4	–	4	1	2	3	–	4
155	Diseases of the bones (tuberculosis excepted)	T	47	–	–	–	–	–	–	–	–	–	–	–	–
		M	27	7	1	2	3	2	1	1	5	–	–	–	5
		F	20	1	1	3	1	3	–	3	1	2	3	–	2
156	Diseases of the joints (tuberculosis and rheumatism excepted)	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	2	–	–	–	–	–	–	–	1	–
		F	5	1	1	–	1	1	–	–	–	–	–	–	1
157	Amputations	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
158	Other diseases of the organs of locomotion	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–	1	–	1
		F	2	–	–	–	–	–	–	1	–	–	–	–	1
XI.	Malformations.	T	705	–	–	–	–	–	–	–	–	–	–	–	–
		M	354	24	25	38	29	33	32	18	27	25	31	30	42
		F	351	24	23	29	32	37	35	16	31	28	33	34	29
159	Congenital malformations (stillbirths not included)	T	705	–	–	–	–	–	–	–	–	–	–	–	–
		M	354	24	25	38	29	33	32	18	27	25	31	30	42
		F	351	24	23	29	32	37	35	16	31	28	33	34	29
159*a*	Hydrocephalus	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	1	2	1	1	–	4	3	2	1	2	–	1
		F	21	–	–	1	–	5	–	1	1	4	3	4	2
159*b*	Congenital malformations of the heart	T	410	–	–	–	–	–	–	–	–	–	–	–	–
		M	207	17	14	23	17	21	20	9	11	10	17	21	27
		F	203	17	11	21	23	20	23	7	17	11	16	22	15
159*c*	Others under this title	T	256	–	–	–	–	–	–	–	–	–	–	–	–
		M	129	6	9	14	11	12	8	6	14	14	12	9	14
		F	127	7	12	7	9	12	12	8	13	13	14	8	12
XII.	Early Infancy.	T	2,452	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,354	112	116	117	147	112	108	118	108	100	103	103	110
		F	1,098	98	83	110	87	95	81	90	92	89	104	86	83
160	Congenital debility, icterus and sclerema	T	268	–	–	–	–	–	–	–	–	–	–	–	–
		M	159	12	17	14	10	13	7	16	12	14	18	15	11
		F	109	5	12	11	12	4	5	8	12	13	11	7	9
161	Premature birth; injury at birth	T	1,878	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,032	88	85	91	120	87	89	89	82	74	74	71	82
		F	846	87	60	88	64	76	60	67	68	68	84	63	61
161*a*	Premature birth	T	1,500	–	–	–	–	–	–	–	–	–	–	–	–
		M	800	71	59	71	92	69	71	71	66	53	54	54	69
		F	700	65	45	70	56	66	53	58	61	56	69	49	52
161*b*	Injury at birth	T	378	–	–	–	–	–	–	–	–	–	–	–	–
		M	232	17	26	20	28	18	18	18	16	21	20	17	13
		F	146	22	15	18	8	10	7	9	7	12	15	14	9
162	Other diseases peculiar to early infancy	T	301	–	–	–	–	–	–	–	–	–	–	–	–
		M	160	11	13	12	17	12	12	13	14	12	11	17	16
		F	141	6	10	10	11	15	16	15	12	8	9	16	13

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1926.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
146	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	11	64	63	12	–	–	–	–	–	–	–
147	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	16	29	4	–	–	–	–	–	–	–
148	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	6	42	42	6	–	–	–	–	–	–	–
149	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
150	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IX.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16	4	1	1	–	–	2	1	5	3	6	10	7	7	5	2	–	–
	21	1	–	–	–	1	3	2	2	6	3	5	4	13	7	2	–	–
151	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	1	1	3	2	2	2	–	–
	–	–	–	–	–	–	1	–	–	–	–	1	3	6	4	–	–	–
152	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	1	1	2	3	5	2	3	4	2	–	–	–
	6	–	–	–	–	–	1	1	2	4	2	2	1	1	3	1	–	–
153	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	1	1	–	–	–	1	–	3	–	–	7	1	–	–	–	–	–
	9	1	–	–	–	1	–	1	–	2	1	1	–	2	–	–	–	–
154	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	6	–	–	–	–	–	1	–	–	–	–	1	–	4	–	1	–	–
X.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	2	1	–	1	6	–	2	8	3	1	4	3	–	–	–	–
	–	1	–	–	–	2	3	2	1	1	1	4	6	3	3	–	–	–
155	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	2	1	–	1	5	–	1	6	3	1	3	3	–	–	–	–
	–	1	–	–	–	2	3	2	–	1	1	2	2	3	3	–	–	–
156	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	1	3	–	–	–	–	–
157	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
158	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
XI.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	339	9	2	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–
	324	9	5	5	–	3	3	–	–	1	1	–	–	–	–	–	–	–
159	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	339	9	2	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–
	324	9	5	5	–	3	3	–	–	1	1	–	–	–	–	–	–	–
159a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	15	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	199	4	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–
	186	4	2	3	–	3	3	–	–	1	1	–	–	–	–	–	–	–
159c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	125	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	121	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1,354	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1,094	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
160	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	159	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	106	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1,032	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	845	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	800	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	700	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	232	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	145	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
162	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	160	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	141	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
163	Lack of care.	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	1	–	–	–	–	–	–	–	–	–	1
		F	2	–	1	1	–	–	–	–	–	–	–	–	–
XIII.	Old Age.	T	121	–	–	–	–	–	–	–	–	–	–	–	–
		M	40	1	2	9	3	3	6	3	3	3	4	3	–
		F	81	12	3	13	10	5	7	4	5	7	5	6	4
164	Senility	T	121	–	–	–	–	–	–	–	–	–	–	–	–
		M	40	1	2	9	3	3	6	3	3	3	4	3	–
		F	81	12	3	13	10	5	7	4	5	7	5	6	4
XIV.	External Causes.	T	3,343	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,256	150	124	147	199	176	208	253	200	181	225	193	200
		F	1,087	77	65	105	71	97	90	120	71	87	92	100	112
165–174	Suicide (total)	T	473	–	–	–	–	–	–	–	–	–	–	–	–
		M	350	30	23	24	33	23	39	32	13	27	31	34	41
		F	123	7	3	16	8	10	10	9	16	13	12	6	13
165	Suicide by solid or liquid poisons (corrosive substances excepted)	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	–	–	–	3	–	3	1	2	1	2	2	1
		F	13	–	–	1	1	1	2	1	2	1	–	–	4
166	Suicide by corrosive substances	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	2	2	1	1	–	1	–	2	1	–	–
		F	15	1	–	3	–	–	2	1	2	4	1	–	1
167	Suicide by poisonous gas	T	140	–	–	–	–	–	–	–	–	–	–	–	–
		M	99	11	8	6	10	2	9	7	4	8	9	6	19
		F	41	2	1	2	3	5	3	4	7	2	5	5	2
168	Suicide by hanging or strangulation	T	81	–	–	–	–	–	–	–	–	–	–	–	–
		M	65	4	4	3	6	9	7	9	3	5	2	8	5
		F	16	1	–	3	2	–	2	–	1	3	2	–	2
169	Suicide by drowning	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	2	–	1	3	4	6	2	1	3	–	1	1
		F	16	1	1	4	2	2	1	1	3	–	1	–	–
170	Suicide by firearms	T	93	–	–	–	–	–	–	–	–	–	–	–	–
		M	85	7	5	9	6	4	7	7	1	4	11	15	9
		F	8	–	–	1	–	–	–	–	1	3	1	–	2
171	Suicide by cutting or piercing instruments	T	43	–	–	–	–	–	–	–	–	–	–	–	–
		M	40	4	4	1	3	2	5	5	2	3	4	1	6
		F	3	–	–	1	–	–	–	–	–	–	1	–	1
172	Suicide by jumping from high places	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	–	2	1	–	–	–	–	–	–	1	–
		F	8	1	1	1	–	1	–	2	–	–	–	1	1
173	Suicide by crushing	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	1	2	–	–	1	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Other suicides	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	3	1	–	–	–	1	–	–	–	–	1	–	–
175–196, 201–203	Accidental or undefined (total)	T	2,783	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,848	114	98	116	162	147	164	217	178	151	188	156	157
		F	935	66	62	85	59	86	78	108	54	73	76	93	95
175	Poisoning by food	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	1	–	–	–
		F	2	–	1	–	–	–	–	–	–	–	–	1	–
176	Poisoning by venomous animals	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	1	1	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
177	Other acute accidental poisonings (gas excepted)	T	43	–	–	–	–	–	–	–	–	–	–	–	–
		M	27	2	4	1	3	2	3	3	1	1	1	1	5
		F	16	2	–	1	2	4	1	1	2	1	1	1	–
178	Conflagration	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	29	4	1	3	6	4	–	6	2	–	1	–	2
		F	15	4	–	1	1	8	1	–	–	–	–	–	–
179	Accidental burns (conflagration excepted)	T	219	–	–	–	–	–	–	–	–	–	–	–	–
		M	98	8	8	5	12	6	9	6	4	5	10	8	17
		F	121	9	7	16	13	6	8	12	5	13	9	12	11
180	Accidental mechanical suffocation	T	60	–	–	–	–	–	–	–	–	–	–	–	–
		M	40	6	–	3	6	2	2	2	3	3	7	1	5
		F	20	1	3	3	–	3	2	2	–	–	2	2	2
181	Accidental absorption of irrespirable or poisonous gas	T	157	–	–	–	–	–	–	–	–	–	–	–	–
		M	103	8	12	13	10	9	6	5	2	5	8	12	13
		F	54	6	9	9	3	2	3	1	1	2	5	4	9
182	Accidental drowning	T	225	–	–	–	–	–	–	–	–	–	–	–	–
		M	204	6	4	6	12	16	29	53	43	11	10	10	4
		F	21	1	–	–	1	3	1	3	2	6	2	2	–
183	Accidental traumatism by firearms (wounds of war excepted)	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	2	1	2	1	–	1	2	1	4	4	1	5
		F	2	–	1	–	–	–	–	–	–	–	–	1	–
184	Accidental traumatism by cutting or piercing instruments	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	2	1	3	2	–	–	1	1	1	1	–	1
		F	2	1	–	–	–	–	1	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1926.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
163	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	1	12	13	12	1	–
	–	–	–	–	–	–	–	–	–	–	–	–	3	15	40	22	1	–
164	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	1	12	13	12	1	–
	–	–	–	–	–	–	–	–	–	–	–	–	3	15	40	22	1	–
XIV.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	47	40	29	37	37	145	83	127	199	296	359	334	263	192	57	6	–	5
	35	24	26	16	30	68	33	32	89	75	89	90	129	174	144	33	–	–
165–174	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	9	25	54	89	77	52	38	5	–	–	1
	–	–	–	–	–	–	–	8	30	20	28	13	13	6	4	1	–	–
165	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	2	5	4	2	1	–	–	–	–
	–	–	–	–	–	–	–	2	3	2	5	1	–	–	–	–	–	–
166	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	1	4	2	1	1	–	–	–	–
	–	–	–	–	–	–	–	1	9	3	1	–	1	–	–	–	–	–
167	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	3	9	15	17	30	11	11	3	–	–	–
	–	–	–	–	–	–	–	2	7	6	9	6	7	3	1	–	–	–
168	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	4	12	16	10	10	12	1	–	–	–
	–	–	–	–	–	–	–	–	4	6	2	2	1	1	–	–	–	–
169	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	1	3	10	6	2	–	–	–	–	–
	–	–	–	–	–	–	–	1	4	1	3	2	4	1	–	–	–	–
170	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	3	4	16	24	13	14	9	1	–	–	1
	–	–	–	–	–	–	–	2	1	1	4	–	–	–	–	–	–	–
171	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	2	4	9	10	10	4	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
172	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	3	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	1	2	–	1	2	1	–	–
173	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–
175–196, 201–203	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	43	40	29	37	37	145	83	115	168	218	261	248	208	154	52	6	–	4
	33	24	25	16	30	67	28	23	51	50	61	73	114	168	140	32	–	–
175	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
176	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
177	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	1	–	–	–	–	–	1	4	5	10	2	–	–	–	–	–
	–	2	2	1	–	2	–	–	3	3	2	1	–	–	–	–	–	–
178	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	5	1	1	1	1	3	7	6	2	1	–	–	–
	–	1	–	1	–	1	–	2	2	1	1	3	–	3	–	–	–	–
179	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	17	10	9	6	6	3	1	8	12	6	9	3	2	2	–	–	–
	2	7	10	7	20	12	7	1	8	7	5	9	8	10	7	1	–	–
180	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	20	2	–	–	–	–	1	–	3	1	6	4	2	1	–	–	–	–
	17	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–
181	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	1	–	2	–	1	6	13	15	26	24	9	3	–	–	–
	2	2	–	–	1	1	–	2	3	5	5	9	8	12	4	–	–	–
182	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	4	8	5	3	24	22	33	25	33	25	11	8	–	–	–	–	3
	–	2	2	–	–	2	2	1	4	2	1	2	2	1	–	–	–	–
183	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	1	1	9	5	4	1	1	–	–	1	–	–	–
	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
184	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	3	2	3	1	1	2	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death	Sex	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total	January	February	March	April	May	June	July	August	September	October	November	December
185	Accidental traumatism by fall	T	700	–	–	–	–	–	–	–	–	–	–	–	–
		M	362	24	22	19	43	25	34	23	30	32	45	28	37
		F	338	20	27	37	23	31	28	31	17	21	30	33	40
186	Accidental traumatism in mines and quarries	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	1	–	2	2	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
186a	Mines	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
186b	Quarries	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	1	–	2	2	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
187	Accidental traumatism by machines	T	54	–	–	–	–	–	–	–	–	–	–	–	–
		M	50	6	4	7	2	4	3	3	4	6	3	4	4
		F	4	–	1	–	–	1	–	1	–	–	1	–	–
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)	T	919	–	–	–	–	–	–	–	–	–	–	–	–
		M	670	40	30	40	47	62	63	62	58	64	77	76	51
		F	249	17	12	14	11	25	25	23	15	24	23	32	28
188a	Railroad accidents	T	120	–	–	–	–	–	–	–	–	–	–	–	–
		M	103	8	14	8	5	17	8	11	6	6	9	7	4
		F	17	1	2	–	–	1	2	3	–	4	–	1	3
188b	Street car accidents	T	55	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	3	2	–	2	2	3	4	4	4	2	7	5
		F	17	–	1	4	1	3	1	1	–	1	1	2	2
188c	Automobile accidents	T	682	–	–	–	–	–	–	–	–	–	–	–	–
		M	475	26	13	25	38	36	48	38	43	48	61	60	39
		F	207	14	9	10	9	21	20	19	15	18	20	29	23
188d	Aeroplane and balloon accidents	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	2	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
188e	Motorcycle accidents	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	1	1	–	–	3	–	1	2	–
		F	2	–	–	–	1	–	–	–	–	–	1	–	–
188f	Injuries by other vehicles	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	2	1	7	1	6	3	7	2	4	3	–	2
		F	6	2	–	–	–	–	2	–	–	1	1	–	–
188g	Landslide, other crushing	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	–	–	–	–	1	–	–	2	1	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
189	Injuries by animals (not poisoning)	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	1	2	1	–	1	–	1	1	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
190	Wounds of war	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
191	Execution of civilians by belligerent armies	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
192	Starvation (deprivation of food or water)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
193	Excessive cold	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
194	Excessive heat	T	63	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	–	–	–	–	–	–	23	8	–	–	–	–
		F	32	–	–	–	–	–	–	28	4	–	–	–	–
195	Lightning	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	1	2	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
196	Other accidental electric shocks	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	–	2	1	1	–	2	4	5	3	2	1	–
		F	2	–	–	–	1	–	–	–	–	1	–	–	–
201	Fracture (cause not specified)	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	1	1	2	1	1	–	–	5
		F	9	–	–	1	2	–	1	2	–	2	–	–	1
202	Other external violence (cause specified)	T	189	–	–	–	–	–	–	–	–	–	–	–	–
		M	144	6	9	11	15	14	10	17	10	13	17	14	8
		F	45	4	1	3	2	3	7	3	7	3	3	5	4
203	Other external violence (cause not specified)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
197–200	Homicide (total)	T	87	–	–	–	–	–	–	–	–	–	–	–	–
		M	58	6	3	7	4	6	5	4	9	3	6	3	2
		F	29	4	–	4	4	1	2	3	1	1	4	1	4
197	Homicide by firearms	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	3	3	5	2	4	2	3	5	–	4	1	2
		F	6	–	–	–	–	1	1	1	–	1	1	1	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1926.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
185	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	6	4	1	3	8	5	7	23	31	61	50	54	71	30	6	–	–
	1	3	3	–	–	–	1	–	1	6	11	23	52	101	113	23	–	–
186	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
187	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	2	3	6	10	10	9	5	5	–	–	–	–
	–	–	–	1	–	–	–	1	1	–	–	1	–	–	–	–	–	–
188	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	3	6	18	23	94	37	48	74	77	85	86	61	48	9	–	–	–
	1	4	5	6	8	46	17	8	19	16	28	20	29	30	11	1	–	–
188a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	2	5	9	9	17	18	20	12	10	–	–	–	–
	–	–	1	–	–	1	3	–	1	2	4	2	2	1	–	–	–	–
188b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	1	3	1	–	1	2	3	10	8	4	3	–	–	–	–
	–	–	2	1	–	3	–	–	1	–	2	2	3	2	1	–	–	–
188c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	5	14	19	90	28	35	54	52	46	50	41	29	9	–	–	–
	1	4	2	5	8	40	14	7	17	13	21	15	23	26	10	1	–	–
188d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	6	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
188f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	1	1	4	1	2	4	7	7	4	5	–	–	–	–
	–	–	–	–	–	2	–	–	–	1	1	1	–	1	–	–	–	–
188g	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	3	1	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	1	2	2	1	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
190	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
191	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
192	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
193	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
194	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	2	–	1	–	–	–	–	–	1	6	2	6	4	4	–	–	–
	6	–	–	–	–	–	–	–	–	2	2	–	6	7	4	5	–	–
195	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
196	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	4	2	5	6	3	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
201	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	3	2	2	4	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	5	2	–	1	–	–
202	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	3	–	1	1	4	7	5	9	15	30	24	26	10	2	–	–	1
	4	3	3	–	1	1	–	6	8	7	5	2	2	1	1	1	–	–
203	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
197–200	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	–	–	–	–	–	–	3	6	24	9	9	3	–	–	–	–	–
	2	–	1	–	–	1	5	1	8	5	–	4	2	–	–	–	–	–
197	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	4	15	4	8	1	–	–	–	–	–
	–	–	–	–	–	–	3	–	–	1	–	1	1	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
198	Homicide by cutting or piercing instruments .	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	1	–	–	2	1	1	–	1	–	–
		F	3	–	–	–	–	–	–	–	–	–	3	–	–
199	Homicide by other means	T	34	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	2	–	1	2	1	1	–	3	3	1	1	–
		F	19	4	–	4	3	–	1	2	1	–	–	–	4
200	Infanticide (murder of infants less than one year of age) . . .	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	–	–	–	1	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
XV.	Ill-Defined Diseases .	T	94	–	–	–	–	–	–	–	–	–	–	–	–
		M	48	6	5	5	7	2	3	3	1	3	2	2	9
		F	46	7	5	1	4	6	6	3	2	2	3	3	4
204	Sudden death . .	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	2	1	–	–	1	–	–	–	1	–	–	2
		F	4	2	–	–	1	1	–	–	–	–	–	–	–
205	Cause of death not specified or ill-defined .	T	83	–	–	–	–	–	–	–	–	–	–	–	–
		M	41	4	4	5	7	1	3	3	1	2	2	2	7
		F	42	5	5	1	3	5	6	3	2	2	3	3	4
205*a*	Ill-defined . .	T	63	–	–	–	–	–	–	–	–	–	–	–	–
		M	29	4	4	4	6	–	1	2	–	–	–	1	7
		F	34	3	4	1	3	4	5	2	2	1	2	3	4
205*b*	Not specified or unknown . . .	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	–	1	1	1	2	1	1	2	2	1	–
		F	8	2	1	–	–	1	1	1	–	1	1	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1926.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
198	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	3	2	–	–	–	–	–	–	–
	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
199	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	1	6	3	1	2	–	–	–	–	–
	1	–	1	–	–	–	–	1	8	4	–	3	1	–	–	–	–	–
200	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XV.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	2	1	2	–	–	1	1	3	2	2	8	6	8	3	–	–	2
	10	–	–	–	–	–	1	–	5	6	1	10	7	5	1	–	–	–
204	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	1	–	2	1	–	–	–	2	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–
205	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	2	1	1	–	–	–	1	1	1	2	8	6	6	3	–	–	2
	10	–	–	–	–	–	1	–	4	5	1	8	7	5	1	–	–	–
205*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	1	1	–	–	–	–	1	–	1	2	6	4	5	2	–	–	1
	10	–	–	–	–	–	–	–	3	4	1	6	6	3	1	–	–	–
205*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	–	1	–	–	–	–	1	–	–	2	2	1	1	–	–	1
	–	–	–	–	–	–	1	–	1	1	–	2	1	2	–	–	–	–

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from — The State.	Abington.	Acton.	Acushnet.	Adams.	Agawam.	Alford.	Amesbury.	Amherst.	Andover.
	All Causes.[2]	**52,888**	**73**	**37**	**67**	**114**	**60**	**3**	**120**	**61**	**104**
1	Typhoid fever (1)	61	–	–	–	–	–	–	–	1	–
3	Malaria (5)	1	–	–	–	–	–	–	–	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
5	Measles (7)	367	1	–	–	1	1	–	–	–	–
6	Scarlet fever (8)	117	–	–	–	–	–	–	1	–	1
7	Whooping cough (9)	391	–	–	–	1	–	–	3	1	–
8	Diphtheria and croup (10)	249	–	–	4	–	–	–	–	–	–
9	Influenza (11)	718	1	1	2	1	2	–	5	2	4
(12)	Erysipelas (21)	106	–	–	–	–	–	–	–	–	–
(37)	Poliomyelitis (22)	44	–	–	–	–	–	–	–	–	–
(12)	Other epidemic diseases (2–4, 12–20, 23, 25, 42)	110	–	–	–	1	–	–	–	–	–
17	Meningitis (24, 71)	186	–	–	–	–	1	–	–	–	–
13	Tuberculosis of the respiratory system (31)	2,961	1	1	3	3	1	–	–	1	2
14	Tuberculous meningitis (32)	237	–	–	–	–	–	–	1	–	–
15	Other forms of tuberculosis (33–37)	318	–	–	2	1	–	–	1	–	–
16	Cancer (43–49)	5,341	10	5	6	9	10	–	11	6	15
(37)	Rheumatism (51, 52)	115	–	–	–	–	1	–	–	–	–
(37)	Diabetes (57)	835	1	1	–	1	–	–	1	1	1
(37)	Alcoholism (66)	285	–	–	–	2	1	–	1	–	–
18	Cerebral hemorrhage and softening (74, 83)	4,141	6	7	8	7	7	–	15	7	21
(37)	Acute endocarditis (88)	326	–	–	1	–	–	–	1	–	–
(37)	Angina pectoris (89)	790	3	1	–	3	3	–	4	3	2
19	Other diseases of the heart (90)	9,705	25	10	4	12	9	1	22	13	15
(37)	Diseases of the arteries (91)	1,921	1	3	4	3	–	1	3	3	3
20, 21	Bronchitis (99)	316	3	–	–	–	1	–	1	4	–
(23)	Bronchopneumonia (100)	2,749	1	1	5	3	5	–	5	4	5
22	Pneumonia (101)	2,409	4	3	–	5	5	–	9	3	8
(23)	Other respiratory diseases (60, 61, 97, 98, 102–107)	407	–	–	–	2	–	–	–	1	–
24	Diseases of the stomach (111, 112)	375	–	–	–	2	1	–	2	–	1
25	Diarrhea and enteritis (under 2 years) (113)	757	–	–	2	3	–	–	2	–	1
26	Appendicitis (117)	521	–	–	2	1	–	–	–	–	–
27	Hernia, intestinal obstruction (118)	416	–	–	–	1	–	–	1	–	–
28	Cirrhosis of the liver (122)	220	–	–	–	–	1	–	–	–	–
29	Nephritis and Bright's disease (128, 129)	3,867	9	3	4	14	1	1	10	3	6
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	187	–	–	1	1	–	–	–	–	–
31	Puerperal fever (146)	150	–	–	–	–	–	–	–	–	–
32	Other puerperal affections (143–145, 147–150)	351	–	–	1	1	–	–	–	–	–
33	Congenital debility and malformations (159–161a)	2,473	4	–	3	11	2	–	6	–	6
34	Senility (164)	121	–	–	–	3	–	–	–	1	1
(35)	Violent deaths (excluding suicide and homicide) (175–196, 201–203)	2,783	–	–	3	11	3	–	7	3	6
(35)	*Burns (conflagration excepted) (179)*	219	–	–	–	–	–	–	–	–	–
(35)	*Accidental drowning (182)*	225	–	–	–	–	1	–	2	–	1
(35)	*Traumatism by fall (185)*	700	–	–	–	3	1	–	2	1	2
(35)	*Railroad accidents and injuries (188a)*	120	–	–	–	1	–	–	–	–	1
(35)	*Automobile accidents and injuries (188c)*	682	–	–	2	2	1	–	–	–	2
(35)	*All others*	837	–	–	1	5	–	–	3	2	–
36	Suicide (165–174)	473	1	–	–	2	–	–	1	1	–
(35)	Homicide (197–200)	87	–	–	–	–	–	–	–	–	–
(37)	All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163)	4,807	2	1	12	9	5	–	7	3	6
38	Ill-defined or unknown causes (204, 205)	94	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1926.

Abridged Int. List No.	Arlington.	Ashburnham.	Ashby.	Ashfield.	Ashland.	Athol.	Attleboro.	Auburn.	Avon.	Ayer.	Barnstable.	Barre.	Becket.	Bedford.	Belchertown.	Bellingham.	Belmont.	Berkley.	Berlin.
	244	29	12	6	15	101	257	40	22	35	132	28	7	13	33	26	137	13	14
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	1	1	–	–	–	–	3	1	–	–	–	–	–	–	–	1	–	–	–
6	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	2
7	3	–	–	–	–	–	8	1	–	–	–	–	–	–	–	–	2	–	–
8	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
9	2	–	1	–	–	8	6	–	–	–	8	2	–	–	–	–	2	–	1
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(37)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	6	–	–	–	2	–	–	–	–	–	–	–	–
17	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–
13	9	1	–	–	1	2	45	1	1	1	2	1	–	–	2	–	8	1	–
14	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
15	1	–	–	–	–	–	1	1	1	–	–	–	1	–	2	–	–	–	–
16	24	3	2	1	4	11	22	4	1	6	12	1	–	1	5	3	15	–	–
(37)	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
(37)	6	–	1	–	–	1	5	1	–	–	7	–	–	–	1	–	1	–	–
(37)	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
18	20	5	–	–	2	12	13	3	1	4	8	5	2	2	1	3	16	–	1
(37)	2	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	1	–	–
(37)	6	1	–	–	–	3	2	–	–	1	5	–	1	1	–	–	3	–	1
19	55	10	3	2	6	28	35	7	5	1	15	2	2	5	2	7	41	5	2
(37)	10	1	1	–	–	–	3	1	2	4	8	2	–	–	1	–	2	–	–
20, 21	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	2	–	–
(23)	7	–	2	1	2	4	7	2	2	–	2	1	–	–	3	2	9	2	1
22	11	1	–	–	–	2	11	1	1	2	5	3	–	1	3	1	3	–	–
(23)	1	–	–	–	–	1	2	–	–	–	1	–	–	–	1	1	–	–	–
24	–	–	–	–	–	1	2	–	–	–	1	–	–	–	–	–	–	–	–
25	2	–	–	–	–	1	2	1	–	1	1	–	–	–	1	–	–	–	1
26	5	–	–	–	–	–	5	–	–	–	1	–	–	–	–	–	–	–	–
27	1	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–
28	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
29	22	3	–	–	–	8	22	10	3	2	10	1	–	–	2	3	11	–	1
30	3	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
31	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
32	–	–	–	–	–	1	3	–	–	–	1	–	–	–	–	–	–	1	–
33	18	1	–	–	–	3	7	–	–	–	11	1	–	1	–	2	–	2	1
34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(35)	11	1	–	–	–	4	13	4	2	9	19	3	1	1	2	–	8	1	–
(35)	2	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	1	–
(35)	1	1	–	–	–	2	1	–	–	1	–	–	1	–	–	–	–	–	–
(35)	1	–	–	–	–	2	–	–	1	1	2	1	–	1	–	–	2	–	–
(35)	–	–	–	–	–	–	–	–	–	2	4	–	–	–	–	–	–	–	–
(35)	4	–	–	–	–	–	8	2	–	1	10	1	–	–	–	–	1	–	–
(35)	3	–	–	–	–	–	3	2	1	3	1	1	–	–	2	–	5	–	–
36	4	–	1	1	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(37)	18	1	1	1	–	7	21	1	2	–	10	4	–	1	5	2	12	–	1
38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Bernardston.	Beverly.	Billerica.	Blackstone.	Blandford.	Bolton.	Boston.	Bourne.	Boxborough.	Boxford.
	All Causes.[2]	**8**	**280**	**55**	**31**	**7**	**11**	**11,720**	**52**	**5**	**10**
1	Typhoid fever (1)	–	–	–	–	–	–	15	–	–	–
3	Malaria (5)	–	–	–	–	–	–	–	–	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
5	Measles (7)	–	–	–	–	1	–	58	–	–	–
6	Scarlet fever (8)	–	–	–	–	–	–	42	–	–	–
7	Whooping cough (9)	2	2	2	1	–	–	106	–	–	–
8	Diphtheria and croup (10)	–	1	1	–	–	–	58	–	–	–
9	Influenza (11)	–	5	1	–	–	–	58	2	1	–
(12)	Erysipelas (21)	–	–	–	–	–	–	31	–	–	–
(37)	Poliomyelitis (22)	–	–	–	–	–	–	7	–	–	–
(12)	Other epidemic diseases (2–4, 12–20, 23, 25, 42)	–	1	1	–	–	–	34	–	–	–
17	Meningitis (24, 71)	–	–	–	–	–	–	65	–	–	–
13	Tuberculosis of the respiratory system (31)	–	5	4	–	1	1	662	7	–	–
14	Tuberculous meningitis (32)	–	–	1	–	–	–	58	–	1	–
15	Other forms of tuberculosis (33–37)	–	2	–	–	–	–	76	–	–	–
16	Cancer (43–49)	1	32	7	3	–	1	1,184	7	–	–
(37)	Rheumatism (51, 52)	1	3	–	–	–	–	13	–	–	–
(37)	Diabetes (57)	–	4	1	1	–	–	198	–	–	–
(37)	Alcoholism (66)	–	1	–	–	–	–	134	–	–	–
18	Cerebral hemorrhage and softening (74, 83)	–	22	4	2	–	4	650	4	1	–
(37)	Acute endocarditis (88)	–	3	–	1	–	–	68	–	–	1
(37)	Angina pectoris (89)	1	3	2	2	–	–	81	–	–	–
19	Other diseases of the heart (90)	1	72	15	6	3	2	2,161	9	–	4
(37)	Diseases of the arteries (91)	–	7	1	3	–	–	253	3	–	1
20, 21	Bronchitis (99)	–	1	–	–	–	–	41	–	1	–
(23)	Bronchopneumonia (100)	1	9	–	–	1	–	685	1	–	–
22	Pneumonia (101)	–	17	3	1	–	–	604	8	–	–
(23)	Other respiratory diseases (60, 61, 97, 98, 102–107)	–	4	–	1	–	–	129	–	–	–
24	Diseases of the stomach (111, 112)	–	1	–	–	–	–	–94	–	–	–
25	Diarrhea and enteritis (under 2 years) (113)	–	1	1	1	–	–	218	1	–	–
26	Appendicitis (117)	–	1	–	–	–	–	151	–	–	–
27	Hernia, intestinal obstruction (118)	–	4	–	–	–	–	122	–	–	–
28	Cirrhosis of the liver (122)	–	1	–	–	–	–	65	1	–	–
29	Nephritis and Bright's disease (128, 129)	1	26	2	3	1	1	699	3	1	1
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	–	–	–	–	–	–	67	–	–	–
31	Puerperal fever (146)	–	–	–	–	–	1	41	–	–	–
32	Other puerperal affections (143–145, 147–150)	–	3	–	–	–	–	84	–	–	–
33	Congenital debility and malformations (159–161a)	–	12	5	1	–	–	587	1	–	–
34	Senility (164)	–	–	–	–	–	–	6	–	–	–
(35)	Violent deaths (excluding suicide and homicide) (175–196, 201–203)	–	14	2	4	–	1	640	2	–	2
(35)	*Burns (conflagration excepted) (179)*	–	2	–	–	–	–	49	–	–	–
(35)	*Accidental drowning (182)*	–	1	1	3	–	1	28	–	–	–
(35)	*Traumatism by fall (185)*	–	2	–	1	–	–	179	1	–	2
(35)	*Railroad accidents and injuries (188a)*	–	–	1	–	–	–	24	–	–	–
(35)	*Automobile accidents and injuries (188c)*	–	2	–	–	–	–	146	–	–	–
(35)	*All others*	–	7	–	–	–	–	214	1	–	–
36	Suicide (165–174)	–	3	–	1	–	–	109	–	–	–
(35)	Homicide (197–200)	–	–	–	–	–	–	30	–	–	–
(37)	All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163)	–	19	2	–	–	–	1,308	3	–	1
38	Ill-defined or unknown causes (204, 205)	–	1	–	–	–	–	28	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1926.

Abridged Int. List No.	Boylston.	Braintree.	Brewster.	Bridgewater.	Brimfield.	Brockton.	Brookfield.	Brookline.	Buckland.	Burlington.	Cambridge.	Canton.	Carlisle.	Carver.	Charlemont.	Charlton.	Chatham.	Chelmsford.	Chelsea.
	7	157	13	173	6	762	21	486	25	16	1,481	63	6	12	8	32	39	72	630
1	–	–	–	1	–	–	–	–	–	–	6	–	–	–	–	–	–	–	1
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	–	1	–	1	–	2	–	–	–	–	3	–	–	–	–	1	2	1	–
6	–	2	–	–	–	1	–	–	–	–	2	1	–	–	–	–	–	1	1
7	–	–	–	2	–	2	–	1	1	–	17	–	1	–	–	–	–	1	2
8	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	2
9	–	2	–	2	–	8	1	7	1	1	5	–	1	–	2	1	1	1	9
(12)	–	–	–	1	–	4	–	3	–	–	1	–	–	–	–	–	–	1	3
(37)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	1	–	–	6	–	–	–	–	1	–	–	–
17	–	–	–	–	–	2	–	1	1	1	4	–	–	–	–	–	–	–	3
13	–	33	–	13	–	20	–	17	–	1	99	6	–	–	–	2	1	3	51
14	–	–	–	–	–	3	–	–	–	–	3	–	–	–	–	–	–	–	4
15	–	–	–	2	–	2	–	5	2	–	10	1	–	–	–	1	–	1	3
16	2	14	3	10	1	98	3	81	1	1	162	8	1	–	2	2	4	6	81
(37)	–	1	–	–	–	2	–	1	2	–	4	–	1	–	–	–	–	–	1
(37)	–	1	1	1	–	26	1	9	–	1	16	–	–	–	–	–	1	1	6
(37)	–	–	–	–	–	2	–	–	–	–	17	–	–	–	–	–	–	–	12
18	–	12	2	20	–	55	1	48	2	1	126	8	–	5	3	8	8	4	36
(37)	–	–	–	3	–	3	–	1	–	–	13	–	–	–	–	–	–	–	1
(37)	–	2	–	4	–	10	–	10	–	1	11	2	–	–	–	1	2	2	4
19	3	32	3	57	2	142	6	129	5	1	275	13	2	4	1	5	6	19	154
(37)	–	6	2	6	–	14	2	13	–	1	52	–	–	1	–	1	1	5	14
20, 21	–	–	–	2	–	7	1	2	1	–	6	–	–	1	–	–	–	–	2
(23)	–	7	1	4	–	21	–	17	1	–	72	1	–	–	–	–	–	1	36
22	2	6	–	5	–	28	–	16	2	–	72	–	–	–	–	2	1	2	32
(23)	–	–	–	1	–	8	1	–	–	–	11	–	–	–	–	–	–	1	3
24	–	–	–	–	–	11	–	3	–	–	14	2	–	–	–	–	–	–	2
25	–	–	–	–	–	4	–	–	–	–	23	–	–	–	–	–	–	–	5
26	–	–	–	1	–	12	–	1	–	–	23	–	–	–	–	–	–	–	6
27	–	1	–	–	–	12	–	2	–	–	13	–	–	–	–	–	–	2	1
28	–	1	–	1	–	8	–	1	1	–	7	1	–	–	–	–	–	–	4
29	–	15	–	11	1	58	–	32	1	1	93	7	–	–	–	3	7	3	30
30	–	–	–	–	–	2	–	11	–	–	3	–	–	–	–	–	–	–	–
31	–	–	–	–	–	4	–	–	–	–	6	–	–	–	–	–	–	–	4
32	–	–	–	1	–	4	–	–	–	–	10	–	–	–	–	–	–	1	2
33	–	3	–	5	–	44	1	2	1	–	94	3	–	–	–	1	1	9	23
34	–	–	–	–	–	6	–	2	1	–	–	–	–	–	–	–	–	–	1
(35)	–	9	–	5	1	50	3	19	–	3	80	2	–	1	–	1	1	5	33
(35)	–	2	–	–	–	1	–	1	–	–	10	–	–	–	–	–	1	–	5
(35)	–	–	–	–	–	2	–	–	–	–	3	–	–	–	–	1	–	–	1
(35)	–	2	–	1	–	18	1	7	–	–	22	–	–	–	–	–	–	–	5
(35)	–	–	–	2	–	1	–	1	–	–	2	–	–	–	–	–	–	1	1
(35)	–	1	–	–	–	13	1	3	–	1	19	–	–	–	–	–	–	1	13
(35)	–	4	–	2	1	15	1	7	–	2	24	2	–	1	–	–	–	3	8
36	–	2	–	–	–	5	–	5	–	–	11	–	–	–	–	1	1	1	5
(35)	–	–	–	–	–	3	–	–	–	–	3	–	–	–	–	–	–	–	1
(37)	–	7	1	13	1	77	1	46	2	2	107	7	–	–	–	1	2	1	50
38	–	–	–	1	–	1	–	–	–	1	–	1	–	–	–	–	–	–	2

[3] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Cheshire.	Chester.	Chesterfield.	Chicopee.	Chilmark.	Clarksburg.	Clinton.	Cohasset.	Colrain.	Concord.
	All Causes.[2]	10	26	5	361	5	12	188	50	15	76
1	Typhoid fever (1)	–	–	–	–	–	–	–	1	–	–
3	Malaria (5)	–	–	–	–	–	–	–	–	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
5	Measles (7)	–	–	–	12	–	–	2	–	–	–
6	Scarlet fever (8)	1	–	–	–	–	–	1	–	–	–
7	Whooping cough (9)	–	–	–	5	–	–	2	–	–	1
8	Diphtheria and croup (10)	–	–	–	6	–	–	–	–	–	–
9	Influenza (11)	–	–	–	13	1	–	1	–	–	2
(12)	Erysipelas (21)	–	–	–	–	–	–	–	–	–	1
(37)	Poliomyelitis (22)	–	–	–	–	–	–	–	–	–	–
(12)	Other epidemic diseases (2–4, 12–20, 23, 25, 42)	–	–	–	–	–	–	–	1	–	–
17	Meningitis (24, 71)	–	–	–	1	–	–	3	–	–	–
13	Tuberculosis of the respiratory system (31)	2	1	1	27	–	–	2	2	1	2
14	Tuberculous meningitis (32)	–	–	–	3	–	–	–	1	–	–
15	Other forms of tuberculosis (33–37)	–	–	–	1	–	1	–	1	–	1
16	Cancer (43–49)	–	2	1	35	–	3	16	4	3	6
(37)	Rheumatism (51, 52)	–	–	–	1	–	–	–	–	–	–
(37)	Diabetes (57)	–	–	–	5	–	–	5	1	–	–
(37)	Alcoholism (66)	–	–	–	1	–	–	1	–	–	–
18	Cerebral hemorrhage and softening (74, 83)	2	3	1	19	1	–	14	3	1	7
(37)	Acute endocarditis (88)	–	–	–	–	–	–	3	–	–	1
(37)	Angina pectoris (89)	–	1	–	3	–	–	4	–	–	1
19	Other diseases of the heart (90)	1	6	–	63	1	3	33	7	6	19
(37)	Diseases of the arteries (91)	–	–	–	3	–	–	9	–	–	1
20, 21	Bronchitis (99)	–	–	–	3	–	–	–	1	–	1
(23)	Bronchopneumonia (100)	2	2	–	26	1	–	8	1	1	1
22	Pneumonia (101)	–	1	1	15	1	–	23	1	1	1
(23)	Other respiratory diseases (60, 61, 97, 98, 102–107)	–	–	–	3	–	–	2	–	–	1
24	Diseases of the stomach (111, 112)	1	2	–	1	–	1	3	2	–	1
25	Diarrhea and enteritis (under 2 years) (113)	–	–	–	16	–	–	2	–	–	–
26	Appendicitis (117)	–	–	–	–	–	–	4	–	–	3
27	Hernia, intestinal obstruction (118)	–	1	–	2	–	–	–	–	–	–
28	Cirrhosis of the liver (122)	–	–	–	3	–	–	1	–	–	–
29	Nephritis and Bright's disease (128, 129)	1	3	1	20	–	1	9	9	–	5
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	–	–	–	–	–	–	–	–	–	–
31	Puerperal fever (146)	–	–	–	–	–	–	–	–	–	–
32	Other puerperal affections (143–145, 147–150)	–	–	–	1	–	–	2	1	–	2
33	Congenital debility and malformations (159–161a)	–	–	–	28	–	1	10	3	–	3
34	Senility (164)	–	–	–	–	–	–	–	–	–	–
(35)	Violent deaths (excluding suicide and homicide) (175–196, 201–203)	–	3	–	13	–	1	9	6	–	8
(35)	*Burns (conflagration excepted) (179)*	–	–	–	1	–	–	2	–	–	–
(35)	*Accidental drowning (182)*	–	–	–	5	–	1	1	–	–	1
(35)	*Traumatism by fall (185)*	–	–	–	2	–	–	2	1	–	2
(35)	*Railroad accidents and injuries (188a)*	–	3	–	2	–	–	–	1	–	1
(35)	*Automobile accidents and injuries (188c)*	–	–	–	1	–	–	4	1	–	3
(35)	*All others*	–	–	–	2	–	–	–	3	–	1
36	Suicide (165–174)	–	–	–	2	–	–	–	1	–	–
(35)	Homicide (197–200)	–	–	–	–	–	–	–	–	–	1
(37)	All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161b, 162, 163)	–	1	–	30	–	1	14	4	2	7
38	Ill-defined or unknown causes (204, 205)	–	–	–	–	–	–	5	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1926.

Abridged Int. List No.	Conway.	Cummington.	Dalton.	Dana.	Danvers.	Dartmouth.	Dedham.	Deerfield.	Dennis.	Dighton.	Douglas.	Dover.	Dracut.	Dudley.	Dunstable.	Duxbury.	East Bridgewater.	East Brookfield.	East Longmeadow.
	17	7	45	6	308	100	118	18	37	38	25	4	71	55	5	20	49	11	29
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
7	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1
8	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
9	2	–	4	–	1	–	2	1	3	1	1	–	2	2	–	–	2	–	3
(12)	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
(37)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(12)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
17	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
13	–	–	1	–	28	4	2	1	2	2	1	–	4	6	–	–	–	–	–
14	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
15	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
16	3	–	4	–	16	11	14	1	7	6	3	–	8	5	–	–	7	1	3
(37)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
(37)	–	–	2	–	4	3	3	–	–	–	–	–	–	1	–	–	3	–	–
(37)	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–
18	1	–	3	1	32	7	11	2	5	2	2	–	8	2	1	3	7	–	2
(37)	–	–	–	–	–	1	2	–	–	–	–	–	1	–	–	–	–	–	–
(37)	–	–	–	–	2	3	5	–	1	3	–	–	1	1	–	–	1	–	1
19	3	–	13	2	39	14	25	2	6	7	7	1	13	10	1	5	10	1	3
(37)	3	–	–	1	46	2	6	1	–	–	–	–	7	2	–	3	–	2	–
20, 21	–	–	–	–	1	–	2	1	–	–	–	–	–	2	–	–	2	–	–
(23)	2	–	5	–	21	10	4	1	1	2	2	1	5	2	–	1	1	–	4
22	1	–	2	–	11	1	5	2	2	3	1	–	1	1	–	1	4	–	–
(23)	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	–
24	–	–	–	–	1	–	2	–	–	–	–	–	–	1	–	–	–	–	–
25	–	–	1	–	–	1	3	1	–	–	–	–	–	–	–	–	–	–	1
26	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
27	–	–	–	–	–	2	2	–	1	1	–	–	–	–	–	–	1	–	–
28	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
29	–	1	4	–	12	3	9	2	6	2	–	–	6	3	–	2	5	1	4
30	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
31	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
32	–	1	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–
33	–	1	–	1	1	5	7	1	–	1	3	1	4	3	1	–	–	2	2
34	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–
(35)	1	1	1	–	10	8	3	1	2	1	1	–	1	4	–	1	–	3	3
(35)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–
(35)	1	1	1	–	6	–	–	–	2	–	–	–	–	–	–	1	–	–	1
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(35)	–	–	–	–	2	1	–	1	–	–	1	–	–	1	–	–	–	2	1
(35)	–	–	–	–	2	3	3	–	–	1	–	–	1	2	–	–	–	–	1
36	–	1	–	–	5	2	1	–	–	1	–	–	1	1	–	1	1	–	–
(35)	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
(37)	–	–	5	–	72	14	3	–	1	3	1	1	7	3	–	1	2	1	1
38	–	–	–	–	–	1	1	1	–	–	–	–	1	–	1	–	–	–	–

* Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Eastham.	Easthampton.	Easton.	Edgartown.	Egremont.	Enfield.	Erving.	Essex.	Everett.	Fairhaven.
	All Causes.[2]	7	114	50	12	6	9	7	17	370	107
1	Typhoid fever (1)	–	–	–	–	–	–	–	–	–	1
3	Malaria (5)	–	–	–	–	–	–	–	–	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
5	Measles (7)	–	2	–	–	–	–	–	–	3	1
6	Scarlet fever (8)	–	2	–	–	–	–	–	–	–	–
7	Whooping cough (9)	–	1	–	–	–	–	–	–	3	–
8	Diphtheria and croup (10)	–	–	–	–	–	–	–	–	–	1
9	Influenza (11)	–	–	2	–	–	1	–	–	3	4
(12)	Erysipelas (21)	–	2	–	–	–	–	–	–	1	–
(37)	Poliomyelitis (22)	–	–	–	–	–	–	–	–	–	–
(12)	Other epidemic diseases (2–4, 12–20, 23, 25, 42)	–	–	–	–	–	–	–	–	1	–
17	Meningitis (24, 71)	–	–	–	–	–	–	–	–	–	–
13	Tuberculosis of the respiratory system (31)	–	6	1	–	1	–	–	1	21	3
14	Tuberculous meningitis (32)	–	1	1	–	–	–	–	–	–	1
15	Other forms of tuberculosis (33–37)	–	–	–	–	–	–	–	–	1	1
16	Cancer (43–49)	–	9	6	1	–	2	2	–	45	13
(37)	Rheumatism (51, 52)	–	1	–	–	–	–	–	–	1	1
(37)	Diabetes (57)	–	4	1	–	–	–	–	2	7	2
(37)	Alcoholism (66)	–	–	–	1	–	–	–	–	–	–
18	Cerebral hemorrhage and softening (74, 83)	–	9	5	1	2	–	2	2	27	16
(37)	Acute endocarditis (88)	–	–	–	–	–	–	–	–	5	–
(37)	Angina pectoris (89)	–	4	1	–	–	–	–	1	13	–
19	Other diseases of the heart (90)	2	27	9	2	–	5	1	2	70	16
(37)	Diseases of the arteries (91)	3	–	4	2	–	–	1	–	18	5
20, 21	Bronchitis (99)	–	–	–	1	–	–	–	–	2	–
(23)	Bronchopneumonia (100)	–	5	1	–	1	–	–	4	30	8
22	Pneumonia (101)	1	7	1	1	–	–	–	1	15	4
(23)	Other respiratory diseases (60, 61, 97, 98, 102–107)	–	–	–	1	1	–	–	–	1	–
24	Diseases of the stomach (111, 112)	–	–	–	–	–	–	–	–	1	–
25	Diarrhea and enteritis (under 2 years) (113)	1	4	–	–	–	–	–	–	3	–
26	Appendicitis (117)	–	–	–	–	–	–	–	–	3	–
27	Hernia, intestinal obstruction (118)	–	1	–	–	–	–	–	–	3	2
28	Cirrhosis of the liver (122)	–	1	–	–	–	–	–	–	–	1
29	Nephritis and Bright's disease (128, 129)	–	5	5	–	–	–	–	1	27	8
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	–	–	–	–	–	–	–	–	–	–
31	Puerperal fever (146)	–	–	–	–	–	–	–	–	–	–
32	Other puerperal affections (143–145, 147–150)	–	1	1	–	–	–	–	–	2	–
33	Congenital debility and malformations (159–161a)	–	9	2	–	–	–	–	1	22	3
34	Senility (164)	–	–	–	1	–	–	–	1	–	–
(35)	Violent deaths (excluding suicide and homicide) (175–196, 201–203)	–	3	5	1	–	–	–	–	18	1
(35)	*Burns (conflagration excepted) (179)*	–	–	–	–	–	–	–	–	2	–
(35)	*Accidental drowning (182)*	–	2	2	1	–	–	–	–	–	–
(35)	*Traumatism by fall (185)*	–	1	–	–	–	–	–	–	3	1
(35)	*Railroad accidents and injuries (188a)*	–	–	–	–	–	–	–	–	–	–
(35)	*Automobile accidents and injuries (188c)*	–	–	2	–	–	–	–	–	4	–
(35)	*All others*	–	–	1	–	–	–	–	–	9	–
36	Suicide (165–174)	–	1	1	–	1	–	1	1	1	–
(35)	Homicide (197–200)	–	–	–	–	–	–	–	–	2	–
(37)	All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163)	–	9	4	–	–	1	–	–	21	15
38	Ill-defined or unknown causes (204, 205)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1926.

Abridged Int. List No.	Fall River.	Falmouth.	Fitchburg.	Florida.	Foxborough.	Framingham.	Franklin.	Freetown.	Gardner.	Gay Head.	Georgetown.	Gill.	Gloucester.	Goshen.	Gosnold.	Grafton.	Granby.	Granville.	Great Barrington.
	1,712	46	491	–	124	296	53	10	273	2	31	12	313	7	1	131	4	6	96
1	1	–	1	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	34	–	10	–	–	2	–	–	2	1	–	–	1	–	–	–	–	–	–
6	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
7	18	1	5	–	–	1	1	–	1	–	–	–	3	–	–	–	–	–	–
8	18	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
9	23	1	2	–	–	15	1	–	6	–	1	1	9	–	–	1	1	–	–
(12)	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(37)	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(12)	3	–	–	–	–	–	–	–	2	–	–	–	–	1	–	1	–	–	–
17	10	–	3	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
13	121	–	28	–	12	11	1	–	20	–	–	1	12	–	–	22	–	–	3
14	8	–	2	–	–	1	–	1	1	–	–	–	1	–	–	1	–	–	–
15	17	–	2	–	–	3	–	–	1	–	–	–	–	–	–	1	–	–	–
16	168	6	53	–	10	29	8	1	20	–	5	1	38	1	–	10	–	–	7
(37)	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1
(37)	37	2	5	–	3	5	2	–	2	–	–	1	7	–	–	–	–	–	–
(37)	9	–	3	–	–	–	–	–	5	–	1	–	2	–	–	–	–	–	1
18	97	6	33	–	12	26	11	3	28	1	9	1	29	–	–	13	1	–	14
(37)	6	–	4	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–
(37)	40	1	10	–	2	4	1	–	3	–	1	–	3	–	–	2	–	1	3
19	229	9	93	–	28	40	13	–	46	–	5	1	63	2	–	27	–	1	16
(37)	28	6	17	–	3	4	–	1	1	–	2	–	10	–	–	7	–	1	4
20, 21	13	–	1	–	–	1	–	–	1	–	–	1	5	–	–	2	–	1	–
(23)	81	1	11	–	16	23	–	1	11	–	2	–	20	–	–	2	–	1	5
22	59	1	42	–	5	19	3	–	8	–	1	–	12	1	–	7	–	–	2
(23)	10	–	2	–	2	–	–	–	5	–	–	–	1	–	–	–	–	–	–
24	8	2	4	–	–	1	–	–	2	–	–	–	1	–	–	1	–	–	–
25	69	–	7	–	–	3	–	–	7	–	–	1	4	–	–	1	–	–	–
26	21	–	7	–	–	1	–	–	3	–	–	–	3	–	–	–	–	–	2
27	16	–	2	–	–	3	–	–	4	–	–	–	3	–	–	–	–	–	2
28	5	–	2	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
29	201	–	35	–	6	25	4	1	27	–	–	2	23	1	–	7	–	1	11
30	8	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
31	4	–	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1
32	6	–	4	–	–	2	–	1	3	–	–	–	4	–	–	–	–	–	–
33	93	–	28	–	1	18	–	–	18	–	1	1	16	–	–	3	–	–	5
34	3	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–	–	–	1
(35)	89	2	21	–	2	23	1	–	11	–	1	–	20	1	1	4	2	–	12
(35)	10	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	4	1	2	–	–	1	–	–	–	–	–	–	6	–	1	–	1	–	1
(35)	20	–	7	–	1	2	–	–	–	–	1	–	4	–	–	1	1	–	5
(35)	1	–	3	–	–	2	–	–	3	–	–	–	–	–	–	1	–	–	–
(35)	19	1	4	–	–	8	1	–	3	–	–	–	4	–	–	1	–	–	2
(35)	35	–	5	–	1	8	–	–	5	–	–	–	6	1	–	1	–	–	4
36	11	–	6	–	1	3	2	–	2	–	–	1	2	–	–	1	–	–	–
(35)	4	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
(37)	138	8	39	–	20	22	3	1	26	–	2	–	17	–	–	16	–	–	5
38	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Greenfield.	Greenwich.	Groton.	Groveland.	Hadley.	Halifax.	Hamilton.	Hampden.	Hancock.	Hanover.
	All Causes.[2]	**185**	**5**	**40**	**37**	**14**	**5**	**20**	**6**	**5**	**36**
1	Typhoid fever (1)	1	–	–	–	–	–	–	–	–	–
3	Malaria (5)	–	–	–	–	–	–	–	–	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
5	Measles (7)	–	–	–	–	–	–	–	–	–	–
6	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
7	Whooping cough (9)	4	–	–	–	–	–	–	–	–	–
8	Diphtheria and croup (10)	1	–	–	–	–	–	–	–	–	–
9	Influenza (11)	4	–	–	1	2	–	1	–	–	1
(12)	Erysipelas (21)	1	–	–	–	–	–	–	–	–	–
(37)	Poliomyelitis (22)	2	–	–	–	–	–	–	–	–	–
(12)	Other epidemic diseases (2–4, 12–20, 23, 25, 42)	–	–	–	–	–	–	–	–	–	–
17	Meningitis (24, 71)	1	–	–	–	–	–	–	–	–	–
13	Tuberculosis of the respiratory system (31)	11	–	3	2	–	–	–	–	–	1
14	Tuberculous meningitis (32)	–	–	–	–	–	–	–	–	–	–
15	Other forms of tuberculosis (33–37)	–	–	–	–	–	–	–	–	1	–
16	Cancer (43–49)	20	1	5	5	2	2	5	1	–	7
(37)	Rheumatism (51, 52)	–	–	1	–	–	–	–	–	–	–
(37)	Diabetes (57)	6	–	–	2	–	–	–	–	–	1
(37)	Alcoholism (66)	–	–	–	–	–	–	–	1	–	–
18	Cerebral hemorrhage and softening (74, 83)	15	–	9	4	–	–	1	2	–	2
(37)	Acute endocarditis (88)	3	–	–	–	–	–	–	–	–	–
(37)	Angina pectoris (89)	3	–	2	4	–	1	–	–	–	–
19	Other diseases of the heart (90)	19	1	6	5	3	–	2	1	–	8
(37)	Diseases of the arteries (91)	2	1	3	4	–	–	–	–	–	2
20, 21	Bronchitis (99)	2	–	–	1	–	–	1	–	–	–
(23)	Bronchopneumonia (100)	5	–	2	4	–	1	2	–	1	3
22	Pneumonia (101)	8	–	1	1	2	–	–	–	2	1
(23)	Other respiratory diseases (60, 61, 97, 98, 102–107)	1	–	–	–	–	–	–	–	–	–
24	Diseases of the stomach (111, 112)	2	–	–	1	–	–	–	–	–	–
25	Diarrhea and enteritis (under 2 years) (113)	2	–	–	–	1	–	–	–	–	–
26	Appendicitis (117)	2	–	–	–	–	–	–	–	–	–
27	Hernia, intestinal obstruction (118)	5	–	–	–	–	–	–	–	–	–
28	Cirrhosis of the liver (122)	–	–	1	–	–	–	–	–	–	–
29	Nephritis and Bright's disease (128, 129)	20	1	3	1	1	–	3	–	1	6
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	–	–	–	–	–	–	–	–	–	–
31	Puerperal fever (146)	–	–	1	–	–	–	–	–	–	–
32	Other puerperal affections (143–145, 147–150)	1	–	–	–	–	–	–	–	–	–
33	Congenital debility and malformations (159–161a)	7	–	–	–	1	–	–	–	–	–
34	Senility (164)	1	–	–	–	–	–	–	–	–	–
(35)	Violent deaths (excluding suicide and homicide) (175–196, 201–203)	10	–	–	1	2	1	2	–	–	4
(35)	*Burns (conflagration excepted) (179)*	–	–	–	–	–	–	–	–	–	–
(35)	*Accidental drowning (182)*	–	–	–	–	–	1	–	–	–	–
(35)	*Traumatism by fall (185)*	3	–	–	1	–	–	–	–	–	2
(35)	*Railroad accidents and injuries (188a)*	1	–	–	–	–	–	–	–	–	–
(35)	*Automobile accidents and injuries (188c)*	3	–	–	–	–	–	2	–	–	1
(35)	*All others*	3	–	–	–	2	–	–	–	–	1
36	Suicide (165–174)	2	–	–	–	–	–	1	–	–	–
(35)	Homicide (197–200)	–	–	–	–	–	–	–	–	–	–
(37)	All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163)	24	1	3	1	–	–	2	1	–	–
38	Ill-defined or unknown causes (204, 205)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1926.

Abridged Int. List No.	Hanson.	Hardwick.	Harvard.	Harwich.	Hatfield.	HAVERHILL.	Hawley.	Heath.	Hingham.	Hinsdale.	Holbrook.	Holden.	Holland.	Holliston.	HOLYOKE.	Hopedale.	Hopkinton.	Hubbardston.	Hudson.
	49	22	11	42	17	651	3	4	75	15	49	59	1	22	782	16	37	7	97
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	–	–	–	–	–	2	–	–	–	–	1	–	–	–	6	–	–	–	–
6	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	–	3
7	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	3
8	–	–	–	–	–	3	–	–	–	–	–	–	–	–	14	–	–	–	–
9	–	–	–	1	1	11	1	–	1	–	–	–	–	2	7	1	–	–	5
(12)	–	–	–	–	1	–	–	–	–	–	1	–	–	–	3	–	–	–	–
(37)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(12)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–
17	–	–	–	1	–	1	–	–	–	–	–	–	–	–	6	–	–	–	–
13	27	1	–	2	2	17	–	–	2	3	1	3	–	–	44	–	3	–	4
14	–	–	–	–	–	2	–	–	–	–	–	–	–	–	10	–	–	–	–
15	1	–	–	–	–	1	–	–	–	–	–	–	–	–	8	–	–	–	1
16	2	4	2	1	1	67	2	–	10	3	6	8	–	2	69	2	5	–	10
(37)	1	–	–	–	–	2	–	–	–	1	–	–	–	–	4	–	–	–	1
(37)	1	–	–	–	–	15	–	–	2	–	–	1	–	–	15	–	–	–	1
(37)	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	–	–	–	1
18	2	3	1	10	1	46	–	–	7	–	1	5	–	2	37	2	4	3	16
(37)	–	–	–	–	–	4	–	–	–	–	2	–	–	–	11	1	1	–	–
(37)	1	–	–	1	–	9	–	–	–	–	–	–	–	–	3	–	–	–	5
19	7	2	1	8	6	133	–	3	24	2	17	11	1	6	111	3	6	–	12
(37)	1	2	4	2	–	39	–	–	2	–	3	1	–	2	5	1	2	1	–
20, 21	–	–	2	–	1	3	–	–	–	–	–	1	–	–	4	–	1	–	3
(23)	1	1	1	1	–	24	–	–	2	–	2	1	–	3	39	–	2	2	3
22	–	2	–	1	3	32	–	–	2	1	7	1	–	–	41	–	3	–	2
(23)	–	–	–	1	–	8	–	–	–	–	–	1	–	–	10	–	–	–	1
24	–	–	–	1	–	4	–	–	2	–	–	1	–	–	10	–	–	–	2
25	–	–	–	–	–	2	–	–	–	–	–	–	–	–	33	1	–	–	1
26	–	–	–	–	–	9	–	–	–	–	–	2	–	–	12	–	–	–	–
27	–	–	–	–	–	3	–	–	1	–	–	1	–	–	4	–	–	–	–
28	–	–	–	1	–	4	–	–	–	–	–	–	–	1	5	–	1	–	3
29	–	3	–	4	–	42	–	–	10	1	1	6	–	–	69	–	4	1	8
30	–	–	–	–	–	3	–	–	–	–	–	1	–	–	2	–	–	–	–
31	–	–	–	–	–	6	–	–	–	–	–	–	–	–	2	–	–	–	–
32	–	–	–	–	–	7	–	–	–	–	–	–	–	–	8	–	–	–	–
33	2	1	–	3	–	26	–	–	1	3	–	1	–	–	38	–	–	–	2
34	–	–	–	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	2
(35)	2	2	–	1	1	39	–	–	4	–	3	4	–	2	50	–	–	–	1
(35)	–	–	–	1	–	5	–	–	–	–	–	1	–	–	3	–	–	–	–
(35)	1	1	–	–	–	1	–	–	2	–	–	–	–	1	1	–	–	–	–
(35)	1	–	–	–	–	9	–	–	–	–	2	1	–	–	13	–	–	–	1
(35)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	4	–	–	–	–
(35)	–	–	–	–	1	6	–	–	–	–	1	2	–	1	17	–	–	–	–
(35)	–	1	–	–	–	18	–	–	1	–	–	–	–	–	12	–	–	–	–
36	1	1	–	–	–	8	–	1	–	–	1	–	–	–	9	–	1	–	1
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–
(37)	–	–	–	3	–	66	–	–	4	1	2	10	–	2	83	4	3	–	5
38	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	1

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Hull.	Huntington.	Ipswich.	Kingston.	Lakeville.	Lancaster.	Lanesborough.	Lawrence.	Lee.	Leicester.
	All Causes.[2]	**25**	**15**	**95**	**33**	**29**	**22**	**14**	**940**	**43**	**38**
1	Typhoid fever (1)	–	–	–	–	–	–	–	1	–	–
3	Malaria (5)	–	–	–	–	–	–	–	–	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
5	Measles (7)	–	1	–	–	1	1	–	2	–	–
6	Scarlet fever (8)	–	–	–	–	–	–	–	2	–	–
7	Whooping cough (9)	–	–	1	–	–	–	–	3	2	1
8	Diphtheria and croup (10)	–	–	–	–	–	–	–	8	–	–
9	Influenza (11)	–	–	2	1	–	–	2	6	2	1
(12)	Erysipelas (21)	–	–	–	–	–	–	–	–	–	–
(37)	Poliomyelitis (22)	–	–	–	–	–	–	–	1	–	–
(12)	Other epidemic diseases (2–4, 12–20, 23, 25, 42)	–	–	1	–	–	–	–	2	–	–
17	Meningitis (24, 71)	–	–	–	–	–	1	–	3	–	–
13	Tuberculosis of the respiratory system (31)	1	–	2	1	12	–	–	34	5	1
14	Tuberculous meningitis (32)	–	–	1	1	1	–	–	4	–	–
15	Other forms of tuberculosis (33–37)	–	–	–	–	4	–	–	6	–	–
16	Cancer (43–49)	–	1	9	4	1	2	1	100	1	2
(37)	Rheumatism (51, 52)	–	–	1	–	–	–	1	2	–	–
(37)	Diabetes (57)	2	–	1	–	–	2	–	16	–	–
(37)	Alcoholism (66)	1	–	–	–	–	–	–	10	–	–
18	Cerebral hemorrhage and softening (74, 83)	1	1	12	5	1	3	3	87	2	6
(37)	Acute endocarditis (88)	–	–	–	–	–	–	–	14	–	–
(37)	Angina pectoris (89)	–	–	–	1	–	–	–	21	2	–
19	Other diseases of the heart (90)	10	4	20	8	2	4	2	143	11	7
(37)	Diseases of the arteries (91)	1	–	3	1	1	–	1	15	1	1
20, 21	Bronchitis (99)	–	–	1	–	1	–	–	9	–	–
(23)	Bronchopneumonia (100)	1	–	8	3	1	–	–	70	–	2
22	Pneumonia (101)	1	4	1	–	–	3	–	21	2	2
(23)	Other respiratory diseases (60, 61, 97, 98, 102–107)	1	–	–	–	–	–	1	8	–	–
24	Diseases of the stomach (111, 112)	1	–	–	1	–	1	–	3	–	–
25	Diarrhea and enteritis (under 2 years) (113)	1	–	–	1	–	–	–	27	–	–
26	Appendicitis (117)	–	–	–	–	–	–	–	13	–	–
27	Hernia, intestinal obstruction (118)	–	–	1	–	–	–	–	9	–	–
28	Cirrhosis of the liver (122)	–	–	–	–	–	–	–	1	1	–
29	Nephritis and Bright's disease (128, 129)	–	2	6	–	–	2	–	67	7	1
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	–	–	–	–	–	–	–	5	–	–
31	Puerperal fever (146)	–	–	–	–	–	–	–	6	–	–
32	Other puerperal affections (143–145, 147–150)	–	–	–	–	1	–	–	13	–	–
33	Congenital debility and malformations (159–161a)	–	–	8	–	–	1	–	62	–	2
34	Senility (164)	–	–	1	–	–	–	–	–	–	–
(35)	Violent deaths (excluding suicide and homicide) (175–196, 201–203)	2	2	11	1	3	1	1	48	4	5
(35)	*Burns (conflagration excepted) (179)*	–	–	–	1	–	–	–	2	–	–
(35)	*Accidental drowning (182)*	2	1	–	–	–	–	–	6	–	1
(35)	*Traumatism by fall (185)*	–	–	–	–	1	–	1	6	2	1
(35)	*Railroad accidents and injuries (188a)*	–	–	–	–	–	–	–	2	1	1
(35)	*Automobile accidents and injuries (188c)*	–	–	5	–	1	–	–	16	–	1
(35)	*All others*	–	1	6	–	1	1	–	16	1	1
36	Suicide (165–174)	1	–	2	–	–	–	–	14	1	–
(35)	Homicide (197–200)	–	–	1	1	–	–	–	4	–	–
(37)	All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163)	1	–	2	4	–	1	2	76	2	7
38	Ill-defined or unknown causes (204, 205)	–	–	–	–	–	–	–	4	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1926.

Abridged Int. List No.	Lenox.	Leominster.	Leverett.	Lexington.	Leyden.	Lincoln.	Littleton.	Longmeadow.	Lowell.	Ludlow.	Lunenburg.	Lynn.	Lynnfield.	Malden.	Manchester.	Mansfield.	Marblehead.	Marion.	Marlborough.
	30	288	10	73	2	13	13	21	1,550	117	26	1,182	22	558	29	58	135	13	197
1	–	–	–	–	–	1	–	–	4	–	–	4	–	–	–	–	–	–	–
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	–	19	–	1	–	–	–	–	10	4	–	7	1	3	–	–	–	–	1
6	–	–	–	–	–	–	–	–	3	–	–	3	–	3	–	–	–	–	–
7	–	–	1	–	–	–	–	–	3	3	–	9	–	11	–	–	2	–	2
8	–	5	–	–	–	–	–	–	6	1	–	11	–	6	–	–	–	–	–
9	1	3	–	–	–	–	–	–	9	–	–	14	–	8	–	1	–	–	3
(12)	–	–	–	–	–	–	–	2	1	1	–	2	–	1	–	–	–	–	–
(37)	–	1	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–
(12)	–	1	–	–	–	–	–	–	1	–	–	3	–	–	–	1	–	–	–
17	–	1	–	–	–	–	–	–	4	–	–	4	–	3	–	–	–	–	1
13	–	5	–	6	–	1	–	–	74	5	3	37	–	16	2	4	4	–	8
14	–	1	–	–	–	–	–	–	16	–	–	2	–	1	–	–	–	–	1
15	–	3	–	2	–	–	–	–	12	1	–	7	–	3	–	1	1	–	1
16	5	30	2	9	1	1	1	2	112	6	–	123	2	63	2	5	10	1	16
(37)	–	2	–	–	–	–	–	–	4	1	–	3	–	1	–	–	1	–	–
(37)	1	3	–	1	–	–	–	–	15	–	1	22	–	11	–	2	3	1	3
(37)	–	–	–	–	–	–	–	–	3	1	–	7	–	2	–	1	–	–	–
18	4	21	2	12	–	3	1	1	108	4	1	89	2	32	4	3	13	5	24
(37)	–	1	–	–	–	–	1	–	14	2	–	7	1	4	–	–	–	–	1
(37)	1	3	–	1	–	–	2	2	18	–	1	19	–	8	1	1	7	–	9
19	13	51	1	15	–	2	1	5	300	16	4	215	3	92	9	20	43	1	30
(37)	–	3	–	5	–	1	4	–	141	–	–	42	–	51	1	–	13	–	14
20, 21	–	5	–	–	–	–	–	–	18	–	–	13	–	3	–	–	3	1	–
(23)	1	16	–	2	–	1	1	–	109	18	2	46	2	39	1	3	5	–	7
22	–	19	–	1	–	–	1	1	34	3	3	62	2	29	1	2	6	–	3
(23)	–	4	–	–	–	–	1	1	15	–	–	11	–	3	–	–	–	1	1
24	–	1	–	1	–	–	–	–	11	1	–	6	–	3	1	–	1	–	–
25	–	2	–	–	–	–	–	–	50	5	–	9	–	2	–	1	–	–	–
26	–	1	–	–	–	–	–	–	21	3	–	19	–	6	–	–	–	–	8
27	–	1	–	–	–	–	–	–	9	–	–	9	–	5	–	–	–	–	3
28	–	–	–	–	–	–	–	–	13	1	–	3	–	2	–	–	–	–	–
29	1	21	–	6	1	1	–	2	66	8	5	108	5	39	–	3	8	–	13
30	–	–	–	1	–	–	–	–	6	–	–	3	–	3	–	–	1	–	2
31	–	1	–	–	–	–	–	–	1	1	–	8	–	2	–	–	–	–	–
32	–	2	–	–	–	–	–	–	19	–	–	9	–	4	–	1	1	–	1
33	–	13	2	2	–	–	–	4	83	14	–	52	–	21	2	1	1	1	15
34	–	1	–	1	–	–	–	–	7	–	–	5	–	2	2	1	1	–	–
(35)	–	20	1	3	–	–	–	1	78	9	3	67	–	32	2	–	4	–	16
(35)	–	2	–	–	–	–	–	–	7	1	–	7	–	–	–	–	–	–	4
(35)	–	–	–	1	–	–	–	–	5	–	–	6	–	2	2	–	–	–	–
(35)	–	7	1	1	–	–	–	–	20	2	–	22	–	11	–	–	2	–	1
(35)	–	–	–	–	–	–	–	–	3	–	–	3	–	1	–	–	–	–	–
(35)	–	7	–	–	–	–	–	–	22	4	3	13	–	8	–	–	2	–	9
(35)	–	4	–	1	–	–	–	1	21	2	–	16	–	10	–	–	–	–	2
36	–	4	–	1	–	–	–	–	9	1	1	14	1	4	–	2	1	–	1
(35)	–	1	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–
(37)	3	23	1	3	–	2	–	–	133	8	2	104	3	39	1	5	6	2	10
38	–	–	–	–	–	–	–	–	6	–	–	2	–	–	–	–	–	–	3

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Marshfield.	Mashpee.	Mattapoisett.	Maynard.	Medfield.	Medford.	Medway.	Melrose.	Mendon.	Merrimac.
	All Causes.[2]	**37**	**7**	**21**	**49**	**120**	**476**	**28**	**232**	**10**	**23**
1	Typhoid fever (1)	–	–	–	–	–	1	–	1	–	–
3	Malaria (5)	–	–	–	–	–	–	–	–	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
5	Measles (7)	–	–	–	1	–	2	–	1	–	–
6	Scarlet fever (8)	–	–	–	–	–	1	–	1	–	–
7	Whooping cough (9)	–	–	–	1	–	7	–	1	–	–
8	Diphtheria and croup (10)	–	–	–	–	–	2	–	–	–	–
9	Influenza (11)	1	1	–	–	1	8	–	5	1	–
(12)	Erysipelas (21)	–	–	–	–	–	1	–	–	–	1
(37)	Poliomyelitis (22)	–	–	–	–	–	1	–	3	–	–
(12)	Other epidemic diseases (2–4, 12–20, 23, 25, 42)	–	–	–	–	–	2	–	1	–	–
17	Meningitis (24, 71)	–	–	–	–	–	–	–	1	–	–
13	Tuberculosis of the respiratory system (31)	1	–	1	2	18	18	1	7	–	–
14	Tuberculous meningitis (32)	–	–	–	–	–	1	1	1	–	–
15	Other forms of tuberculosis (33–37)	–	–	1	–	3	1	–	–	–	–
16	Cancer (43–49)	6	–	1	10	5	68	5	30	3	3
(37)	Rheumatism (51, 52)	–	–	–	1	–	1	–	–	–	–
(37)	Diabetes (57)	1	–	–	1	–	7	3	3	–	1
(37)	Alcoholism (66)	–	–	–	–	–	–	–	–	–	1
18	Cerebral hemorrhage and softening (74, 83)	3	2	1	2	10	32	8	24	1	2
(37)	Acute endocarditis (88)	–	–	–	–	–	4	–	3	–	1
(37)	Angina pectoris (89)	2	–	–	3	1	12	–	6	1	–
19	Other diseases of the heart (90)	8	–	2	13	41	102	6	45	1	6
(37)	Diseases of the arteries (91)	–	1	1	2	8	25	–	4	–	2
20, 21	Bronchitis (99)	–	–	1	1	–	–	–	1	–	–
(23)	Bronchopneumonia (100)	1	–	–	–	3	16	–	6	1	–
22	Pneumonia (101)	1	1	2	2	8	18	–	5	–	2
(23)	Other respiratory diseases (60, 61, 97, 98, 102–107)	–	–	–	1	–	1	1	–	–	–
24	Diseases of the stomach (111, 112)	–	–	–	–	–	1	–	4	–	–
25	Diarrhea and enteritis (under 2 years) (113)	1	–	–	1	–	12	–	1	–	–
26	Appendicitis (117)	–	–	1	–	–	1	–	4	–	–
27	Hernia, intestinal obstruction (118)	1	–	–	–	1	1	1	3	–	–
28	Cirrhosis of the liver (122)	1	–	–	1	–	3	–	–	–	–
29	Nephritis and Bright's disease (128, 129)	3	–	2	2	3	36	–	20	1	1
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	–	–	–	–	–	–	–	3	–	1
31	Puerperal fever (146)	–	–	–	–	–	1	–	1	–	–
32	Other puerperal affections (143–145, 147–150)	–	–	–	–	–	3	–	1	–	–
33	Congenital debility and malformations (159–161a)	1	–	–	1	–	19	–	10	–	1
34	Senility (164)	–	–	–	–	–	–	–	–	–	–
(35)	Violent deaths (excluding suicide and homicide) (175–196, 201–203)	4	1	3	1	6	28	1	14	1	–
(35)	*Burns (conflagration excepted) (179)*	–	–	–	–	–	1	–	1	–	–
(35)	*Accidental drowning (182)*	3	–	1	1	–	5	–	–	–	–
(35)	*Traumatism by fall (185)*	–	–	–	–	3	6	–	3	–	–
(35)	*Railroad accidents and injuries (188a)*	–	–	–	–	–	5	–	2	–	–
(35)	*Automobile accidents and injuries (188c)*	–	1	–	–	–	7	–	6	1	–
(35)	*All others*	1	–	2	–	3	4	1	2	–	–
36	Suicide (165–174)	–	–	1	–	2	4	–	2	–	–
(35)	Homicide (197–200)	–	–	–	1	–	2	–	–	–	–
(37)	All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163)	2	1	3	2	10	34	1	20	–	–
38	Ill-defined or unknown causes (204, 205)	–	–	1	–	–	–	–	–	–	1

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1926.

Abridged Int. List No.	Methuen.	Middleborough.	Middlefield.	Middleton.	Milford.	Millbury.	Millis.	Millville.	Milton.	Monroe.	Monson.	Montague.	Monterey.	Montgomery.	Mount Washington.	Nahant.	Nantucket.	Natick.	Needham.
	170	113	2	104	184	50	11	18	125	–	142	115	4	4	1	16	60	160	76
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	–	3	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	4	–
8	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
9	4	–	–	–	2	2	–	–	1	–	–	4	–	–	–	–	–	10	–
(12)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
(37)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	11	3	–	96	11	3	–	–	3	–	3	3	1	–	–	1	5	3	2
14	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
15	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	3	1
16	20	6	–	–	13	1	2	3	18	–	8	12	–	–	1	1	5	14	11
(37)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(37)	3	–	–	–	1	1	–	–	4	–	2	1	–	–	–	1	1	–	–
(37)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	17	9	–	–	21	3	1	–	13	–	4	13	–	3	–	2	5	21	8
(37)	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	1
(37)	9	9	–	–	3	1	–	–	2	–	2	4	–	–	–	1	2	–	4
19	21	23	1	3	17	15	4	4	27	–	25	17	1	–	–	3	9	34	15
(37)	5	13	–	1	8	1	1	–	4	–	–	1	–	–	–	1	5	2	7
20, 21	–	2	–	–	3	1	–	2	–	–	2	3	–	–	–	–	–	–	–
(23)	14	2	–	1	13	2	–	–	2	–	2	4	–	–	–	–	5	6	2
22	4	3	1	–	15	1	–	1	11	–	4	6	–	–	–	2	1	5	5
(23)	1	1	–	1	4	–	–	–	1	–	1	1	–	–	–	–	1	–	–
24	1	1	–	–	4	–	–	–	1	–	1	4	–	–	–	1	–	–	–
25	2	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	1	–
26	1	1	–	–	–	–	–	–	–	–	1	5	–	–	–	–	–	2	–
27	4	–	–	–	3	–	–	–	1	–	2	2	–	–	–	–	3	–	–
28	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	1	1	–	–
29	11	14	–	–	10	8	1	3	13	–	6	4	2	–	–	–	5	9	3
30	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–
31	1	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	1
32	3	2	–	–	3	1	–	–	–	–	–	1	–	–	–	–	1	–	–
33	9	3	–	1	13	5	–	–	4	–	–	4	–	1	–	–	4	11	2
34	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	8	7	–	1	14	–	1	–	6	–	3	11	–	–	–	–	3	12	6
(35)	1	2	–	–	5	–	–	–	1	–	–	1	–	–	–	–	–	–	–
(35)	2	–	–	–	1	–	1	–	–	–	1	2	–	–	–	–	1	1	–
(35)	3	3	–	1	3	–	–	–	–	–	2	2	–	–	–	–	–	4	4
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	1	–	–	–	2	–	–	–	5	–	–	2	–	–	–	–	2	5	2
(35)	1	2	–	–	3	–	–	–	–	–	–	4	–	–	–	–	–	2	–
36	1	1	–	–	1	–	–	–	2	–	–	2	–	–	–	1	1	2	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(37)	16	9	–	–	15	3	–	1	11	–	73	7	–	–	–	1	3	16	6
38	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from New Ashford.	New Bedford.	New Braintree.	New Marlborough.	New Salem.	Newbury.	Newburyport.	Newton.	Norfolk.	North Adams.
	All Causes.[2]	–	**1,498**	**5**	**5**	**7**	**17**	**250**	**559**	**13**	**309**
1	Typhoid fever (1)	–	1	–	–	–	–	1	3	–	–
3	Malaria (5)	–	–	–	–	–	–	–	1	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
5	Measles (7)	–	22	–	–	–	–	1	2	–	–
6	Scarlet fever (8)	–	5	–	–	–	–	1	1	–	–
7	Whooping cough (9)	–	13	–	–	–	–	1	–	–	1
8	Diphtheria and croup (10)	–	18	–	–	–	–	–	1	–	–
9	Influenza (11)	–	43	–	–	–	–	3	9	–	4
(12)	Erysipelas (21)	–	3	–	–	–	–	–	–	–	–
(37)	Poliomyelitis (22)	–	–	–	–	–	–	–	–	–	–
(12)	Other epidemic diseases (2–4, 12–20, 23, 25, 42)	–	1	–	–	–	–	2	4	–	–
17	Meningitis (24, 71)	–	4	–	–	–	–	1	3	–	–
13	Tuberculosis of the respiratory system (31)	–	96	–	–	–	–	1	16	–	9
14	Tuberculous meningitis (32)	–	18	–	–	–	–	2	1	–	1
15	Other forms of tuberculosis (33–37)	–	9	–	–	–	–	3	5	–	3
16	Cancer (43–49)	–	98	–	1	1	4	25	74	1	31
(37)	Rheumatism (51, 52)	–	3	–	–	–	–	–	1	–	1
(37)	Diabetes (57)	–	19	–	–	–	1	3	4	–	4
(37)	Alcoholism (66)	–	1	–	–	–	–	2	1	–	–
18	Cerebral hemorrhage and softening (74, 83)	–	119	1	2	1	3	30	52	3	29
(37)	Acute endocarditis (88)	–	15	–	–	–	–	1	2	–	3
(37)	Angina pectoris (89)	–	11	–	–	3	–	17	15	–	2
19	Other diseases of the heart (90)	–	244	2	–	1	5	44	130	1	52
(37)	Diseases of the arteries (91)	–	46	–	–	–	1	4	26	1	3
20, 21	Bronchitis (99)	–	14	–	–	–	–	1	1	–	1
(23)	Bronchopneumonia (100)	–	144	–	–	–	1	11	33	1	19
22	Pneumonia (101)	–	42	–	–	–	1	6	30	2	6
(23)	Other respiratory diseases (60, 61, 97, 98, 102–107)	–	12	–	–	–	–	5	9	1	5
24	Diseases of the stomach (111, 112)	–	12	–	–	–	–	2	2	–	4
25	Diarrhea and enteritis (under 2 years) (113)	–	32	–	–	–	–	–	2	–	4
26	Appendicitis (117)	–	14	–	–	–	–	2	5	–	5
27	Hernia, intestinal obstruction (118)	–	16	–	–	–	–	6	1	–	5
28	Cirrhosis of the liver (122)	–	6	–	–	–	–	1	–	–	1
29	Nephritis and Bright's disease (128, 129)	–	100	–	1	1	1	18	22	1	50
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	–	1	–	–	–	–	–	–	–	2
31	Puerperal fever (146)	–	4	–	–	–	–	–	2	–	1
32	Other puerperal affections (143–145, 147–150)	–	8	–	–	–	–	3	4	–	2
33	Congenital debility and malformations (159–161a)	–	82	–	–	–	–	10	27	1	12
34	Senility (164)	–	3	1	–	–	–	–	–	–	3
(35)	Violent deaths (excluding suicide and homicide) (175–196, 201–203)	–	58	1	1	–	–	14	24	1	17
(35)	*Burns (conflagration excepted) (179)*	–	6	–	–	–	–	1	2	–	1
(35)	*Accidental drowning (182)*	–	4	–	–	–	–	1	2	1	1
(35)	*Traumatism by fall (185)*	–	14	1	1	–	–	8	9	–	3
(35)	*Railroad accidents and injuries (188a)*	–	1	–	–	–	–	–	–	–	1
(35)	*Automobile accidents and injuries (188c)*	–	10	–	–	–	–	2	6	–	5
(35)	*All others*	–	23	–	–	–	–	2	5	–	6
36	Suicide (165–174)	–	11	–	–	–	–	1	3	–	1
(35)	Homicide (197–200)	–	2	–	–	–	–	–	–	–	–
(37)	All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163)	–	143	–	–	–	–	28	40	–	28
38	Ill-defined or unknown causes (204, 205)	–	5	–	–	–	–	–	3	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1926.

Abridged Int. List No.	North Andover.	North Attleborough.	North Brookfield.	North Reading.	NORTHAMPTON.	Northborough.	Northbridge.	Northfield.	Norton.	Norwell.	Norwood.	Oak Bluffs.	Oakham.	Orange.	Orleans.	Otis.	Oxford.	Palmer.	Paxton.
	57	102	46	33	512	27	92	19	29	27	123	45	5	61	20	4	40	110	6
1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	–	–	–	–	3	–	–	–	–	–	1	1	–	–	–	–	–	3	–
6	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	3	–
9	–	2	–	1	12	–	2	–	–	–	4	–	–	3	1	–	–	–	1
(12)	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(37)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–
13	1	4	4	13	62	–	5	–	–	–	2	1	–	1	–	–	2	6	–
14	–	–	–	–	3	–	–	–	–	–	1	1	–	–	–	–	1	–	–
15	1	1	–	–	2	1	–	–	–	1	2	–	–	–	–	–	–	1	–
16	7	9	3	4	48	4	10	2	1	2	8	7	1	9	1	–	2	6	–
(37)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(37)	–	3	–	–	9	2	2	2	1	–	1	1	–	2	–	–	1	3	–
(37)	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–
18	8	19	12	2	43	2	6	1	7	5	9	5	–	8	1	–	1	5	–
(37)	–	1	–	–	2	–	–	–	–	–	1	–	–	1	–	–	1	–	–
(37)	3	3	–	–	8	–	3	1	–	1	3	–	–	5	1	–	–	–	–
19	15	24	12	7	100	12	22	2	6	4	24	6	2	12	4	3	9	16	3
(37)	–	4	–	–	14	–	1	–	1	–	4	2	–	–	2	–	2	1	–
20, 21	–	1	–	–	2	–	1	1	–	–	1	–	–	–	–	–	–	2	–
(23)	1	1	–	2	10	–	3	2	2	2	2	1	–	2	–	–	–	4	–
22	1	3	3	–	9	1	6	1	2	2	2	2	–	7	2	–	2	2	2
(23)	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–
24	1	1	–	–	–	–	1	–	–	–	2	2	1	–	–	–	–	2	–
25	–	2	1	–	5	–	2	–	–	1	2	1	–	–	–	–	–	–	–
26	–	1	–	–	4	–	1	–	–	–	–	1	–	–	–	–	–	2	–
27	–	–	–	–	2	–	–	1	–	–	2	3	–	–	–	–	–	–	–
28	1	1	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
29	5	4	–	2	59	3	3	2	3	5	8	2	–	3	5	1	8	10	–
30	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–
31	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
32	–	–	1	–	2	–	1	–	–	–	2	1	–	–	–	–	–	1	–
33	3	7	1	–	18	–	5	–	1	–	12	1	1	6	–	–	4	12	–
34	–	–	2	–	1	–	2	–	1	1	1	1	–	–	–	–	–	–	–
(35)	4	4	–	2	21	1	5	1	2	2	14	4	–	–	1	–	1	15	–
(35)	–	–	–	–	3	–	1	–	1	–	1	–	–	–	–	–	–	1	–
(35)	–	2	–	–	3	–	2	–	–	–	1	–	–	–	1	–	–	1	–
(35)	–	–	–	1	7	–	–	–	1	–	5	1	–	–	–	–	1	4	–
(35)	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	1	–	–	3	–	–	1	–	–	7	2	–	–	–	–	–	2	–
(35)	4	1	–	–	4	1	2	–	–	2	–	1	–	–	–	–	–	7	–
36	–	–	1	–	7	–	1	–	1	–	1	–	–	–	–	–	–	–	–
(35)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(37)	4	4	5	–	50	1	9	–	–	–	11	–	–	1	2	–	5	12	–
38	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Peabody.	Pelham.	Pembroke.	Pepperell.	Peru.	Petersham.	Phillipston.	Pittsfield.	Plainfield.	Plainville.
	All Causes.[2]	**226**	**4**	**19**	**45**	**2**	**14**	**6**	**674**	**6**	**8**
1	Typhoid fever (1)	–	–	–	–	–	1	–	–	–	–
3	Malaria (5)	–	–	–	–	–	–	–	–	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
5	Measles (7)	2	–	–	–	–	–	–	1	–	–
6	Scarlet fever (8)	–	–	–	–	–	1	–	–	–	–
7	Whooping cough (9)	4	–	1	1	–	1	–	–	–	–
8	Diphtheria and croup (10)	–	–	–	–	–	–	–	2	–	–
9	Influenza (11)	–	–	–	2	–	–	–	15	–	–
(12)	Erysipelas (21)	–	–	–	–	–	–	–	2	–	–
(37)	Poliomyelitis (22)	–	–	–	–	–	–	–	2	–	–
(12)	Other epidemic diseases (2–4, 12–20, 23, 25, 42)	–	–	–	–	–	–	–	2	–	–
17	Meningitis (24, 71)	1	–	–	–	–	–	–	3	–	–
13	Tuberculosis of the respiratory system (31)	6	1	–	–	1	–	–	30	–	–
14	Tuberculous meningitis (32)	1	–	–	–	–	–	–	8	–	–
15	Other forms of tuberculosis (33–37)	1	–	–	–	–	–	–	3	–	–
16	Cancer (43–49)	17	1	1	4	–	1	2	76	–	2
(37)	Rheumatism (51, 52)	1	–	–	–	–	–	–	1	–	–
(37)	Diabetes (57)	3	1	1	1	–	1	–	13	1	–
(37)	Alcoholism (66)	1	–	–	–	–	–	–	4	–	–
18	Cerebral hemorrhage and softening (74, 83)	18	–	2	4	–	1	1	61	–	–
(37)	Acute endocarditis (88)	–	–	–	–	–	–	–	2	–	–
(37)	Angina pectoris (89)	3	1	–	2	–	–	–	6	–	–
19	Other diseases of the heart (90)	30	–	4	12	–	2	–	119	2	3
(37)	Diseases of the arteries (91)	13	–	–	1	–	1	–	13	1	–
20, 21	Bronchitis (99)	2	–	–	1	–	–	–	3	–	–
(23)	Bronchopneumonia (100)	20	–	1	1	–	1	–	16	1	–
22	Pneumonia (101)	13	–	–	–	–	1	–	44	–	2
(23)	Other respiratory diseases (60, 61, 97, 98, 102–107)	3	–	–	1	–	–	–	7	–	–
24	Diseases of the stomach (111, 112)	3	–	–	1	–	–	–	6	–	–
25	Diarrhea and enteritis (under 2 years) (113)	5	–	–	–	–	–	–	7	–	–
26	Appendicitis (117)	2	–	–	–	–	–	–	8	–	–
27	Hernia, intestinal obstruction (118)	2	–	–	–	–	–	–	7	–	–
28	Cirrhosis of the liver (122)	–	–	–	1	–	–	–	5	–	–
29	Nephritis and Bright's disease (128, 129)	9	–	2	–	–	–	1	62	1	1
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	3	–	–	–	–	–	–	7	–	–
31	Puerperal fever (146)	1	–	–	–	–	–	–	1	–	–
32	Other puerperal affections (143–145, 147–150)	4	–	–	–	–	–	–	4	–	–
33	Congenital debility and malformations (159–161a)	11	–	1	–	1	1	–	31	–	–
34	Senility (164)	–	–	–	–	–	–	–	1	–	–
(35)	Violent deaths (excluding suicide and homicide) (175–196, 201–203)	17	–	4	5	–	–	2	33	–	–
(35)	*Burns (conflagration excepted) (179)*	2	–	–	1	–	–	–	2	–	–
(35)	*Accidental drowning (182)*	1	–	3	–	–	–	–	–	–	–
(35)	*Traumatism by fall (185)*	3	–	1	–	–	–	–	13	–	–
(35)	*Railroad accidents and injuries (188a)*	1	–	–	–	–	–	–	1	–	–
(35)	*Automobile accidents and injuries (188c)*	6	–	–	–	–	–	2	9	–	–
(35)	*All others*	4	–	–	4	–	–	–	8	–	–
36	Suicide (165–174)	4	–	1	1	–	–	–	10	–	–
(35)	Homicide (197–200)	2	–	–	–	–	–	–	2	–	–
(37)	All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163)	24	–	–	7	–	2	–	57	–	–
38	Ill-defined or unknown causes (204, 205)	–	–	1	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1926.

Abridged Int. List No.	Plymouth.	Plympton.	Prescott.	Princeton.	Provincetown.	QUINCY.	Randolph.	Raynham.	Reading.	Rehoboth.	REVERE.	Richmond.	Rochester.	Rockland.	Rockport.	Rowe.	Rowley.	Royalston.	Russell.
	173	11	4	9	55	536	70	28	72	27	202	3	20	89	62	3	15	9	12
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	2	–	–	–	–	1	–	1	1	1	–	–	–	1	–	–	–	–	–
6	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
7	2	–	–	–	–	3	1	1	4	1	3	–	1	–	2	–	–	–	–
8	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
9	13	–	–	–	2	9	–	–	–	1	2	–	–	3	1	–	–	1	–
(12)	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
(37)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
17	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
13	4	1	1	–	4	25	3	1	3	1	4	–	1	3	7	–	–	1	–
14	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
15	3	–	–	–	–	3	–	–	–	–	–	–	–	1	–	–	–	–	–
16	19	–	–	–	10	56	14	6	17	4	25	–	–	5	5	–	1	–	2
(37)	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
(37)	7	–	1	–	2	6	–	–	1	–	3	–	–	6	–	–	–	2	–
(37)	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	13	3	–	–	3	44	8	2	3	2	25	–	4	10	4	1	2	2	–
(37)	1	–	–	–	1	1	–	–	2	–	2	–	–	1	–	–	1	–	–
(37)	7	–	–	1	1	2	1	2	3	1	3	–	1	2	–	–	1	–	–
19	27	3	2	3	13	118	12	8	13	6	50	–	1	20	18	1	4	1	4
(37)	3	2	–	–	3	11	8	2	1	1	5	–	3	14	10	–	–	–	–
20, 21	1	–	–	–	–	2	1	–	–	–	2	–	–	–	–	–	–	–	–
(23)	3	1	–	–	3	22	3	2	4	3	18	1	2	5	1	–	1	–	–
22	4	–	–	–	3	29	3	–	4	1	13	–	1	3	2	–	1	–	–
(23)	–	–	–	–	–	1	1	–	1	1	1	–	–	–	–	–	–	1	–
24	1	–	–	–	1	5	1	–	–	–	1	–	–	–	1	–	–	–	–
25	–	–	–	–	1	4	–	–	–	2	2	–	1	–	–	–	–	–	–
26	1	–	–	–	–	11	–	–	–	–	–	–	–	1	–	–	–	–	–
27	3	–	–	1	–	3	–	–	–	–	1	–	–	–	1	–	–	–	–
28	1	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
29	15	–	–	2	3	46	2	–	5	–	11	–	1	3	3	–	3	–	1
30	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
31	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
32	3	–	–	–	–	5	–	–	–	–	1	–	–	–	1	–	–	–	–
33	3	–	–	1	1	22	1	–	1	1	5	–	1	2	–	–	–	–	1
34	4	–	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–
(35)	13	1	–	1	3	33	–	1	2	1	8	2	1	–	2	–	1	1	2
(35)	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	3	–	–	–	2	4	–	–	–	–	1	1	1	–	2	–	–	1	–
(35)	1	–	–	1	1	3	–	–	–	1	1	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
(35)	5	–	–	–	–	9	–	–	–	–	3	–	–	–	–	–	1	–	1
(35)	4	1	–	–	–	12	–	1	1	–	3	1	–	–	–	–	–	–	1
36	–	–	–	–	–	6	–	–	–	–	1	–	–	2	–	–	–	–	–
(35)	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
(37)	14	–	–	–	–	52	7	1	6	–	11	–	2	5	4	1	–	–	1
38	–	–	–	–	1	1	–	–	–	–	–	–	–	2	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Rutland.	Salem.	Salisbury.	Sandisfield.	Sandwich.	Saugus.	Savoy.	Scituate.	Seekonk.	Sharon.
	All Causes.[2]	**229**	**588**	**29**	**6**	**19**	**110**	**4**	**54**	**49**	**60**
1	Typhoid fever (1)	–	–	–	–	–	–	–	–	–	–
3	Malaria (5)	–	–	–	–	–	–	–	–	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
5	Measles (7)	–	3	–	–	–	6	–	–	–	1
6	Scarlet fever (8)	–	–	–	–	–	–	–	1	–	–
7	Whooping cough (9)	–	5	1	–	–	1	–	1	–	1
8	Diphtheria and croup (10)	–	14	–	–	–	–	–	–	–	–
9	Influenza (11)	–	15	–	–	–	2	1	–	1	–
(12)	Erysipelas (21)	–	–	–	–	–	1	–	–	–	–
(37)	Poliomyelitis (22)	–	–	–	–	–	–	–	–	–	–
(12)	Other epidemic diseases (2–4, 12–20, 23, 25, 42)	–	3	–	–	–	–	–	–	–	–
17	Meningitis (24, 71)	–	3	–	–	–	2	–	–	–	–
13	Tuberculosis of the respiratory system (31)	198	10	1	–	–	3	–	2	2	17
14	Tuberculous meningitis (32)	1	1	–	–	–	–	–	–	–	1
15	Other forms of tuberculosis (33–37)	3	6	1	–	–	–	–	–	–	–
16	Cancer (43–49)	5	64	5	1	2	12	1	7	5	8
(37)	Rheumatism (51, 52)	–	2	1	–	–	–	–	–	–	–
(37)	Diabetes (57)	1	8	–	–	–	1	–	2	1	1
(37)	Alcoholism (66)	–	4	–	1	–	–	–	–	–	–
18	Cerebral hemorrhage and softening (74, 83)	1	41	3	–	1	8	1	6	5	8
(37)	Acute endocarditis (88)	–	7	–	–	–	–	–	–	–	–
(37)	Angina pectoris (89)	–	5	–	–	1	3	–	1	–	–
19	Other diseases of the heart (90)	4	144	4	2	1	16	–	10	3	16
(37)	Diseases of the arteries (91)	2	15	1	–	–	5	–	–	5	–
20, 21	Bronchitis (99)	–	4	–	–	–	1	–	1	–	1
(23)	Bronchopneumonia (100)	2	38	1	1	2	7	–	1	5	1
22	Pneumonia (101)	3	23	–	–	2	5	–	2	2	1
(23)	Other respiratory diseases (60, 61, 97, 98, 102–107)	1	4	–	–	1	1	–	1	–	–
24	Diseases of the stomach (111, 112)	–	6	–	–	–	1	–	–	1	–
25	Diarrhea and enteritis (under 2 years) (113)	–	5	–	–	–	4	–	–	–	–
26	Appendicitis (117)	–	8	–	–	–	–	–	–	–	–
27	Hernia, intestinal obstruction (118)	–	5	–	–	–	–	–	–	1	–
28	Cirrhosis of the liver (122)	–	2	–	–	–	–	–	–	1	–
29	Nephritis and Bright's disease (128, 129)	1	21	5	1	2	10	–	7	4	3
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	–	1	–	–	–	–	–	–	–	–
31	Puerperal fever (146)	–	1	–	–	–	–	–	–	–	–
32	Other puerperal affections (143–145, 147–150)	–	4	–	–	–	–	–	–	–	–
33	Congenital debility and malformations (159–161a)	1	30	–	–	–	7	–	3	5	–
34	Senility (164)	–	–	–	–	–	–	–	1	1	–
(35)	Violent deaths (excluding suicide and homicide) (175–196, 201–203)	2	30	5	–	5	6	–	4	3	–
(35)	*Burns (conflagration excepted) (179)*	–	5	–	–	–	–	–	–	1	–
(35)	*Accidental drowning (182)*	–	1	1	–	1	2	–	3	–	–
(35)	*Traumatism by fall (185)*	1	8	1	–	1	–	–	1	–	–
(35)	*Railroad accidents and injuries (188a)*	–	–	–	–	–	–	–	–	–	–
(35)	*Automobile accidents and injuries (188c)*	–	7	1	–	1	1	–	–	2	–
(35)	*All others*	1	9	2	–	2	3	–	–	–	–
36	Suicide (165–174)	1	3	–	–	–	1	–	–	2	–
(35)	Homicide (197–200)	–	–	–	–	–	–	–	–	1	–
(37)	All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163)	3	52	1	–	2	7	1	3	–	1
38	Ill-defined or unknown causes (204, 205)	–	1	–	–	–	–	–	1	1	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1926.

Abridged Int. List No.	Sheffield.	Shelburne.	Sherborn.	Shirley.	Shrewsbury.	Shutesbury.	Somerset.	SOMERVILLE.	South Hadley.	Southampton.	Southborough.	Southbridge.	Southwick.	Spencer.	SPRINGFIELD.	Sterling.	Stockbridge.	Stoneham.	Stoughton.
	22	15	11	19	45	4	52	1,085	41	13	16	135	14	74	1,822	12	18	110	75
1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	–	–	–	–	–	–	3	8	1	–	–	4	–	–	30	–	–	–	1
6	–	–	–	–	–	–	–	4	–	–	–	–	–	–	3	–	–	–	–
7	–	–	–	–	1	–	1	4	–	–	–	–	–	–	10	–	–	2	–
8	–	–	–	–	2	–	–	10	–	–	–	–	–	1	6	–	–	–	–
9	–	2	–	1	2	–	–	20	–	–	–	4	–	1	25	–	1	1	1
(12)	–	–	–	1	–	–	–	3	–	–	–	–	–	–	3	–	–	–	1
(37)	–	–	–	–	–	–	–	1	–	–	–	2	–	–	4	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–
17	–	–	–	–	–	–	1	1	–	–	–	1	–	–	5	–	–	–	–
13	–	–	2	–	2	–	2	33	1	–	–	5	–	2	72	1	–	4	3
14	–	–	–	–	1	–	–	–	–	–	–	–	–	–	11	–	–	1	–
15	–	–	–	–	–	–	–	3	1	–	–	–	–	–	11	–	–	–	1
16	1	2	–	1	6	–	4	106	3	1	2	17	3	8	178	–	2	13	8
(37)	–	–	–	–	–	–	–	2	–	–	1	–	–	–	4	–	–	1	–
(37)	–	–	–	–	–	–	1	16	1	–	–	2	–	2	29	–	–	4	3
(37)	–	–	–	–	–	–	–	3	–	–	–	1	–	–	8	–	–	–	–
18	4	1	1	–	4	–	2	96	4	2	2	18	3	8	152	3	1	14	9
(37)	–	–	–	–	1	–	–	8	2	–	–	1	–	–	8	–	–	–	3
(37)	–	–	1	1	–	–	3	14	2	–	–	6	–	4	42	–	–	4	–
19	3	3	4	2	5	1	3	215	11	3	5	20	1	22	294	1	3	28	16
(37)	–	–	1	3	5	–	8	102	1	–	1	3	–	4	19	–	2	5	–
20, 21	–	–	–	–	–	–	–	6	1	–	–	2	–	–	5	–	–	1	2
(23)	1	1	–	2	6	–	2	56	2	–	1	5	2	2	78	–	2	3	4
22	2	–	–	–	–	–	1	51	2	–	–	9	1	3	69	2	–	7	6
(23)	–	–	–	1	–	–	–	4	–	–	–	1	–	–	9	–	–	–	1
24	–	–	–	–	–	–	–	8	–	–	–	1	–	–	18	–	–	–	2
25	–	–	–	1	–	–	2	15	2	–	–	2	1	1	13	–	1	–	–
26	–	–	–	–	–	–	–	4	–	–	–	–	–	–	30	–	–	–	–
27	–	–	–	–	–	–	1	4	–	–	–	–	–	1	16	–	–	–	1
28	–	–	–	–	–	–	1	3	–	1	–	–	–	–	5	–	–	–	1
29	4	1	–	2	3	–	6	83	2	4	1	13	2	4	187	3	1	9	4
30	–	–	–	–	–	–	–	5	–	–	–	1	–	–	4	–	–	1	–
31	–	–	–	–	–	–	–	2	–	–	–	2	–	1	8	–	–	–	–
32	–	–	–	–	–	–	–	8	–	–	–	–	–	1	14	–	–	–	1
33	–	1	–	–	1	2	3	54	2	–	1	6	1	4	109	1	1	3	1
34	–	1	–	–	–	–	–	2	–	1	–	–	–	–	2	–	–	1	–
(35)	4	–	1	1	4	1	2	48	1	1	1	3	–	1	109	1	3	3	2
(35)	2	–	–	–	–	–	–	5	–	–	–	–	–	–	4	–	–	–	–
(35)	–	–	–	1	2	–	–	2	–	1	1	–	–	–	5	–	1	–	–
(35)	1	–	–	–	1	1	1	11	1	–	–	–	–	–	26	–	–	1	1
(35)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	5	1	1	–	–
(35)	–	–	–	–	–	–	–	14	–	–	–	2	–	–	37	–	1	1	1
(35)	1	–	1	–	1	–	1	14	–	–	–	1	–	1	32	–	–	1	–
36	1	–	–	–	1	–	–	10	1	–	–	–	–	–	17	–	1	–	1
(35)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
(37)	1	3	1	2	1	–	6	72	1	–	1	5	–	4	207	–	–	5	3
38	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Stow.	Sturbridge.	Sudbury.	Sunderland.	Sutton.	Swampscott.	Swansea.	Taunton.	Templeton.	Tewksbury.
	All Causes.[2]	**10**	**23**	**9**	**8**	**20**	**90**	**27**	**639**	**43**	**26**
1	Typhoid fever (1)	–	–	–	–	–	1	–	–	–	–
3	Malaria (5)	–	–	–	–	–	–	–	–	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
5	Measles (7)	–	–	–	–	–	–	–	8	2	–
6	Scarlet fever (8)	–	–	–	–	–	1	–	–	–	–
7	Whooping cough (9)	–	–	–	1	1	–	1	7	–	–
8	Diphtheria and croup (10)	–	–	–	–	–	–	–	1	–	–
9	Influenza (11)	–	–	–	–	1	–	–	14	3	–
(12)	Erysipelas (21)	–	–	–	–	–	–	–	2	–	–
(37)	Poliomyelitis (22)	–	–	–	–	–	–	–	–	–	–
(12)	Other epidemic diseases (2–4, 12–20, 23, 25, 42)	–	–	–	–	–	–	–	–	–	–
17	Meningitis (24, 71)	–	–	–	–	1	–	–	1	–	–
13	Tuberculosis of the respiratory system (31)	1	–	–	1	1	5	1	30	–	–
14	Tuberculous meningitis (32)	–	1	–	–	–	–	–	2	–	–
15	Other forms of tuberculosis (33–37)	–	–	–	–	–	1	–	2	–	–
16	Cancer (43–49)	2	3	4	1	4	10	4	56	2	2
(37)	Rheumatism (51, 52)	–	–	–	–	–	–	–	3	–	–
(37)	Diabetes (57)	–	–	–	–	–	1	2	5	–	–
(37)	Alcoholism (66)	–	–	–	–	–	–	–	1	–	–
18	Cerebral hemorrhage and softening (74, 83)	3	3	1	–	2	12	2	51	9	5
(37)	Acute endocarditis (88)	–	–	–	–	1	–	–	1	1	–
(37)	Angina pectoris (89)	–	–	1	–	–	3	1	6	–	–
19	Other diseases of the heart (90)	1	5	–	1	2	17	5	119	5	8
(37)	Diseases of the arteries (91)	–	3	–	–	1	8	1	48	3	2
20, 21	Bronchitis (99)	–	–	–	–	–	–	–	4	2	–
(23)	Bronchopneumonia (100)	–	2	–	2	2	3	1	45	2	1
22	Pneumonia (101)	–	–	–	2	–	–	1	37	4	–
(23)	Other respiratory diseases (60, 61, 97, 98, 102–107)	–	–	–	–	–	–	–	2	–	–
24	Diseases of the stomach (111, 112)	–	–	–	–	–	–	–	2	–	–
25	Diarrhea and enteritis (under 2 years) (113)	–	–	–	–	1	–	–	11	1	–
26	Appendicitis (117)	–	–	–	–	–	–	–	3	–	–
27	Hernia, intestinal obstruction (118)	–	–	–	–	–	–	–	4	–	–
28	Cirrhosis of the liver (122)	–	–	–	–	–	–	–	2	–	–
29	Nephritis and Bright's disease (128, 129)	–	2	2	–	2	12	2	33	3	1
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	–	–	–	–	–	1	–	–	–	–
31	Puerperal fever (146)	–	–	–	–	–	–	–	–	–	–
32	Other puerperal affections (143–145, 147–150)	–	–	–	–	–	–	–	5	–	–
33	Congenital debility and malformations (159–161a)	–	1	–	–	–	5	1	22	–	3
34	Senility (164)	–	–	–	–	–	–	–	–	–	–
(35)	Violent deaths (excluding suicide and homicide) (175–196, 201–203)	1	1	–	–	1	–	1	29	–	3
(35)	*Burns (conflagration excepted) (179)*	–	–	–	–	–	–	–	4	–	–
(35)	*Accidental drowning (182)*	–	–	–	–	–	–	–	3	–	–
(35)	*Traumatism by fall (185)*	–	1	–	–	–	–	–	7	–	1
(35)	*Railroad accidents and injuries (188a)*	–	–	–	–	–	–	–	1	–	–
(35)	*Automobile accidents and injuries (188c)*	1	–	–	–	–	–	–	8	–	1
(35)	*All others*	–	–	–	–	1	–	1	6	–	1
36	Suicide (165–174)	1	–	–	–	–	2	–	2	–	1
(35)	Homicide (197–200)	–	–	–	–	–	–	–	–	–	–
(37)	All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163)	1	2	–	–	–	8	4	81	6	–
38	Ill-defined or unknown causes (204, 205)	–	–	1	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1926.

Abridged Int. List No.	State Infirmary.	Tisbury.	Tolland.	Topsfield.	Townsend.	Truro.	Tyngsborough.	Tyringham.	Upton.	Uxbridge.	Wakefield.	Wales.	Walpole.	WALTHAM.	Ware.	Wareham.	Warren.	Warwick.	Washington.
	520	29	4	14	26	11	10	2	16	59	128	7	51	407	110	65	26	4	1
1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
6	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–
7	1	–	–	–	–	–	–	–	–	–	1	–	3	7	–	–	–	–	–
8	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
9	2	–	–	–	–	–	1	–	–	3	2	–	–	5	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(37)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
17	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–
13	85	3	–	–	1	1	1	–	–	4	7	–	1	12	4	6	–	–	–
14	–	–	–	–	–	–	–	–	–	1	1	–	–	6	2	–	–	–	–
15	3	1	–	–	–	–	–	–	–	–	1	–	–	3	–	1	–	–	–
16	79	2	1	2	–	1	2	–	4	11	11	1	2	38	7	9	4	–	–
(37)	4	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–
(37)	–	–	–	–	1	1	–	–	–	1	2	–	–	3	–	1	–	–	–
(37)	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
18	21	2	1	1	4	1	–	–	2	7	23	1	6	35	8	7	5	–	–
(37)	1	1	–	–	1	–	–	–	–	–	1	–	1	4	1	1	–	–	–
(37)	7	–	–	3	–	–	1	–	–	1	1	–	1	11	2	–	–	–	–
19	65	4	1	4	8	2	1	1	1	8	18	3	14	64	19	15	6	3	–
(37)	126	2	–	–	1	1	–	–	3	2	5	–	2	7	4	2	3	–	–
20, 21	–	1	–	–	–	–	–	–	–	1	2	–	–	1	2	–	–	–	–
(23)	4	1	–	–	–	–	1	–	2	–	6	2	2	23	6	3	1	–	–
22	22	2	–	–	2	1	1	–	–	4	7	–	1	27	6	1	3	–	–
(23)	5	1	–	–	–	–	–	–	–	1	2	–	1	6	–	–	–	–	–
24	–	–	1	–	1	–	–	–	–	–	–	–	1	2	4	–	–	–	–
25	5	–	–	–	–	–	–	–	–	2	–	–	–	9	2	1	–	–	–
26	–	1	–	–	–	–	–	–	–	–	–	–	–	7	1	–	–	–	–
27	1	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	–	–
28	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
29	11	1	–	3	1	–	1	–	2	5	10	–	3	23	9	1	2	–	–
30	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–
33	11	1	–	1	1	–	–	–	–	4	9	–	1	22	8	3	–	–	–
34	–	–	–	–	–	–	–	–	–	1	3	–	–	5	–	–	–	–	–
(35)	7	3	–	–	1	3	–	–	1	1	5	–	3	19	3	2	1	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	6	1	1	–	–	–
(35)	–	1	–	–	–	1	–	–	–	–	–	–	2	–	–	1	1	–	–
(35)	3	–	–	–	1	1	–	–	–	–	2	–	1	4	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(35)	2	–	–	–	–	–	–	–	1	–	1	–	–	3	1	–	–	–	–
(35)	2	2	–	–	–	1	–	–	–	1	2	–	–	5	1	–	–	–	–
36	1	–	–	–	–	–	1	–	–	1	1	–	–	7	2	1	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
(37)	57	1	–	–	3	–	–	1	1	–	7	–	8	36	14	8	1	–	1
38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Watertown.	Wayland.	Webster.	Wellesley.	Wellfleet.	Wendell.	Wenham.	West Boylston.	West Bridgewater.	West Brookfield.
	All Causes.[2]	**202**	**24**	**111**	**69**	**20**	**7**	**9**	**18**	**27**	**21**
1	Typhoid fever (1)	–	–	–	–	–	–	–	–	–	–
3	Malaria (5)	–	–	–	–	–	–	–	–	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
5	Measles (7)	–	–	3	–	–	–	–	1	–	–
6	Scarlet fever (8)	1	–	–	–	–	–	–	–	–	–
7	Whooping cough (9)	–	2	–	1	–	–	–	–	–	–
8	Diphtheria and croup (10)	–	–	–	–	–	–	–	–	–	–
9	Influenza (11)	2	2	1	3	–	1	–	1	–	–
(12)	Erysipelas (21)	–	–	–	–	–	–	–	–	1	–
(37)	Poliomyelitis (22)	–	–	–	–	–	–	–	–	–	–
(12)	Other epidemic diseases (2–4, 12–20, 23, 25, 42)	1	–	–	1	–	–	–	–	–	–
17	Meningitis (24, 71)	–	–	–	–	–	–	–	–	–	–
13	Tuberculosis of the respiratory system (31)	5	2	6	1	–	–	–	–	–	–
14	Tuberculous meningitis (32)	1	–	–	–	–	–	–	–	–	1
15	Other forms of tuberculosis (33–37)	1	–	–	–	–	–	–	–	–	–
16	Cancer (43–49)	19	–	18	5	4	1	2	–	–	2
(37)	Rheumatism (51, 52)	–	–	–	–	–	–	–	–	–	–
(37)	Diabetes (57)	3	–	2	–	–	–	–	–	–	1
(37)	Alcoholism (66)	–	–	2	1	–	–	–	–	1	–
18	Cerebral hemorrhage and softening (74, 83)	22	3	13	14	3	–	1	1	–	2
(37)	Acute endocarditis (88)	3	2	–	1	–	–	–	–	–	–
(37)	Angina pectoris (89)	–	1	1	3	–	–	–	–	1	–
19	Other diseases of the heart (90)	40	4	17	12	4	2	2	6	6	9
(37)	Diseases of the arteries (91)	16	–	3	–	2	–	–	–	4	–
20, 21	Bronchitis (99)	1	–	1	1	–	–	–	1	1	–
(23)	Bronchopneumonia (100)	11	1	5	2	1	–	–	–	5	–
22	Pneumonia (101)	15	–	7	6	2	–	1	–	1	–
(23)	Other respiratory diseases (60, 61, 97, 98, 102–107)	2	–	–	–	–	–	–	–	–	–
24	Diseases of the stomach (111, 112)	–	–	–	–	–	–	–	–	1	–
25	Diarrhea and enteritis (under 2 years) (113)	–	–	–	–	–	–	–	1	–	–
26	Appendicitis (117)	–	–	–	–	–	–	–	1	–	–
27	Hernia, intestinal obstruction (118)	–	–	–	–	–	–	–	–	–	1
28	Cirrhosis of the liver (122)	2	–	1	–	–	–	–	–	1	–
29	Nephritis and Bright's disease (128, 129)	21	2	6	6	1	–	2	1	3	2
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	–	–	–	–	–	–	–	–	–	–
31	Puerperal fever (146)	–	–	–	–	–	–	–	–	–	–
32	Other puerperal affections (143–145, 147–150)	1	–	–	–	–	–	–	–	–	–
33	Congenital debility and malformations (159–161a)	6	–	3	2	–	2	1	–	–	–
34	Senility (164)	–	–	–	–	–	–	–	–	–	–
(35)	Violent deaths (excluding suicide and homicide) (175–196, 201–203)	5	3	7	4	–	1	–	1	–	1
(35)	*Burns (conflagration excepted) (179)*	–	–	–	–	–	–	–	–	–	–
(35)	*Accidental drowning (182)*	–	2	1	–	–	–	–	–	–	–
(35)	*Traumatism by fall (185)*	2	–	2	1	–	–	–	–	–	1
(35)	*Railroad accidents and injuries (188a)*	–	–	1	–	–	1	–	–	–	–
(35)	*Automobile accidents and injuries (188c)*	1	–	1	2	–	–	–	1	–	–
(35)	*All others*	2	1	2	1	–	–	–	–	–	–
36	Suicide (165–174)	4	1	2	–	–	–	–	–	–	2
(35)	Homicide (197–200)	–	–	–	–	–	–	–	–	–	–
(37)	All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163)	20	1	13	6	3	–	–	4	2	–
38	Ill-defined or unknown causes (204, 205)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1926.

Abridged Int. List No.	West Newbury.	West Springfield.	West Stockbridge.	West Tisbury.	Westborough.	WESTFIELD.	Westford.	Westhampton.	Westminster.	Weston.	Westport.	Westwood.	Weymouth.	Whately.	Whitman.	Wilbraham.	Williamsburg.	Williamstown.	Wilmington.
	14	122	7	7	231	222	31	3	19	25	68	21	197	5	78	26	10	33	44
1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	–	1	–	–	–	4	1	–	1	1	2	–	–	–	–	1	–	–	–
6	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
7	–	1	–	–	3	3	–	–	–	–	3	–	–	–	1	–	1	1	–
8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	–	5	–	–	5	1	–	–	1	2	2	–	3	–	–	2	–	3	2
(12)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	1
(37)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
(12)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
17	–	–	–	–	2	2	–	–	–	–	–	–	1	–	–	–	–	1	–
13	–	1	–	–	9	15	–	–	–	1	4	–	6	–	2	2	1	–	4
14	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
15	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–
16	2	5	1	1	6	20	2	–	3	1	5	3	17	–	10	1	–	4	4
(37)	–	3	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
(37)	–	1	–	–	1	5	–	–	–	1	1	–	2	–	2	–	1	2	–
(37)	–	1	1	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–
18	1	11	3	–	12	20	–	–	2	4	8	4	22	–	8	–	3	3	7
(37)	–	1	–	–	–	4	–	–	–	–	1	–	2	–	–	–	–	1	–
(37)	1	3	–	–	–	2	–	–	1	1	1	–	7	–	2	1	–	–	–
19	3	28	1	–	49	27	14	2	7	7	16	4	46	1	24	5	1	8	7
(37)	2	4	–	1	43	5	–	–	1	–	1	2	2	–	9	1	–	1	–
20, 21	–	1	–	–	–	2	–	–	–	–	2	–	1	–	–	–	–	–	–
(23)	–	4	–	–	24	11	–	–	–	2	4	1	5	–	2	5	–	1	4
22	2	10	–	–	12	13	3	–	–	1	1	–	9	3	4	–	–	1	–
(23)	–	–	–	–	2	1	–	–	–	–	1	1	–	–	–	–	–	–	1
24	–	2	–	–	1	1	–	–	–	–	–	–	5	–	–	–	–	–	–
25	–	1	–	–	–	1	1	–	–	–	2	–	3	–	–	2	–	–	3
26	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–
27	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–
28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
29	3	18	–	2	21	28	2	–	2	1	5	–	23	–	5	–	2	1	3
30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
32	–	1	1	–	–	2	2	–	–	–	–	–	3	–	–	–	–	–	–
33	–	2	–	–	3	8	3	–	–	1	4	–	7	1	1	2	–	3	–
34	–	–	–	1	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	5	–	–	6	18	3	–	1	1	2	2	12	–	3	–	–	–	5
(35)	–	1	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
(35)	–	1	–	–	1	1	1	–	–	1	–	–	1	–	–	–	–	–	2
(35)	–	–	–	–	2	4	–	–	–	–	–	1	1	–	1	–	–	–	–
(35)	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	2	4	–	–	–	–	1	–	3	–	–	–	–	–	–
(35)	–	3	–	–	1	5	–	–	–	–	1	1	7	–	2	–	–	–	3
36	–	3	–	1	2	1	–	–	–	–	1	1	1	–	–	–	–	–	–
(35)	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(37)	–	8	–	1	28	14	–	1	–	1	2	2	9	–	3	2	–	3	3
38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Important Causes in Each Municipality: 1926. Winchendon.	Winchester.	Windsor.	Winthrop.	Woburn.	Worcester.	Worthington.	Wrentham.	Yarmouth.
	All Causes.[2]	**103**	**163**	**1**	**157**	**218**	**2,702**	**1**	**37**	**24**
1	Typhoid fever (1)	–	–	–	–	–	1	–	–	–
3	Malaria (5)	–	–	–	–	–	–	–	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–
5	Measles (7)	–	–	–	1	–	17	–	1	–
6	Scarlet fever (8)	1	1	–	1	–	4	–	–	–
7	Whooping cough (9)	–	1	–	–	1	11	–	–	–
8	Diphtheria and croup (10)	1	1	–	–	2	17	–	–	–
9	Influenza (11)	2	–	–	–	13	19	–	4	1
(12)	Erysipelas (21)	–	–	–	–	–	5	–	–	–
(37)	Poliomyelitis (22)	–	–	–	–	1	7	–	–	–
(12)	Other epidemic diseases (2–4, 12–20, 23, 25, 42)	–	–	–	–	–	4	–	1	–
17	Meningitis (24, 71)	–	1	–	–	–	12	–	–	–
13	Tuberculosis of the respiratory system (31)	2	7	–	–	7	130	–	5	1
14	Tuberculous meningitis (32)	1	2	–	–	1	19	–	–	–
15	Other forms of tuberculosis (33–37)	–	–	–	1	2	17	–	1	–
16	Cancer (43–49)	13	19	–	18	23	272	1	6	3
(37)	Rheumatism (51, 52)	–	–	–	–	–	5	–	–	–
(37)	Diabetes (57)	1	3	–	5	5	41	–	–	–
(37)	Alcoholism (66)	1	–	–	–	–	4	–	–	–
18	Cerebral hemorrhage and softening (74, 83)	7	13	–	17	34	185	–	–	–
(37)	Acute endocarditis (88)	1	1	–	3	2	14	–	–	–
(37)	Angina pectoris (89)	–	6	–	3	3	28	–	1	–
19	Other diseases of the heart (90)	14	24	–	26	21	418	–	9	6
(37)	Diseases of the arteries (91)	7	6	–	3	11	73	–	–	1
20, 21	Bronchitis (99)	1	2	–	–	2	17	–	–	–
(23)	Bronchopneumonia (100)	2	8	–	7	8	171	–	2	–
22	Pneumonia (101)	8	5	1	6	7	157	–	2	1
(23)	Other respiratory diseases (60, 61, 97, 98, 102–107)	–	–	–	–	3	17	–	–	–
24	Diseases of the stomach (111, 112)	1	1	–	5	2	12	–	–	2
25	Diarrhea and enteritis (under 2 years) (113)	3	–	–	–	1	30	–	–	–
26	Appendicitis (117)	–	1	–	2	–	33	–	–	–
27	Hernia, intestinal obstruction (118)	1	2	–	–	2	31	–	–	–
28	Cirrhosis of the liver (122)	1	–	–	2	–	10	–	–	–
29	Nephritis and Bright's disease (128, 129)	8	4	–	26	17	287	–	1	2
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	–	–	–	–	–	20	–	–	–
31	Puerperal fever (146)	1	1	–	–	1	14	–	–	–
32	Other puerperal affections (143–145, 147–150)	2	3	–	2	2	24	–	–	–
33	Congenital debility and malformations (159–161a)	7	12	–	6	14	139	–	–	1
34	Senility (164)	–	–	–	–	1	4	–	1	–
(35)	Violent deaths (excluding suicide and homicide) (175–196, 201–203)	7	14	–	11	18	138	–	1	–
(35)	*Burns (conflagration excepted) (179)*	4	2	–	–	1	10	–	–	–
(35)	*Accidental drowning (182)*	–	1	–	–	–	6	–	1	–
(35)	*Traumatism by fall (185)*	1	4	–	5	6	38	–	–	–
(35)	*Railroad accidents and injuries (188a)*	1	2	–	–	1	8	–	–	–
(35)	*Automobile accidents and injuries (188c)*	–	5	–	2	7	32	–	–	–
(35)	*All others*	1	–	–	4	3	44	–	–	–
36	Suicide (165–174)	1	3	–	2	1	23	–	–	–
(35)	Homicide (197–200)	–	1	–	–	–	2	–	–	–
(37)	All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163)	9	21	–	10	13	270	–	2	3
38	Ill-defined or unknown causes (204, 205)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.
[2] Exclusive of stillbirths.

Table 16

Years.	Deaths from Important Causes: 1900 to 1926.									
	All causes.	Typhoid fever.* 1	Smallpox.* 6	Measles.* 7	Scarlet fever.* 8	Diphtheria.* 10	Tuberculosis of the respiratory system.* 31	Cancer. 43-49	Alcoholism. 66	Nephritis, Bright's disease, etc. 128, 129 131
1900 . .	51,156	632	3	330	330	1,475	5,199	1,998	226	2,259
1901 . .	48,275	561	97	173	385	1,166	5,033	2,080	179	2,356
1902 . .	47,491	538	284	333	313	873	4,685	2,141	171	2,341
1903 . .	49,054	527	22	247	510	869	4,531	2,243	195	2,656
1904 . .	48,482	463	9	160	138	699	4,874	2,421	162	2,610
1905 . .	50,486	520	2	177	117	652	4,702	2,501	184	2,589
1906 . .	50,624	477	–	208	135	743	4,608	2,603	161	2,593
1907 . .	54,234	389	6	163	285	752	4,771	2,744	218	2,833
1908 . .	51,788	517	3	331	369	747	4,445	2,814	114	2,631
1909 . .	51,236	390	1	157	259	594	4,393	2,871	174	2,905
1910 . .	54,407	411	–	240	254	679	4,503	3,028	224	3,061
1911 . .	53,062	302	2	158	184	563	4,418	3,199	210	3,567
1912 . .	52,400	269	1	286	118	473	4,212	3,282	197	2,980
1913 . .	53,402	280	–	315	293	628	4,180	3,526	336	3,356
1914 . .	52,978	268	–	149	246	652	4,171	3,586	299	3,420
1915 . .	53,131	246	9	149	182	720	4,194	3,708	186	3,530
1916 . .	56,366	172	–	392	127	629	4,467	3,990	212	3,593
1917 . .	56,628	178	10	371	120	838	4,559	4,057	210	3,591
1918 . .	78,842	160	–	532	78	608	5,078	4,098	111	4,008
1919 . .	52,345	107	2	183	122	593	4,145	4,112	68	3,743
1920 . .	53,632	95	2	352	214	591	3,645	4,494	59	3,644
1921 . .	47,780	119	–	179	191	607	3,272	4,645	97	3,250
1922 . .	51,115	86	–	218	149	606	3,167	4,650	238	3,268
1923 . .	52,380	70	–	321	155	579	3,062	4,775	283	3,466
1924 . .	49,466	68	2	165	158	534	2,953	5,074	287	3,345
1925 . .	51,890	73	–	337	117	333	2,883	5,196	300	3,153
1926 . .	52,888	61	–	367	117	249	2,961	5,341	285	4,005

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Number of Deaths.[2] 1926.	1925.	1924.	1923.	1922.	1921.	1920.
	All Causes.[2]	**52,888**	**51,890**	**49,466**	**52,380**	**51,115**	**47,780**	**53,632**
I.	Epidemic, endemic and infectious diseases	5,956	5,728	5,431	6,537	6,299	6,025	14,476
II.	General diseases not included above	7,450	7,447	7,135	6,678	6,671	6,342	
III.	Diseases of the nervous system and of the organs of special sense	5,510	6,367	6,147	6,220	6,096	5,679	5,869
IV.	Diseases of the circulatory system	13,023	11,778	10,844	11,248	10,921	9,607	9,520
V.	Diseases of the respiratory system	5,820	5,898	4,971	6,618	6,260	4,903	7,467
VI.	Diseases of the digestive system	3,189	3,126	3,255	3,144	3,372	3,718	4,125
VII.	Nonvenereal diseases of the genito-urinary system and annexa	4,525	3,694	3,809	3,914	3,699	3,690	4,127
VIII.	The puerperal state*	501	501	544	498	559	580	698
IX.	Diseases of the skin and of the cellular tissue	140	135	136	144	156	164	190
X.	Diseases of the bones and of the organs of locomotion	59	86	68	86	64	88	120
XI.	Malformations*	705	710	679	686	722	722	723
XII.	Early infancy	2,452	2,596	2,717	2,876	2,820	2,928	2,996
XIII.	Old age	121	132	133	170	184	159	196
XIV.	External causes	3,343	3,573	3,474	3,392	3,140	2,996	2,938
XV.	Ill-defined diseases	94	119	123	169	152	179	187
1	Typhoid fever (1)*	61	73	68	70	86	119	95
2	Typhus fever (2)*	–	–	–	–	–	1	–
3	Malaria (5)	1	6	2	3	4	2	5
4	Smallpox (6)*	–	–	2	–	–	–	2
5	Measles (7)*	367	337	165	321	218	179	352
6	Scarlet fever (8)*	117	117	158	155	149	191	214
7	Whooping cough (9)*	391	269	147	493	294	201	546
8	Diphtheria and croup (10)*	249	333	534	579	606	607	591
9	Influenza (11)	718	519	277	742	569	153	1,623
10	Asiatic cholera (14)*	–	–	–	–	–	–	–
11	Cholera nostras (15)	1	3	2	1	5	8	8
12	Other epidemic diseases (3, 4, 12, 13, 16–23, 25, 42)	259	315	245	276	284	336	164
13	Tuberculosis of the respiratory system (31)	2,961	2,883	2,953	3,062	3,167	3,272	3,750
14	Tuberculous meningitis (32)	237	249	249	246	249	327	368
15	Other forms of tuberculosis (33–37)	318	327	328	282	320	268	282
16	Cancer and other malignant tumors (43–49)	5,341	5,196	5,074	4,775	4,650	4,645	4,494
17	Simple meningitis (24, 71)	186	197	209	262	219	248	274
18	Cerebral hemorrhage and softening (74, 83)	4,141	4,911	4,733	4,710	4,618	4,268	4,187
19	Other diseases of the heart (90)*	9,705	8,607	7,597	7,876	7,607	6,660	6,379
20	Acute bronchitis (99*a*)	153	151	169	213	195	206	418
21	Chronic bronchitis (99*b*)*	101	114	109	129	124	108	273
22	Pneumonia (101)	2,409	2,364	1,944	2,313	2,344	1,823	2,842
23	Other diseases of the respiratory system (tuberculosis excepted) (60, 61, 97, 98, 99*c*, 99*d*, 100, 102–107)	3,218	3,319	2,805	4,005	3,645	2,815	3,934
24	Diseases of the stomach (cancer excepted) (111, 112)	375	382	371	384	403	368	385
25	Diarrhea and enteritis (under 2 years) (113)*	757	684	772	867	1,086	1,332	1,667
26	Appendicitis and typhlitis (117)	521	535	565	513	481	501	457
27	Hernia, intestinal obstruction (118)	416	429	422	387	357	437	440
28	Cirrhosis of the liver (122)*	220	207	177	167	184	147	196
29	Acute nephritis and Bright's disease (128, 129)	3,867	3,032	3,227	3,348	3,186	3,157	3,561
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	187	205	191	182	163	186	190
31	Puerperal septicemia (puerperal fever, peritonitis) (146)*	150	140	161	128	159	178	195
32	Other puerperal accidents of pregnancy and labor (143–145, 147–150)*	351	361	383	370	400	402	503
33	Congenital debility and malformations (159–161*a*)	2,473	2,470	2,492	2,602	2,673	2,740	2,784
34	Senility (164)	121	132	133	170	184	159	196
35	Violent deaths (suicide excepted) (175–203)	2,870	3,114	2,988	2,940	2,682	2,524	2,547
36	Suicide (165–174)*	473	459	486	452	458	472	391
37	Other diseases (26–30, 38–41, 50–59, 62–70, 72, 73, 75–82, 84–89, 91–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*–163)	9,079	9,331	9,205	9,188	9,193	8,561	9,132
38	Unknown or ill-defined diseases (204, 205)	94	119	123	169	153	179	187

[1] Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are shown by numbers in parentheses.

Abridged Int. List No.	Death Rates[2] per 100,000 Population.							Per Cent Distribution.						
	1926.	1925.	1924.	1923.	1922.	1921.	1920.	1926.	1925.	1924.	1923.	1922.	1921.	1920.
	1,255.1	1,252.1	1,235.7	1,319.5	1,298.6	1,229.6	1,392.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0
I.	141.3	138.2	135.7	164.7	160.0	155.1	375.8	11.3	11.0	11.0	12.5	12.3	12.6	27.0
II.	176.8	179.7	178.2	168.2	169.5	163.2		14.1	14.4	14.4	12.7	13.1	13.3	
III.	130.8	153.6	153.5	156.7	154.9	146.1	152.3	10.4	12.3	12 4	11.9	11.9	11.9	10.9
IV.	309.1	284.2	270.9	283.4	277.5	247.2	247.1	24.6	22.7	21.9	21.5	21.4	20.1	17.8
V.	138.1	142.3	124.2	166.7	159.0	126.2	193.8	11.0	11.4	10.0	12.6	12.3	10.3	13.9
VI.	75.7	75.4	81.3	79.2	85.7	95.7	107.1	6.0	6.0	6.6	6.0	6.6	7.8	7.7
VII.	107.4	89.1	95.1	98.6	94.0	95.0	107.1	8.6	7.0	7.7	7.5	7.2	7.7	7.7
VIII.	11.9	12.1	13.6	12.5	14.2	14.9	18.1	1.0	1.0	1.1	.9	1.1	1.2	1.3
IX.	3.3	3.3	3.4	3.6	4.0	4.2	4.9	.3	.3	.3	.3	.3	.3	.4
X.	1.4	2.1	1.7	2.2	1.6	2.3	3.1	.1	.2	.1	.2	.1	.2	.2
XI.	16.7	17.1	17.0	17.3	18.3	18.6	18.8	1.3	1.4	1.4	1.3	1.4	1.5	1.3
XII.	58.2	62.7	67.9	72.4	71.6	75.4	77.8	4.6	4.9	5.5	5.5	5.5	6.1	5.6
XIII.	2.9	3.2	3.3	4.3	4.6	4.1	5.1	.2	.3	.3	.3	.4	.3	.4
XIV.	79.3	86.2	86.8	85.4	79.8	77.1	76.3	6.3	6.9	7.0	6.5	6.1	6.3	5.5
XV.	2.2	2.9	3.1	4.3	3.9	4.6	4.9	.2	.2	.3	.3	.3	.4	.3
1	1.4	1.8	1.7	1.8	2.2	3.1	2.5	.1	.1	.1	.1	.2	.2	.2
2	–	–	–	–	–	–[3]	–	–	–	–	–	–	–[4]	–[4]
3	–[3]	.1	–[3]	–[3]	.1	–[3]	.1	–[4]	–[4]	–[4]	–[4]	–[4]	–[4]	–[4]
4	–	–	–[3]	–	–	–	–[3]	–	–	–[4]	–	–	–	–[4]
5	8.7	8.1	4.1	8.1	5.5	4.6	9.1	.7	.6	.3	.6	.4	.4	.7
6	2.8	2.8	4.0	3.9	3.8	4.9	5.6	.2	.2	.3	.3	.3	.4	.4
7	9.3	6.5	3.7	12.4	7.5	5.2	14.2	.7	.5	.3	1.0	.6	.4	1.0
8	5.9	8.0	13.3	14.6	15.4	15.6	15.3	.5	.6	1.1	1.1	1.2	1.3	1.1
9	17.0	12.5	6.9	18.7	14.5	3.9	42.1	1.4	1.0	.6	1.4	1.1	.3	3.0
10	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	–[3]	–[3]	–[3]	–[3]	.1	.2	.3	–[4]	–[4]	–[4]	–	–[4]	–[4]	–[4]
12	6.1	7.6	6.1	7.0	7.2	8.6	4.3	.5	.7	.5	.5	.6	.7	.3
13	70.3	69.6	73.8	77.1	80.5	84.2	97.3	5.6	5.6	6.0	5.8	6.2	6.9	7.0
14	5.6	6.1	6.2	6.2	6.3	8.4	9.5	.4	.5	.5	.5	.5	.7	.7
15	7.5	7.9	8.2	7.1	8.1	6.9	7.3	.6	.6	.7	.5	.6	.6	.5
16	126.8	125.4	126.8	120.3	118.1	119.5	116.7	10.1	10.0	10.3	9.1	9.1	9.7	8.4
17	4.4	4.8	5.2	6.6	5.6	6.4	7.1	.3	.4	.4	.5	.4	.5	.5
18	98.3	118.5	118.2	118.7	117.3	109.8	108.7	7.8	9.5	9.6	9.0	9.0	8.9	7.8
19	230.3	207.7	189.8	198.4	193.3	171.4	165.6	18.5	16.6	15.4	15.0	14.9	13.9	11.9
20	3.6	3.6	4.2	5.4	5.0	5.3	10.9	.3	.3	.3	.4	.4	.4	.8
21	2.4	2.8	2.7	3.2	3.2	2.8	7.1	.2	.2	.2	.3	.2	.2	.5
22	57.2	57.0	48.6	58.3	59.6	46.9	73.8	4.6	4.6	3.9	4.4	4.6	3.8	5.3
23	76.4	80.1	70.1	100.9	92.6	72.4	102.1	6.1	6.4	5.7	7.7	7.1	5.9	7.3
24	8.9	9.2	9.3	9.7	10.2	9.5	10.0	.7	.7	.7	.7	.8	.8	.7
25	18.0	16.5	19.3	21.8	27.6	34.3	43.3	1.4	1.3	1.6	1.7	2.1	2.8	3.1
26	12.4	12.9	14.1	12.9	12.2	12.9	11.9	1.0	1.0	1.1	1.0	1.0	1.1	.9
27	9.9	10.4	10.5	9.7	9.1	11.2	11.4	.8	.8	.9	.7	.7	.9	.8
28	5.2	5.0	4.4	4.2	4.7	3.8	5.1	.4	.4	.4	.3	.4	.3	.4
29	91.8	73.2	80.6	84.3	80.9	81.2	92.4	7.3	5.8	6.5	6.4	6.2	6.6	6.6
30	4.4	4.9	4.8	4.6	4.1	4.8	4.9	.3	.4	.4	.4	.3	.4	.4
31	3.6	3.4	4.0	3.2	4.0	4.6	5.1	.3	.3	.3	.3	.3	.4	.4
32	8.3	8.7	9.6	9.3	10.1	10.3	13.0	.7	.7	.8	.7	.8	.9	.9
33	58.7	59.6	62.3	65.5	67.9	70.5	72.3	4.7	4.8	5.0	5.0	5.2	5.7	5.2
34	2.9	3.2	3.3	4.3	4.7	4.1	5.1	.2	.3	.3	.3	.4	.3	.4
35	68.1	75.1	74.7	74.1	68.1	65.0	66.1	5.4	6.0	6.0	5.6	5.2	5.3	4.8
36	11.2	11.1	12.1	11.4	11.6	12.1	10.1	.9	.9	1.0	.9	.9	1.0	.7
37	215.5	225.1	230.0	231.5	233.6	220.3	237.0	17.1	18.0	18.6	17.5	18.0	17.9	17.0
38	2.2	2.9	3.1	4.3	3.9	4.6	4.9	.2	.2	.2	.3	.3	.4	.3

[2] Exclusive of stillbirths.
[3] Less than one-tenth of 1 per 100,000.
[4] Less than one-tenth of 1 per cent.

Table 18

DEATH RATES PER 100,000 POPULATION BASED ON ANNUAL AVERAGE NUMBER OF DEATHS FOR THE FIVE-YEAR PERIOD OF WHICH THE CENSUS YEAR IS THE MEDIAN YEAR:[1] CENSUS YEARS 1900 TO 1920.

YEARS.	All causes.[2]	Typhoid fever.* 1	Smallpox.* 6	Measles.* 7	Scarlet fever.* 8	Diphtheria and croup.* 10	Tuberculosis of the respiratory system.* 31	Cancer. 43-49	Nephritis, Bright's disease, etc. 128, 129, 131
1900 . .	1,721.0	21.4	2.9	8.3	10.0	37.5	181.3	71.0	81.1
1905 . .	1,677.0	15.8	.3	6.3	7.9	24.6	155.7	83.0	88.1
1910 . .	1,566.2	11.2	–[3]	6.9	7.0	18.1	130.0	89.9	89.6
1915 . .	1,475.7	6.2	.1	7.5	5.2	18.8	116.8	102.2	94.7
1920 . .	1,472.9	2.9	–[3]	7.6	3.9	15.6	100.2	114.2	93.0

[1] This method eliminates any peculiarities in the census year and makes the rates more typical of the period as a whole.
[2] Exclusive of stillbirths.
[3] Less than one-tenth of 1 per 100,000.

Table 19

DEATHS PRODUCED BY EXTERNAL CAUSES: 1902 TO 1926.

YEARS.	Total. 165–203	Burns and scalds.* 179	Other acute poisonings. 177	Accidental injuries. 183–189	Accidental drownings.* 182	Freezing.* 193	Effects of heat.* 194[3]	Homicide including infanticide.* 197–200	Suicide.* 165–174	Other external causes. 175–203[1]
1902 . .	2,108	212	88	1,013	356	19	10	27	255	128
1903 . .	2,246	207	87	1,126	344	25	14	–[2]	314	129
1904 . .	2,160	223	98	1,056	300	28	16	29	301	109
1905 . .	2,326	315	90	1,117	303	19	56	24	298	104
1906 . .	2,358	271	90	1,223	317	15	33	31	280	98
1907 . .	2,681	322	88	1,363	309	3	36	44	400	116
1908 . .	2,664	290	104	1,257	350	18	30	66	436	113
1909 . .	2,578	292	87	1,247	313	16	39	68	416	100
1910 . .	2,825	268	90	1,477	300	15	23	76	438	138
1911 . .	3,418	315	78	1,423	301	18	614	85	449	135
1912 . .	3,097	331	51	1,487	303	21	53	92	478	281
1913 . .	3,222	311	52	1,525	364	7	25	111	486	341
1914 . .	3,070	312	52	1,420	304	32	17	106	495	332
1915 . .	3,206	274	56	1,522	362	11	17	113	515	336
1916 . .	3,402	282	46	1,718	318	27	26	115	455	415
1917 . .	3,584	309	55	1,719	315	27	91	106	493	469
1918 . .	3,442	302	46	1,636	276	17	14	93	492	566
1919 . .	3,242	296	118	1,491	292	13	26	102	445	459
1920 . .	2,938	282	52	1,374	224	9	15	78	391	513
1921 . .	2,996	202	65	1,393	301	9	31	116	472	407
1922 . .	3,140	243	46	1,471	269	3	12	102	458	536
1923 . .	3,392	265	43	1,656	260	4	32	106	452	574
1924 . .	3,474	257	55	1,697	354	14	30	109	486	472
1925 . .	3,573	215	53	1,761	273	9	135[3]	109	459	559
1926 . .	3,343	219	43	1,727	225	1	63	87	473	505

[1] Balance between. [2] Not tabulated.

[3] Deaths from heat for the year 1925 numbered 135. This is the nearest approach to the high mark since 1911 when the total number of deaths from this cause was 614.

The highest temperature recorded at the Weather Bureau of the United States Department of Agriculture since 1900 was 104 degrees on July 4, 1911. The highest temperature recorded in 1925 was 100 degrees on June 6.

The average monthly temperature for the months of June, July, and August, in 1911 and 1925, was as follows:

	June.	July.	August.
1911	65.6	77.1	69.0
1925	70.9	72.4	71.2

Table 20

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1926.

Detailed Int. List No.	Cause of Death and Age Period.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
43–49	**Cancer (all causes)**	283	1,427	496	18	6	509	1,454	1,113	35	–
	Under 20 years	21	–	–	–	–	16	–	–	–	–
	20 to 29 years	8	5	–	–	–	15	23	–	–	–
	30 to 39 years	20	54	1	1	–	24	132	7	2	–
	40 to 49 years	35	143	7	–	–	73	308	45	8	–
	50 to 59 years	70	372	56	7	4	111	449	143	9	–
	60 to 69 years	81	482	157	4	2	152	375	335	9	–
	70 to 79 years	45	309	167	5	–	89	148	389	5	–
	80 years and over	3	62	108	1	–	29	19	194	2	–
	Unknown age	–	–	–	–	–	–	–	–	–	–
43	Cancer of the buccal cavity										
	Under 20 years	2	–	–	–	–	1	–	–	–	–
	20 to 29 years	1	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	1	–	–	–	–	1	–	–	–
	40 to 49 years	1	6	1	–	–	–	–	1	–	–
	50 to 59 years	6	26	7	–	–	–	2	–	–	–
	60 to 69 years	9	32	17	–	–	2	1	4	–	–
	70 to 79 years	6	10	9	–	–	1	3	1	–	–
	80 years and over	1	7	9	–	–	–	–	4	–	–
	Unknown age	–	–	–	–	–	–	–	–	–	–
44	Cancer of the stomach and liver										
	Under 20 years	1	–	–	–	–	1	–	–	–	–
	20 to 29 years	1	2	–	–	–	4	2	–	–	–
	30 to 39 years	6	16	–	–	–	2	24	1	–	–
	40 to 49 years	14	68	4	–	–	11	51	11	2	–
	50 to 59 years	28	178	31	5	3	26	88	35	2	–
	60 to 69 years	38	177	69	2	1	33	100	98	2	–
	70 to 79 years	18	127	65	1	–	21	40	147	1	–
	80 years and over	2	16	42	1	–	8	5	58	–	–
	Unknown age	–	–	–	–	–	–	–	–	–	–
45	Cancer of the peritoneum, intestines, rectum										
	Under 20 years	4	–	–	–	–	–	–	–	–	–
	20 to 29 years	3	1	–	–	–	4	5	–	–	–
	30 to 39 years	4	9	1	–	–	6	11	2	–	–
	40 to 49 years	7	26	1	–	–	13	41	4	1	–
	50 to 59 years	15	68	7	–	1	23	78	21	3	–
	60 to 69 years	9	108	26	2	–	30	79	60	2	–
	70 to 79 years	9	56	34	–	–	19	32	86	1	–
	80 years and over	–	17	18	–	–	9	5	42	1	–
	Unknown age	–	–	–	–	–	–	–	–	–	–
46	Cancer of the female genital organs										
	Under 20 years	–	–	–	–	–	1	–	–	–	–
	20 to 29 years	–	–	–	–	–	1	8	–	–	–
	30 to 39 years	–	–	–	–	–	5	44	4	2	–
	40 to 49 years	–	–	–	–	–	16	114	18	4	–
	50 to 59 years	–	–	–	–	–	21	124	39	3	–
	60 to 69 years	–	–	–	–	–	24	73	60	2	–
	70 to 79 years	–	–	–	–	–	14	28	54	3	–
	80 years and over	–	–	–	–	–	4	1	21	–	–
	Unknown age	–	–	–	–	–	–	–	–	–	–
47	Cancer of the breast										
	Under 20 years	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	1	2	–	–	–
	30 to 39 years	–	–	–	–	–	7	25	–	–	–
	40 to 49 years	–	–	1	–	–	25	67	8	–	–
	50 to 59 years	–	–	–	–	–	31	85	33	–	–
	60 to 69 years	–	1	1	–	1	42	73	51	1	–
	70 to 79 years	1	2	2	–	–	20	27	52	–	–
	80 years and over	–	–	–	–	–	7	5	39	–	–
	Unknown age	–	–	–	–	–	–	–	–	–	–
48	Cancer of the skin										
	Under 20 years	1	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	1	–	–	–	–
	30 to 39 years	1	2	–	–	–	–	–	–	–	–
	40 to 49 years	–	3	–	–	–	–	3	–	–	–
	50 to 59 years	2	7	–	–	–	2	3	1	–	–
	60 to 69 years	4	12	1	–	–	1	6	–	–	–
	70 to 79 years	1	10	3	2	–	1	3	6	–	–
	80 years and over	–	2	10	–	–	–	–	7	–	–
	Unknown age	–	–	–	–	–	–	–	–	–	–
49	Cancer of other organs or of organs not specified										
	Under 20 years	13	–	–	–	–	13	–	–	–	–
	20 to 29 years	3	2	–	–	–	4	6	–	–	–
	30 to 39 years	9	26	–	1	–	4	27	–	–	–
	40 to 49 years	13	40	–	–	–	8	32	3	1	–
	50 to 59 years	19	93	11	2	–	8	69	14	1	–
	60 to 69 years	21	152	43	–	–	20	43	62	2	–
	70 to 79 years	10	104	54	2	–	13	15	43	–	–
	80 years and over	–	20	29	–	–	1	3	23	1	–
	Unknown age	–	–	–	–	–	–	–	–	–	–

Table 21

Municipalities.	Total deaths under 1 month of age.	Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1926. Total.	Males.	Females.
Infant Mortality Rate. The State.		73.4		
	3,197	6,130	3,375	2,755
Abington	4	7	5	2
Acton	1	2	1	1
Acushnet	7	13	10	3
Adams	14	19	11	8
Agawam	3	8	4	4
Alford	–	–	–	–
Amesbury	6	14	9	5
Amherst	–	1	–	1
Andover	7	11	7	4
Arlington	18	30	11	19
Ashburnham	1	2	2	–
Ashby	–	–	–	–
Ashfield	–	–	–	–
Ashland	–	–	–	–
Athol	6	11	9	2
Attleboro	13	25	8	17
Auburn	–	4	2	2
Avon	–	1	–	1
Ayer	1	1	1	–
Barnstable	13	17	11	6
Barre	2	3	3	–
Becket	–	–	–	–
Bedford	1	1	1	–
Belchertown	–	1	–	1
Bellingham	4	5	1	4
Belmont	–	1	–	1
Berkley	–	2	2	–
Berlin	–	3	2	1
Bernardston	–	1	–	1
Beverly	13	25	17	8
Billerica	1	6	5	1
Blackstone	–	3	1	2
Blandford	–	–	–	–
Bolton	–	–	–	–
Boston	786	1,572	852	720
Bourne	3	4	1	3
Boxborough	–	–	–	–
Boxford	–	–	–	–
Boylston	–	–	–	–
Braintree	5	7	2	5
Brewster	–	–	–	–
Bridgewater	3	6	6	–
Brimfield	–	–	–	–
Brockton	52	84	48	36
Brookfield	1	2	2	–
Brookline	6	11	9	2
Buckland	2	4	2	2
Burlington	1	2	2	–
Cambridge	111	199	115	84
Canton	5	6	2	4
Carlisle	–	1	1	–
Carver	–	1	1	–
Charlemont	–	–	–	–
Charlton	1	1	1	–
Chatham	1	2	1	1
Chelmsford	10	11	5	6
Chelsea	31	58	28	30
Cheshire	1	2	1	1
Chester	–	1	–	1
Chesterfield	–	–	–	–
Chicopee	35	71	40	31
Chilmark	–	–	–	–
Clarksburg	1	1	–	1
Clinton	14	27	21	6
Cohasset	4	5	2	3
Colrain	–	–	–	–
Concord	4	6	3	3
Conway	–	–	–	–
Cummington	1	2	1	1
Dalton	1	3	1	2
Dana	1	1	–	1
Danvers	3	5	4	1
Dartmouth	7	15	8	7
Dedham	7	14	7	7
Deerfield	–	4	1	3
Dennis	–	–	–	–
Dighton	1	5	1	4

Municipalities.	Total deaths under 1 month of age.	Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1926. Total.	Males.	Females.
Douglas	1	5	3	2
Dover	–	1	1	–
Dracut	8	12	6	6
Dudley	4	6	3	3
Dunstable	1	1	1	–
Duxbury	–	–	–	–
East Bridgewater	1	1	1	–
East Brookfield	2	2	1	1
East Longmeadow	2	6	5	1
Eastham	–	1	1	–
Easthampton	11	21	10	11
Easton	2	3	1	2
Edgartown	–	–	–	–
Egremont	–	1	1	–
Enfield	–	–	–	–
Erving	–	–	–	–
Essex	1	1	–	1
Everett	25	48	24	24
Fairhaven	5	9	8	1
Fall River	121	277	138	139
Falmouth	3	5	3	2
Fitchburg	34	68	35	33
Florida	–	–	–	–
Foxborough	–	1	1	–
Framingham	22	35	18	17
Franklin	2	3	2	1
Freetown	–	–	–	–
Gardner	21	38	18	20
Gay Head	–	–	–	–
Georgetown	–	1	1	–
Gill	1	2	–	2
Gloucester	13	36	21	15
Goshen	–	–	–	–
Gosnold	–	–	–	–
Grafton	2	6	5	1
Granby	–	–	–	–
Granville	–	1	–	1
Great Barrington	5	7	3	4
Greenfield	11	21	11	10
Greenwich	–	–	–	–
Groton	–	–	–	–
Groveland	–	–	–	–
Hadley	1	3	3	–
Halifax	–	–	–	–
Hamilton	–	–	–	–
Hampden	–	–	–	–
Hancock	–	–	–	–
Hanover	–	1	–	1
Hanson	–	2	2	–
Hardwick	1	2	–	2
Harvard	–	–	–	–
Harwich	4	5	5	–
Hatfield	1	2	2	–
Haverhill	33	57	29	28
Hawley	–	–	–	–
Heath	–	–	–	–
Hingham	1	3	1	2
Hinsdale	2	3	2	1
Holbrook	–	1	1	–
Holden	3	4	2	2
Holland	–	–	–	–
Holliston	–	–	–	–
Holyoke	64	120	63	57
Hopedale	–	–	–	–
Hopkinton	–	1	–	1
Hubbardston	–	–	–	–
Hudson	3	10	7	3
Hull	–	3	2	1
Huntington	–	–	–	–
Ipswich	8	13	7	6
Kingston	–	3	1	2
Lakeville	–	1	1	–
Lancaster	1	1	1	–
Lanesborough	1	1	1	–
Lawrence	85	145	82	63
Lee	–	1	1	–
Leicester	1	4	1	3
Lenox	1	1	1	–
Leominster	16	33	20	13
Leverett	2	3	1	2

[1] Exclusive of stillbirths.

Table 21

Municipalities.	Total deaths under 1 month of age.	Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1926.		
		Total.	Males.	Females.
Lexington	2	4	–	4
Leyden	–	–	–	–
Lincoln	–	–	–	–
Littleton	–	–	–	–
Longmeadow	3	4	3	1
Lowell	112	222	124	98
Ludlow	17	33	17	16
Lunenburg	–	1	1	–
Lynn	78	126	55	71
Lynnfield	1	1	–	1
Malden	26	51	36	15
Manchester	2	3	2	1
Mansfield	5	6	4	2
Marblehead	2	8	2	6
Marion	2	4	3	1
Marlborough	15	19	11	8
Marshfield	–	3	1	2
Mashpee	–	–	–	–
Mattapoisett	1	1	–	1
Maynard	–	4	1	3
Medfield	–	–	–	–
Medford	27	54	27	27
Medway	–	1	–	1
Melrose	15	19	9	10
Mendon	–	–	–	–
Merrimac	1	1	–	1
Methuen	13	23	15	8
Middleborough	6	9	4	5
Middlefield	–	–	–	–
Middleton	1	2	2	–
Milford	16	26	18	8
Millbury	4	6	4	2
Millis	–	–	–	–
Millville	–	5	3	2
Milton	9	10	6	4
Monroe	–	–	–	–
Monson	–	3	1	2
Montague	6	12	6	6
Monterey	–	–	–	–
Montgomery	1	1	–	1
Mount Washington	–	–	–	–
Nahant	–	–	–	–
Nantucket	3	5	3	2
Natick	12	19	9	10
Needham	3	4	3	1
New Ashford	–	–	–	–
New Bedford	115	281	151	130
New Braintree	–	–	–	–
New Marlborough	–	–	–	–
New Salem	–	–	–	–
Newbury	–	–	–	–
Newburyport	16	20	13	7
Newton	33	46	24	22
Norfolk	1	1	1	–
North Adams	18	30	19	11
North Andover	3	5	5	–
North Attleborough	8	11	8	3
North Brookfield	2	3	2	1
North Reading	–	1	–	1
Northampton	23	31	16	15
Northborough	–	–	–	–
Northbridge	8	13	5	8
Northfield	–	1	1	–
Norton	–	2	1	1
Norwell	–	1	–	1
Norwood	13	19	8	11
Oak Bluffs	–	–	–	–
Oakham	–	1	–	1
Orange	5	5	3	2
Orleans	1	1	–	1
Otis	–	–	–	–
Oxford	4	5	1	4
Palmer	14	20	13	7
Paxton	–	–	–	–
Peabody	18	31	17	14
Pelham	–	–	–	–
Pembroke	1	1	1	–
Pepperell	1	1	–	1
Peru	1	1	1	–
Petersham	2	2	1	1

Municipalities.	Total deaths under 1 month of age.	Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1926.		
		Total.	Males.	Females.
Phillipston	–	1	1	–
Pittsfield	34	49	25	24
Plainfield	–	–	–	–
Plainville	–	–	–	–
Plymouth	6	18	9	9
Plympton	–	–	–	–
Prescott	–	–	–	–
Princeton	1	1	–	1
Provincetown	1	5	4	1
Quincy	40	66	40	26
Randolph	1	4	2	2
Raynham	–	2	2	–
Reading	1	4	4	–
Rehoboth	–	3	3	–
Revere	7	22	12	10
Richmond	–	–	–	–
Rochester	1	3	2	1
Rockland	2	5	3	2
Rockport	1	3	1	2
Rowe	–	–	–	–
Rowley	–	–	–	–
Royalston	–	–	–	–
Russell	1	1	1	–
Rutland	2	2	2	–
Salem	27	83	53	30
Salisbury	–	1	1	–
Sandisfield	–	–	–	–
Sandwich	–	1	–	1
Saugus	8	19	7	12
Savoy	–	–	–	–
Scituate	3	6	4	2
Seekonk	4	11	8	3
Sharon	–	1	1	–
Sheffield	–	2	2	–
Shelburne	1	1	–	1
Sherborn	–	–	–	–
Shirley	1	3	1	2
Shrewsbury	2	4	2	2
Shutesbury	2	2	2	–
Somerset	4	12	7	5
Somerville	60	110	60	50
South Hadley	2	5	2	3
Southampton	–	–	–	–
Southborough	–	1	1	–
Southbridge	7	20	13	7
Southwick	1	4	4	–
Spencer	3	6	4	2
Springfield	134	229	122	107
Sterling	1	1	1	–
Stockbridge	1	3	1	2
Stoneham	5	7	4	3
Stoughton	3	6	4	2
Stow	–	–	–	–
Sturbridge	1	2	–	2
Sudbury	–	–	–	–
Sunderland	1	2	1	1
Sutton	–	1	–	1
Swampscott	6	8	5	3
Swansea	–	2	1	1
Taunton	34	73	40	33
Templeton	–	3	2	1
Tewksbury	3	4	2	2
State Infirmary	4	22	12	10
Tisbury	–	–	–	–
Tolland	–	–	–	–
Topsfield	–	–	–	–
Townsend	1	1	–	1
Truro	–	–	–	–
Tyngsborough	–	–	–	–
Tyringham	–	–	–	–
Upton	–	–	–	–
Uxbridge	4	9	3	6
Wakefield	5	13	7	6
Wales	–	1	1	–
Walpole	2	6	4	2
Waltham	25	55	24	31
Ware	12	19	12	7
Wareham	5	6	3	3
Warren	–	1	1	–
Warwick	–	–	–	–

[1] Exclusive of stillbirths.

Table 21

Municipalities.	Total deaths under 1 month of age.	Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1926.			Municipalities.	Total deaths under 1 month of age.	Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1926.		
		Total.	Males.	Females.			Total.	Males.	Females.
Washington	–	–	–	–	Weston	1	2	2	–
Watertown	10	21	14	7	Westport	8	14	8	6
Wayland	–	2	2	–	Westwood	–	–	–	–
Webster	8	14	10	4	Weymouth	6	13	9	4
Wellesley	4	6	3	3	Whately	1	1	1	–
Wellfleet	–	1	1	–	Whitman	1	2	1	1
Wendell	1	2	–	2	Wilbraham	3	8	6	2
Wenham	–	1	1	–	Williamsburg	–	1	–	1
West Boylston	–	2	2	–	Williamstown	2	5	2	3
West Bridgewater	–	3	2	1	Wilmington	3	9	3	6
West Brookfield	–	–	–	–	Winchendon	10	15	10	5
West Newbury	–	–	–	–	Winchester	19	27	12	15
West Springfield	5	8	3	5	Windsor	–	–	–	–
West Stockbridge	–	–	–	–	Winthrop	8	9	4	5
West Tisbury	–	–	–	–	Woburn	15	27	19	8
Westborough	3	6	2	4	Worcester	193	321	190	131
Westfield	13	30	16	14	Worthington	–	–	–	–
Westford	2	4	2	2	Wrentham	1	1	–	1
Westhampton	–	–	–	–	Yarmouth	1	1	1	–
Westminster	–	–	–	–					

[1] Exclusive of stillbirths.

Table 22

Years.	Infant Mortality: 1900 to 1926.			
	Live births.	Deaths[1] under 1 Year.		
		Number.	Per 1,000 live births.	Per cent of total deaths.
1900	73,386	11,500	156.7	22.5
1901	71,976	9,952	138.3	20.6
1902	72,219	10,075	139.5	21.2
1903	73,584	10,269	138.3	20.9
1904	75,014	9,992	133.2	20.6
1905	75,022	10,519	140.2	20.8
1906	80,237	11,106	138.4	21.9
1907	85,001	11,293	132.9	20.9
1908	86,911	11,606	133.5	22.4
1909	84,039	10,693	127.2	20.9
1910	86,539	11,499	132.9	21.1
1911	88,327	10,543	119.4	19.9
1912	89,882	10,472	116.5	20.0
1913	91,644	10,086	110.1	18.9
1914	93,399	9,894	105.9	18.7
1915	93,155	9,490	101.9	17.9
1916	93,487	9,334	99.8	16.6
1917	95,731	9,325	97.4	16.5
1918	95,607	10,820	113.2	13.7
1919	87,827	7,769	88.5	14.8
1920	91,859	8,382	91.2	15.6
1921	92,245	7,005	75.9	14.7
1922	87,636	7,129	81.3	13.9
1923	89,210	6,968	78.1	13.3
1924	91,463	6,191	67.7	12.5
1925	86,014	6,294	73.1	12.1
1926	83,502	6,130	73.4	11.6

[1] Exclusive of stillbirths.

Table 23

Municipalities. (Grouped in order of population, 1925.)	Infant Deaths[1] per 1,000 Live Births in Municipalities having over 15,000 Inhabitants in 1925: 1919 to 1926.							
	1926.	1925.	1924.	1923.	1922.	1921.	1920.	1919.
The State.	73	73	68	78	81	76	91	88
Over 100,000.								
Boston	84	85	74	82	92	77	100	96
Worcester	74	76	63	76	80	77	86	93
Springfield	69	68	69	73	73	72	85	84
Fall River	91	91	94	93	127	114	130	120
Cambridge	68	61	54	72	75	64	96	70
New Bedford	102	80	79	106	104	95	123	122
Lowell	90	84	91	108	99	91	135	123
Lynn	67	78	72	79	74	76	82	66
50,000 to 100,000.								
Somerville	61	78	56	71	62	70	80	63
Lawrence	73	63	69	88	88	78	105	103
Brockton	61	41	55	59	70	64	70	78
Holyoke	92	75	87	98	119	92	117	119
Quincy	66	58	53	70	73	55	66	64
Newton	47	43	46	57	53	50	63	69
Malden	49	51	48	59	55	62	54	71
25,000 to 50,000.								
Haverhill	60	68	55	74	71	73	92	86
Medford	53	49	55	70	50	60	88	68
Chelsea	52	69	40	53	53	61	63	66
Pittsfield	42	61	65	50	66	69	65	63
Fitchburg	68	76	73	78	80	78	68	69
Salem	91	65	70	92	85	77	86	69
Brookline (town)	51	68	34	51	75	41	66	56
Everett	67	68	61	87	64	63	83	61
Chicopee	87	88	87	100	106	105	115	120
Taunton	99	79	64	97	81	91	96	124
Waltham	62	49	56	75	55	65	63	63
Revere	50	74	30	47	47	65	51	66
Watertown (town)	69	47	38	42	79	50	76	77
15,000 to 25,000.								
Arlington (town)	58	36	39	44	50	63	67	–
Northampton	64	76	53	69	71	66	88	64
Gloucester	76	59	60	80	71	70	76	89
North Adams	63	100	73	61	83	67	70	88
Beverly	57	53	43	91	37	50	54	48
Leominster	60	82	93	51	91	51	66	86
Framingham (town)	59	67	63	54	41	49	64	72
Attleboro	48	67	61	67	61	59	65	81
Methuen (town)	58	71	60	85	92	73	88	78
Melrose	50	59	49	68	45	54	56	57
Peabody	66	69	72	60	97	65	85	81
Westfield	70	66	80	87	86	53	86	86
Gardner	86	93	73	85	78	77	102	89
Woburn	58	84	61	66	56	66	77	73
Weymouth (town)	39	48	42	44	51	53	69	–
Marlborough	51	52	70	52	59	68	69	67
Winthrop (town)	31	47	55	57	84	66	40	–
Newburyport	46	64	47	73	50	62	85	77
Wakefield (town)	52	51	60	69	49	44	67	–
Southbridge (town)	65	69	73	71	81	65	58	–
West Springfield (town)	38	99	89	100	134	63	92	–
Belmont (town)	10	59	83	76	97	80	51	–
Greenfield (town)	72	46	67	54	32	55	87	–

[1] Exclusive of stillbirths.

Table 24

Municipalities. (Grouped in order of population, 1925.)	Birth Rates, Death Rates, Natural Increase, Infant Mortality Rates, and Survivorship, in Municipalities having over 15,000 Inhabitants in 1925: 1926.					
	Births[1] per 1,000 population.	Deaths[1] per 1,000 population.	Natural increase per 1,000 population.	Deaths[1] under 1 year per 1,000 births.[1]	Survivors at end of first year of life.	
					Number.	Per 1,000 births.[1]
The State.	**19.8**	**12.6**	**7.2**	**73.4**	**77,372**	**927**
Over 100,000.						
Boston	23.8	14.9	8.9	83.9	17,159	916
Worcester	22.3	14.0	8.3	74.5	3,990	926
Springfield	22.7	12.6	10.1	69.4	3,069	931
Fall River	23.3	13.1	10.2	90.8	2,773	909
Cambridge	24.0	12.1	11.9	67.8	2,734	932
New Bedford	23.1	12.5	10.6	101.7	2,481	898
Lowell	22.4	14.1	8.3	90.0	2,244	910
Lynn	18.1	11.4	6.7	66.8	1,761	933

[1] Exclusive of stillbirths.

Table 24

BIRTH RATES, DEATH RATES, NATURAL INCREASE, INFANT MORTALITY RATES, AND SURVIVORSHIP, IN MUNICIPALITIES HAVING OVER 15,000 INHABITANTS IN 1925: **1926**—*Con.*

MUNICIPALITIES. (Grouped in order of population, 1925.)	Births[1] per 1,000 population.	Deaths[1] per 1,000 population.	Natural increase per 1,000 population.	Deaths[1] under 1 year per 1,000 births.[1]	SURVIVORS AT END OF FIRST YEAR OF LIFE. Number.	Per 1,000 births.[1]
50,000 TO 100,000.						
Somerville	17.8	10.8	7.0	61.4	1,682	939
Lawrence	21.4	10.1	11.3	72.6	1,852	927
Brockton	21.0	11.7	9.3	61.1	1,290	939
Holyoke	21.5	13.0	8.5	92.3	1,180	908
Quincy	10.7	8.5	2.2	66.3	930	934
Newton	18.0	10.2	7.8	46.7	939	953
Malden	19.9	10.6	9.3	48.9	991	951
25,000 TO 50,000.						
Haverhill	19.2	13.2	6.0	60.3	889	940
Medford	20.5	9.6	10.9	52.9	966	947
Chelsea	23.3	13.1	10.2	51.7	1,063	948
Pittsfield	24.0	14.0	10.0	42.4	1,106	958
Fitchburg	22.6	11.1	11.5	68.1	931	932
Salem	21.3	13.7	7.6	90.7	832	909
Brookline (town)	4.9	11.1	6.2[2]	50.9	205	949
Everett	16.7	8.7	8.0	67.5	663	932
Chicopee	18.9	8.4	10.5	86.8	747	913
Taunton	18.5	16.1	2.4	99.2	663	901
Waltham	24.7	11.4	13.3	62.5	825	937
Revere	12.7	5.9	6.8	50.3	415	949
Watertown	11.5	7.6	3.9	69.1	283	931
15,000 TO 25,000.						
Arlington (town)	19.7	9.2	10.5	57.6	491	942
Northampton	19.7	20.8	1.1[2]	63.7	456	936
Gloucester	20.1	13.3	6.8	76.1	437	924
North Adams	21.0	13.5	7.5	62.6	449	937
Beverly	19.5	12.3	7.2	56.6	417	943
Leominster	19.0	12.7	6.3	60.5	397	923
Framingham (town)	26.9	13.4	13.5	58.9	559	941
Attleboro	24.9	12.3	12.6	48.3	493	952
Methuen (town)	18.0	7.8	10.2	58.4	371	942
Melrose	18.3	11.2	7.1	50.3	359	949
Peabody	23.5	11.3	12.2	66.1	438	934
Westfield	22.0	11.4	10.6	69.9	399	930
Gardner	23.1	14.3	8.8	86.0	404	914
Woburn	24.8	11.6	13.2	57.8	440	942
Weymouth (town)	18.8	11.1	7.7	38.9	321	961
Marlborough	22.5	11.9	10.6	51.1	353	949
Winthrop (town)	17.8	9.6	8.2	30.9	282	969
Newburyport	27.6	15.9	11.7	46.3	412	954
Wakefield (town)	15.5	7.9	7.6	51.8	238	948
Southbridge (town)	19.6	8.6	11.0	64.7	289	935
West Springfield (town)	13.2	7.7	5.5	38.5	200	962
Belmont (town)	5.8	8.4	2.6[2]	10.5	94	989
Greenfield (town)	19.2	12.1	7.1	71.9	271	928

[1] Exclusive of stillbirths. [2] Decrease.

Table 25

INFANT MORTALITY IN MASSACHUSETTS, BOSTON, AND THE REMAINDER OF THE STATE OUTSIDE OF BOSTON: **1910** TO **1926**.

YEARS.	MASSACHUSETTS. Live births.	Deaths under 1 year. Number.	Deaths under 1 year. Per 1,000 live births.	BOSTON. Live births.	Deaths under 1 year. Number.	Deaths under 1 year. Per 1,000 live births.	REMAINDER OF STATE OUTSIDE BOSTON. Live births.	Deaths under 1 year. Number.	Deaths under 1 year. Per 1,000 live births.
1910	86,539	11,499	132.9	17,672	2,252	127.4	68,867	9,247	134.3
1911	88,327	10,543	119.4	17,844	2,242	125.6	70,483	8,301	117.8
1912	89,882	10,472	116.5	18,745	2,192	116.9	71,137	8,280	116.4
1913	91,644	10,086	110.1	19,109	2,109	110.4	72,535	7,977	110.0
1914	93,399	9,894	105.9	19,467	2,011	105.2	73,932	7,883	106.6
1915	93,155	9,490	101.9	19,713	2,047	103.8	73,442	7,443	101.3
1916	93,487	9,334	99.8	19,604	2,046	104.4	73,883	7,288	98.6
1917	95,731	9,325	97.4	19,950	1,965	98.5	75,781	7,360	97.1
1918	95,607	10,820	113.2	20,092	2,304	114.7	75,515	8,516	112.8
1919	87,827	7,769	88.5	18,798	1,814	96.5	69,029	5,955	86.3
1920	91,859	8,382	91.2	19,573	1,962	100.2	72,286	6,420	88.8
1921	92,245	7,005	75.9	19,397	1,497	77.2	72,848	5,508	75.6
1922	87,636	7,129	81.3	18,536	1,711	92.3	69,100	5,418	78.4
1923	89,210	6,968	78.1	19,056	1,570	82.4	70,154	5,398	76.9
1924	91,463	6,191	67.7	19,776	1,468	74.2	71,687	4,723	65.9
1925	86,014	6,294	73.1	18,636	1,585	85.1	67,378	4,709	69.9
1926	83,502	6,130	73.4	18,731	1,572	83.9	64,771	4,558	70.4

Table 26

Years.	Survivors at End of First Year of Life: 1900 to 1926. Per 1,000 population.	Per 1,000 live births.	Years.	Survivors at End of First Year of Life: 1900 to 1926. Per 1,000 population.	Per 1,000 live births.
1900	22.1	843	1914	22.9	894
1901	21.8	862	1915	22.7	898
1902	21.5	860	1916	22.3	900
1903	21.6	862	1917	22.5	903
1904	21.9	867	1918	21.7	887
1905	21.4	860	1919	20.9	911
1906	22.3	862	1920	21.7	909
1907	23.3	867	1921	21.9	924
1908	23.3	866	1922	20.5	919
1909	22.2	873	1923	20.7	922
1910	22.2	867	1924	21.3	932
1911	22.6	881	1925	19.2	927
1912	22.6	883	1926	18.4	927
1913	22.8	890			

Table 27

Detailed Int. List No.	Causes.	Infant Deaths per 1,000 Live Births, by Causes: 1919 to 1926. 1926.	1925.	1924.	1923.	1922.	1921.	1920.	1919.
	All Causes.	**73.4**	**73.1**	**67.7**	**78.1**	**81.3**	**75.9**	**91.2**	**88.5**
	Developmental and wasting diseases*	29.0	28.1	26.7	28.7	30.0	29.3	29.7	31.1
161*a*	Premature birth*	17.9	16.9	16.2	16.5	17.9	17.6	15.5	16.3
159	Congenital malformations	7.9	7.7	7.0	7.3	7.8	7.4	7.4	7.9
160	Congenital debility, etc.*	3.2	3.5	3.5	4.9	4.3	4.3	6.8	6.9
113	Diarrhea and enteritis*	8.0	6.9	7.5	8.5	10.9	12.7	16.2	15.0
100*a*	Bronchopneumonia*	10.4	10.5	8.4	11.7	11.9	8.2	12.1	10.4
101*a*	Lobar pneumonia*	1.5	1.7	1.5	1.4	1.9	1.4	2.0	2.0
80	Convulsions	.4	.4	.7	.7	.6	.7	.9	.8
99*a*, 99*b*, 99*c*	Bronchitis*	.9	1.2	1.1	1.2	1.6	1.5	2.5	3.0
9	Whooping cough*	2.5	1.8	1.0	3.1	1.9	1.1	3.1	2.2
24, 71	Meningitis	.6	.6	.8	.8	.6	.5	.8	1.0
32	Tuberculous meningitis	.6	.6	.4	.6	.6	.7	.9	.8
38	Syphilis	.4	.5	.3	.6	.8	.6	.7	.9
101*b*	Pneumonia, undefined	.2	.1	.3	.4	.3	.1	.2	.1
22	Acute anterior poliomyelitis	–	–	–	–	–	–	.1	–
	All other causes	18.9	20.7	19.0	20.4	20.2	19.1	22.0	21.2

Table 28

Months.	Deaths under 2 Years of Age from Diarrhea and Enteritis (113),* by Months: 1919 to 1926. 1926.	1925.	1924.	1923.	1922.	1921.	1920.	1919.
The Year.	**757**	**684**	**772**	**867**	**1,086**	**1,332**	**1,667**	**1,493**
January	38	32	47	51	52	58	68	88
February	21	32	39	48	59	43	79	65
March	39	45	45	63	72	60	75	80
April	46	39	39	59	41	57	67	68
May	24	37	50	41	50	57	60	71
June	43	56	55	48	50	47	53	82
July	48	31	66	72	103	173	137	189
August	153	121	106	148	214	303	394	305
September	138	141	119	138	199	232	353	220
October	120	78	91	98	119	176	208	155
November	40	43	66	53	73	62	115	80
December	47	29	49	48	51	64	58	90
	Per Cent Distribution.							
The Year.	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**
January	5.0	4.7	6.1	5.9	4.8	4.4	4.1	5.9
February	2.8	4.7	5.1	5.5	5.4	3.2	4.7	4.3
March	5.2	6.6	5.8	7.3	6.6	4.5	4.5	5.4
April	6.1	5.7	5.1	6.8	3.8	4.3	4.0	4.5
May	3.2	5.4	6.5	4.8	4.6	4.3	3.6	4.8
June	5.7	8.2	7.1	5.5	4.6	3.5	3.2	5.5
July	6.3	4.5	8.5	8.3	9.5	13.0	8.2	12.7
August	20.2	17.7	13.7	17.1	19.7	22.7	23.6	20.4
September	18.2	20.6	15.4	15.9	18.3	17.4	21.2	14.7
October	15.8	11.4	11.8	11.3	11.0	13.2	12.5	10.4
November	5.3	6.3	8.6	6.1	6.7	4.7	6.9	5.4
December	6.2	4.2	6.3	5.5	5.0	4.8	3.5	6.0

Table 29

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1925: **1926.**

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	The State.	T	**6,130**	**1,253**	**402**	**292**	**540**	**2,487**	**303**	**189**	**218**	**3,197**	**456**	**354**	**809**	**700**	**614**
		M	3,375	656	226	160	276	1,318	165	97	134	1,714	275	202	467	389	328
		F	2,755	597	176	132	264	1,169	138	92	84	1,483	181	152	342	311	286
5	Measles	M	51	–	–	–	–	–	–	–	–	–	3	1	4	15	28
		F	47	–	–	–	–	–	–	–	–	–	–	1	2	18	26
6	Scarlet fever	M	3	–	–	–	–	–	–	–	–	–	1	–	–	1	1
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
7	Whooping cough	M	110	–	–	–	–	–	–	–	1	1	12	11	21	32	33
		F	104	–	–	–	–	–	–	–	5	5	12	10	21	30	26
8	Diphtheria	M	6	–	–	–	–	–	–	–	–	–	2	–	1	1	2
		F	6	–	–	–	–	–	–	–	1	1	1	1	–	1	2
9	Influenza	M	42	–	–	–	1	1	1	1	1	4	3	2	11	11	11
		F	32	–	–	–	1	1	–	–	–	1	2	4	11	11	3
12	Dysentery	M	5	–	–	–	–	–	–	–	–	–	–	–	1	2	2
		F	3	–	–	–	–	–	–	–	–	–	1	1	–	1	–
12	Erysipelas	M	19	–	–	–	–	–	1	–	4	5	5	4	3	2	–
		F	14	–	–	–	–	–	1	1	2	4	3	1	3	1	2
37	Tetanus	M	4	–	–	–	1	1	1	–	1	3	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Tuberculosis of the respiratory system	M	8	–	–	–	–	–	–	–	–	–	–	1	5	2	–
		F	9	–	–	–	–	–	–	–	–	–	–	–	2	2	5
14	Tuberculosis of the meninges and central nervous system.	M	33	–	–	–	–	–	–	–	–	–	1	2	9	10	11
		F	17	–	–	–	–	–	–	–	–	–	1	1	4	6	5
15	Other forms of tuberculosis	M	14	–	–	–	–	–	–	–	–	–	–	1	4	7	2
		F	5	–	–	–	–	–	–	–	–	–	–	–	1	2	2
37	Syphilis	M	19	2	1	–	–	3	–	–	–	3	2	5	6	1	2
		F	16	1	–	3	3	7	1	–	–	8	–	4	3	1	–
17	Meningitis	M	24	–	–	–	–	–	1	–	1	2	–	4	9	5	4
		F	28	–	–	–	–	–	–	2	–	2	4	2	9	3	8
37	Convulsions	M	15	1	–	–	1	2	–	–	1	3	–	1	3	6	2
		F	15	–	–	–	1	1	1	–	1	3	1	1	4	5	1
19	Diseases of the heart	M	11	–	–	–	–	–	–	–	–	–	1	1	3	5	1
		F	8	–	–	–	–	–	–	–	–	–	–	–	3	4	1
20	Acute bronchitis	M	41	–	–	–	–	–	1	–	1	2	5	7	12	8	7
		F	20	–	–	–	–	–	1	–	3	4	2	1	10	3	–
22	Pneumonia	M	75	1	1	1	3	6	3	2	2	13	8	6	20	16	12
		F	67	–	1	–	1	2	–	1	–	3	2	6	14	21	21
23	Bronchopneumonia	M	474	–	2	4	6	12	10	5	16	43	44	53	127	116	91
		F	373	–	–	2	11	13	13	10	13	49	39	31	84	89	81
24	Diseases of the stomach	M	22	–	–	1	–	1	1	–	–	2	7	4	6	2	1
		F	11	–	–	–	1	1	1	–	–	2	3	–	4	1	1
25	Diarrhea and enteritis	M	379	–	–	1	4	5	9	9	24	47	52	36	105	77	62
		F	287	–	–	–	1	1	2	15	12	30	30	32	80	63	52
33	Malformations	M	339	50	36	37	50	173	29	19	20	241	46	10	25	11	6
		F	324	78	33	31	56	198	32	12	8	250	18	21	24	4	7
33	Premature birth	M	800	409	127	58	77	671	49	31	17	768	18	6	6	1	1
		F	700	360	97	46	73	576	47	31	16	670	18	7	4	1	–
33	Congenital debility	M	159	8	3	5	18	34	15	11	18	78	27	23	22	4	5
		F	106	10	8	6	15	39	11	5	8	63	19	8	7	7	2
33	Injuries at birth	M	232	100	34	23	46	203	13	6	4	226	4	1	1	–	–
		F	145	70	10	16	34	130	12	2	1	145	–	–	–	–	–
35	External causes	M	47	5	–	1	4	10	1	–	1	12	4	5	6	12	5
		F	35	–	1	–	5	6	–	2	2	10	3	6	8	3	5
38	Unknown or ill-defined diseases	M	7	2	–	–	–	2	–	–	–	2	2	1	2	–	–
		F	10	–	–	1	–	1	–	1	–	2	2	1	2	2	–
	All other causes	M	436	78	22	29	65	194	30	13	22	259	28	17	54	42	3
		F	372	78	26	27	62	193	16	10	12	231	20	13	42	32	3

[1] Exclusive of stillbirths.

Table 29a

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1925: 1926.

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	BOSTON.	T	1,592	272	113	77	128	590	72	62	62	786	122	95	203	208	158
		M	852	142	60	43	56	301	39	33	36	409	74	57	122	106	84
		F	720	130	53	34	72	289	33	29	26	377	48	38	81	102	74
5	Measles	M	7	–	–	–	–	–	–	–	–	–	–	–	–	1	6
		F	4	–	–	–	–	–	–	–	–	–	–	–	–	1	3
6	Scarlet fever	M	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
7	Whooping cough	M	34	–	–	–	–	–	–	–	1	1	3	1	7	11	11
		F	24	–	–	–	–	–	–	–	1	1	1	3	4	9	6
8	Diphtheria	M	3	–	–	–	–	–	–	–	–	–	1	–	–	1	1
		F	5	–	–	–	–	–	–	–	1	1	1	1	–	1	1
9	Influenza	M	4	–	–	–	–	–	–	–	–	–	1	–	1	1	1
		F	3	–	–	–	–	–	–	–	–	–	–	–	1	2	–
12	Dysentery	M	4	–	–	–	–	–	–	–	–	–	–	–	–	2	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Erysipelas	M	8	–	–	–	–	–	–	–	2	2	1	1	3	1	–
		F	7	–	–	–	–	–	–	1	1	2	–	–	2	1	2
37	Tetanus	M	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Tuberculosis of the respiratory system	M	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–
		F	4	–	–	–	–	–	–	–	–	–	–	–	1	1	2
14	Tuberculosis of the meninges and central nervous system.	M	8	–	–	–	–	–	–	–	–	–	–	–	3	1	4
		F	3	–	–	–	–	–	–	–	–	–	–	–	–	1	2
15	Other forms of tuberculosis	M	3	–	–	–	–	–	–	–	–	–	–	–	2	–	1
		F	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1
37	Syphilis	M	11	2	–	–	–	2	–	–	–	2	–	3	4	1	1
		F	8	–	–	3	2	5	–	–	–	5	–	1	2	–	–
17	Meningitis	M	7	–	–	–	–	–	–	–	–	–	–	2	4	–	1
		F	10	–	–	–	–	–	–	1	–	1	–	1	4	1	3
37	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
19	Diseases of the heart	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	5	–	–	–	–	–	–	–	–	–	–	–	2	2	1
20	Acute bronchitis	M	4	–	–	–	–	–	–	–	–	–	1	1	1	–	1
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
22	Pneumonia	M	21	1	–	–	1	2	1	1	–	4	3	1	3	5	5
		F	20	–	–	–	1	1	–	–	–	1	1	2	7	7	2
23	Bronchopneumonia	M	124	–	1	3	2	6	1	3	4	14	11	15	34	30	20
		F	98	–	–	1	4	5	3	5	5	18	11	9	15	26	19
24	Diseases of the stomach	M	6	–	–	–	–	–	–	–	–	–	3	2	1	–	–
		F	4	–	–	–	–	–	1	–	–	1	1	–	1	1	–
25	Diarrhea and enteritis	M	111	–	–	–	1	1	–	6	9	16	16	13	25	32	9
		F	89	–	–	–	–	–	–	4	3	7	11	7	23	28	13
33	Malformations	M	83	12	10	7	10	39	7	7	5	58	13	3	7	1	1
		F	88	15	14	9	19	57	7	3	4	71	5	6	4	1	1
33	Premature birth	M	186	82	33	19	18	152	11	8	3	174	6	2	4	–	–
		F	161	81	24	11	17	133	10	7	5	155	5	1	–	–	–
33	Congenital debility	M	31	2	1	–	–	3	4	4	4	15	3	7	4	1	1
		F	24	1	2	–	2	5	2	3	2	12	5	1	2	3	1
33	Injuries at birth	M	59	27	6	7	10	50	2	2	2	56	1	1	1	–	–
		F	30	12	2	3	9	26	4	–	–	30	–	–	–	–	–
35	External causes	M	15	1	–	1	1	3	–	–	1	4	2	1	1	5	2
		F	5	–	–	–	1	1	–	–	–	1	–	1	2	1	–
38	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	5	–	–	1	–	1	–	–	–	1	1	1	1	–	1
	All other causes	M	117	15	9	6	13	43	12	2	5	62	9	3	17	10	16
		F	118	21	11	6	17	55	6	5	4	70	6	4	9	14	15

[1] Exclusive of stillbirths.

Table 29b

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1925: 1926.

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	BROCKTON.	T	84	26	8	4	6	44	3	3	2	52	7	3	10	6	6
		M	48	13	6	3	3	25	1	1	2	29	5	1	5	4	4
		F	36	13	2	1	3	19	2	2	-	23	2	2	5	2	2
5	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
6	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Whooping cough	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Influenza	M	2	-	-	-	-	-	1	-	-	1	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	Tuberculosis of the meninges and central nervous system.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
15	Other forms of tuberculosis	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	Meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
37	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
19	Diseases of the heart	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Acute bronchitis	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Pneumonia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-
23	Bronchopneumonia	M	4	-	-	-	-	-	-	-	-	-	-	-	1	2	1
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
24	Diseases of the stomach	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Diarrhea and enteritis	M	4	-	-	-	-	-	-	-	-	-	-	-	1	1	2
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Malformations	M	8	2	1	1	-	4	-	-	-	4	3	-	1	-	-
		F	4	1	-	-	1	2	-	1	-	3	-	1	-	-	-
33	Premature birth	M	14	7	5	-	1	13	-	-	1	14	-	-	-	-	-
		F	13	7	2	1	-	10	2	-	-	12	1	-	-	-	-
33	Congenital debility	M	3	-	-	1	1	2	-	1	-	3	-	-	-	-	-
		F	2	1	-	-	-	1	-	-	-	1	-	1	-	-	-
33	Injuries at birth	M	3	1	-	1	1	3	-	-	-	3	-	-	-	-	-
		F	3	2	-	-	1	3	-	-	-	3	-	-	-	-	-
35	External causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-
38	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	5	3	-	-	-	3	-	-	1	4	-	-	-	-	1
		F	6	2	-	-	1	3	-	-	-	3	-	-	1	1	1

[1] Exclusive of stillbirths.

Table 29c

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1925: 1926.

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	CAMBRIDGE.	T	199	52	12	9	13	86	14	4	7	111	16	11	19	23	19
		M	115	33	5	6	6	50	6	1	5	62	10	7	10	14	12
		F	84	19	7	3	7	36	8	3	2	49	6	4	9	9	7
5	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Whooping cough	M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	3
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1
8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
12	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
37	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of the respiratory system	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	Tuberculosis of the meninges and central nervous system.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	Meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	Diseases of the heart	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Acute bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Pneumonia	M	5	-	-	-	-	-	-	-	-	-	1	1	-	3	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2
23	Bronchopneumonia	M	17	-	-	-	1	1	1	-	-	2	2	3	1	5	4
		F	13	-	-	1	-	1	-	1	1	3	3	-	3	2	2
24	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Diarrhea and enteritis	M	6	-	-	-	-	-	-	-	-	-	1	-	1	2	2
		F	15	-	-	-	-	-	1	1	1	3	1	2	3	4	2
33	Malformations	M	15	1	1	2	-	4	5	-	2	11	3	1	-	-	-
		F	12	3	1	1	1	6	3	1	-	10	-	1	1	-	-
33	Premature birth	M	34	22	4	3	3	32	-	-	-	32	1	1	-	-	-
		F	24	14	5	-	1	20	3	-	-	23	-	1	-	-	-
33	Congenital debility	M	8	1	-	-	1	2	-	1	2	5	1	1	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
33	Injuries at birth	M	7	5	-	-	1	6	-	-	1	7	-	-	-	-	-
		F	4	1	-	1	2	4	-	-	-	4	-	-	-	-	-
35	External causes	M	6	2	-	-	-	2	-	-	-	2	-	-	1	2	1
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
38	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	12	2	-	1	-	3	-	-	-	3	1	-	5	1	2
		F	7	1	1	-	3	5	1	-	-	6	-	-	1	-	-

[1] Exclusive of stillbirths.

Table 29d

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1925: 1926.

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	FALL RIVER.	T	277	62	18	3	17	100	4	6	11	121	20	18	41	45	32
		M	138	27	7	1	9	44	1	3	5	53	12	9	18	25	21
		F	139	35	11	2	8	56	3	3	6	68	8	9	23	20	11
5	Measles	M	6	-	-	-	-	-	-	-	-	-	-	-	1	4	1
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	3
6	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Whooping cough	M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1
		F	7	-	-	-	-	-	-	-	1	1	2	-	1	-	3
8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
9	Influenza	M	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	1	3	-
12	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Erysipelas	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
14	Tuberculosis of the meninges and central nervous system.	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
15	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
37	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	Meningitis	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
37	Convulsions	M	2	1	-	-	-	1	-	-	-	1	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
19	Diseases of the heart	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Acute bronchitis	M	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
22	Pneumonia	M	5	-	-	-	-	-	-	-	-	-	-	-	3	1	1
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
23	Bronchopneumonia	M	16	-	-	-	-	-	-	-	-	-	-	-	6	7	3
		F	15	-	-	-	-	-	-	-	-	-	1	1	6	5	2
24	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Diarrhea and enteritis	M	37	-	-	-	-	-	-	2	-	2	6	5	5	6	13
		F	23	-	-	-	-	-	-	2	2	4	2	4	5	7	1
33	Malformations	M	12	3	1	1	2	7	-	-	2	9	2	-	1	-	-
		F	14	2	2	-	3	7	1	-	-	8	2	3	1	-	-
33	Premature birth	M	25	16	4	-	3	23	1	1	-	25	-	-	-	-	-
		F	36	23	6	1	-	30	2	1	2	35	-	-	1	-	-
33	Congenital debility	M	5	1	-	-	1	2	-	-	1	3	1	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Injuries at birth	M	6	3	1	-	2	6	-	-	-	6	-	-	-	-	-
		F	12	7	2	1	2	12	-	-	-	12	-	-	-	-	-
35	External causes	M	2	1	-	-	-	1	-	-	-	1	-	1	-	-	-
		F	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
38	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	12	2	1	-	1	4	-	-	2	6	1	1	1	2	1
		F	13	3	1	-	2	6	-	-	1	7	1	-	3	2	-

[1] Exclusive of stillbirths.

Table 29e

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1925: 1926.

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	HOLYOKE.	T	120	25	6	12	11	54	4	2	4	64	5	6	22	8	15
		M	63	17	4	6	4	31	4	1	2	38	2	5	7	6	5
		F	57	8	2	6	7	23	-	1	2	26	3	1	15	2	10
5	Measles	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
6	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	Tuberculosis of the meninges and central nervous system.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
15	Other forms of tuberculosis	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	Meningitis	M	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
37	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	Diseases of the heart	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Acute bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
22	Pneumonia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1
23	Bronchopneumonia	M	2	-	-	-	-	-	1	-	-	1	-	-	1	-	-
		F	10	-	-	-	1	1	-	-	1	2	-	1	3	1	3
24	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
25	Diarrhea and enteritis	M	20	-	-	-	-	-	2	-	1	3	2	4	5	3	3
		F	11	-	-	-	-	-	-	1	-	1	1	-	6	-	3
33	Malformations	M	3	1	1	-	-	2	-	-	1	3	-	-	-	-	-
		F	7	1	-	2	1	4	-	-	1	5	1	-	1	-	-
33	Premature birth	M	17	11	1	1	2	15	1	1	-	17	-	-	-	-	-
		F	9	6	-	1	2	9	-	-	-	9	-	-	-	-	-
33	Congenital debility	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
33	Injuries at birth	M	6	2	1	2	1	6	-	-	-	6	-	-	-	-	-
		F	4	1	2	-	1	4	-	-	-	4	-	-	-	-	-
35	External causes	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	10	3	1	3	1	8	-	-	-	8	-	-	-	2	-
		F	7	-	-	3	-	3	-	-	-	3	-	-	3	1	-

[1] Exclusive of stillbirths.

Table 29f

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1925: 1926.

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	LAWRENCE.	T	145	26	10	7	23	66	7	6	6	85	13	5	16	12	14
		M	82	17	8	5	11	41	5	2	3	51	9	1	10	4	7
		F	63	9	2	2	12	25	2	4	3	34	4	4	6	8	7
5	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Influenza	M	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
14	Tuberculosis of the meninges and central nervous system.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17	Meningitis	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Convulsions	M	2	–	–	–	1	1	–	–	–	1	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
19	Diseases of the heart	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20	Acute bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
22	Pneumonia	M	–	–	–	–	–	–	–	–	–	–	–	–	.	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1
23	Bronchopneumonia	M	17	–	–	–	–	–	–	–	–	–	6	1	2	2	6
		F	13	–	–	–	1	1	1	1	1	4	1	1	1	4	2
24	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25	Diarrhea and enteritis	M	13	–	–	1	1	2	–	–	1	3	3	–	6	1	.
		F	9	–	–	–	–	–	–	–	–	–	–	1	3	2	3
33	Malformations	M	9	–	–	–	4	4	3	1	1	9	–	–	–	–	–
		F	7	1	–	1	3	5	–	–	–	5	1	1	–	–	–
33	Premature birth	M	27	12	5	4	3	24	2	1	–	27	–	–	–	–	–
		F	15	7	1	–	3	11	1	2	–	14	1	–	–	–	–
33	Congenital debility	M	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
		F	3	–	–	–	1	1	–	–	1	2	–	–	–	1	–
33	Injuries at birth	M	6	4	2	–	–	6	–	–	–	6	–	–	–	–	–
		F	5	1	1	1	2	5	–	–	–	5	–	–	–	–	–
35	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
38	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	5	1	1	–	1	3	–	–	–	3	–	–	1	1	–
		F	7	–	–	–	1	1	–	1	–	2	1	–	2	1	1

[1] Exclusive of stillbirths.

Table 29g

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1925: 1926.

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	LOWELL.	T	222	43	15	10	16	84	16	6	6	112	21	12	32	23	22
		M	124	27	10	3	10	50	7	5	4	66	10	9	19	9	11
		F	98	16	5	7	6	34	9	1	2	46	11	3	13	14	11
5	Measles	M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	2
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
6	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
12	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of the respiratory system.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
14	Tuberculosis of the meninges and central nervous system.	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
15	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-
17	Meningitis	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Convulsions	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	Diseases of the heart	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
20	Acute bronchitis	M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
22	Pneumonia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
23	Bronchopneumonia	M	18	-	-	-	-	-	-	-	2	2	3	4	3	2	4
		F	13	-	-	-	-	-	-	-	-	-	2	-	3	4	4
24	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Diarrhea and enteritis	M	23	-	-	-	-	-	1	-	1	2	2	3	13	1	2
		F	20	-	-	-	-	-	-	-	1	1	5	1	6	4	3
33	Malformations	M	12	-	2	-	4	6	-	3	1	10	1	-	-	-	1
		F	9	4	1	1	1	7	-	-	-	7	-	-	2	-	-
33	Premature birth	M	20	12	4	-	1	17	2	1	-	20	-	-	-	-	-
		F	16	6	1	2	2	11	4	1	-	16	-	-	-	-	-
33	Congenital debility	M	15	2	-	-	4	6	-	1	-	7	3	1	2	1	1
		F	11	-	2	3	1	6	2	-	-	8	2	-	-	1	-
33	Injuries at birth	M	9	4	1	2	-	7	2	-	-	9	-	-	-	-	-
		F	4	3	-	-	-	3	1	-	-	4	-	-	-	-	-
35	External causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
38	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	19	9	3	1	1	14	2	-	-	16	1	-	-	2	-
		F	13	3	1	1	2	7	1	-	1	9	1	-	2	-	1

[1] Exclusive of stillbirths.

Table 29h

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1925: 1926.

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	LYNN.	T	126	24	8	10	18	60	6	3	9	78	5	7	11	12	13
		M	55	9	4	5	7	25	2	1	6	34	2	4	4	5	6
		F	71	15	4	5	11	35	4	2	3	44	3	3	7	7	7
5	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
6	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
8	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Influenza	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
12	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
12	Erysipelas	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Tetanus	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
14	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Other forms of tuberculosis	M	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17	Meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	1	–	–	1	–	–	1	–	–
19	Diseases of the heart	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20	Acute bronchitis	M	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
22	Pneumonia	M	3	–	–	1	–	1	–	–	–	1	–	1	1	–	–
		F	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–
23	Bronchopneumonia	M	8	–	–	–	–	–	1	–	1	2	–	1	–	3	2
		F	8	–	–	–	–	–	–	–	–	–	–	1	2	1	4
24	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25	Diarrhea and enteritis	M	3	–	–	–	–	–	–	–	1	1	–	–	–	1	1
		F	5	–	–	–	–	–	–	1	–	1	–	–	1	2	1
33	Malformations	M	4	1	–	1	1	3	–	–	–	3	–	–	1	–	–
		F	8	4	1	–	1	6	–	–	1	7	–	–	–	–	–
33	Premature birth	M	13	5	2	1	–	8	1	1	1	11	1	1	–	–	–
		F	20	8	2	3	3	16	2	1	–	19	–	1	–	–	–
33	Congenital debility	M	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
		F	5	–	1	–	3	4	–	–	–	4	1	–	–	–	–
33	Injuries at birth	M	6	1	2	1	2	6	–	–	–	6	–	–	–	–	–
		F	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
35	External causes	M	2	–	–	–	1	1	–	–	–	1	–	–	–	–	1
		F	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1
38	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	9	2	–	1	2	5	–	–	2	7	1	–	1	–	–
		F	11	3	–	2	2	7	1	–	1	9	1	–	–	–	1

[1] Exclusive of stillbirths.

Table 291

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1925: 1926.

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12
	MALDEN.	T	51	8	2	2	10	22	-	3	1	26	4	2	5	10	4
		M	36	5	2	1	8	16	-	1	1	18	3	1	5	6	3
		F	15	3	-	1	2	6	-	2	-	8	1	1	-	4	1
5	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
6	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Whooping cough	M	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-
		F	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-
8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-		-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	Meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	Diseases of the heart	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Acute bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Pneumonia	M	3	-	1	-	-	1	-	-	-	1	1	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Bronchopneumonia	M	7	-	-	-	-	-	-	-	-	-	-	-	4	2	1
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
24	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Diarrhea and enteritis	M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Malformations	M	4	-	-	-	4	4	-	-	-	4	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Premature birth	M	8	5	-	-	1	6	-	1	1	8	-	-	-	-	-
		F	6	3	-	-	2	5	-	1	-	6	-	-	-	-	-
33	Congenital debility	M	2	-	-	1	-	1	-	-	-	1	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Injuries at birth	M	2	-	1	-	1	2	-	-	-	2	-	-	-	-	-
		F	2	-	-	1	-	1	-	1	-	2	-	-	-	-	-
35	External causes	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
38	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	5	-	-	-	2	2	-	-	-	2	-	1	-	2	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-

[1] Exclusive of stillbirths.

Table 29j

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1925: **1926.**

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	NEW BEDFORD.	T	281	47	9	7	19	82	18	7	8	115	22	18	42	41	43
		M	151	23	8	3	7	41	10	3	6	60	13	10	25	22	21
		F	130	24	1	4	12	41	8	4	2	55	9	8	17	19	22
5	Measles	M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	3
6	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Whooping cough	M	6	-	-	-	-	-	-	-	-	-	-	1	2	1	2
		F	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1
8	Diphtheria	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Influenza	M	4	-	-	-	-	-	-	-	-	-	-	-	1	1	2
		F	5	-	-	-	-	-	-	-	-	-	-	1	1	2	1
12	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Erysipelas	M	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
37	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of the respiratory system	M	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	Tuberculosis of the meninges and central nervous system	M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	3
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
15	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	Meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
37	Convulsions	M	5	-	-	-	-	-	-	-	1	1	-	-	2	2	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1
19	Diseases of the heart	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Acute bronchitis	M	3	-	-	-	-	-	-	-	-	-	1	-	-	2	-
		F	2	-	-	-	-	-	1	-	-	1	-	-	-	1	-
22	Pneumonia	M	3	-	-	-	-	-	-	-	1	1	-	-	1	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
23	Bronchopneumonia	M	33	-	-	-	-	-	1	-	-	1	2	4	9	9	8
		F	33	-	-	-	1	1	2	-	1	4	4	1	4	9	11
24	Diseases of the stomach	M	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Diarrhea and enteritis	M	18	-	-	-	-	-	1	-	-	1	4	3	5	2	3
		F	11	-	-	-	1	1	-	1	-	2	2	2	4	1	-
33	Malformations	M	11	-	3	1	1	5	2	-	-	7	3	1	-	-	-
		F	11	3	-	1	2	6	3	-	-	9	1	-	1	-	-
33	Premature birth	M	28	11	3	1	4	19	4	3	1	27	-	-	1	-	-
		F	21	12	1	2	3	18	1	-	-	19	1	1	-	-	-
33	Congenital debility	M	4	-	-	-	-	-	-	-	1	1	3	-	-	-	-
		F	5	-	-	-	2	2	-	-	-	2	-	1	1	1	-
33	Injuries at birth	M	5	4	1	-	-	5	-	-	-	5	-	-	-	-	-
		F	3	2	-	-	1	3	-	-	-	3	-	-	-	-	-
35	External causes	M	2	-	-	-	1	1	-	-	-	1	-	-	-	1	-
		F	3	-	-	-	-	-	-	1	-	1	-	1	1	-	-
38	Unknown or ill-defined diseases	M	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	17	7	1	1	1	10	1	-	1	12	-	1	1	2	1
		F	22	7	-	1	2	10	1	2	1	14	1	1	2	1	3

[1] Exclusive of stillbirths.

Table 29k

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1925: 1926.

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	NEWTON.	T	46	13	6	6	4	29	1	1	2	33	2	–	2	5	4
		M	24	7	2	3	2	14	1	1	1	17	1	–	1	3	2
		F	22	6	4	3	2	15	–	–	1	16	1	–	1	2	2
5	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
14	Tuberculosis of the meninges and central nervous system.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17	Meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
37	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
19	Diseases of the heart	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20	Acute bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Pneumonia	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
23	Bronchopneumonia	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
24	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25	Diarrhea and enteritis	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
33	Malformations	M	7	1	–	3	1	5	–	–	1	6	–	–	–	1	–
		F	3	1	1	1	–	3	–	–	–	3	–	–	–	–	–
33	Premature birth	M	8	5	1	–	1	7	1	–	–	8	–	–	–	–	–
		F	7	3	3	–	1	7	–	–	–	7	–	–	–	–	–
33	Congenital debility	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	1	1	2	–	–	–	2	–	–	–	–	–
33	Injuries at birth	M	2	–	1	–	–	1	–	1	–	2	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–
	All other causes	M	4	1	–	–	–	1	–	–	–	1	1	–	1	1	–
		F	3	2	–	1	–	3	–	–	–	3	–	–	–	–	–

[1] Exclusive of stillbirths.

Table 291

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1925: **1926.**

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	QUINCY.	T	66	13	2	6	6	27	8	2	3	40	6	4	7	6	3
		M	40	9	1	3	5	18	2	-	2	22	4	1	6	6	1
		F	26	4	1	3	1	9	6	2	1	18	2	3	1	-	2
5	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
6	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Whooping cough	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Influenza	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	Tuberculosis of the meninges and central nervous system	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
17	Meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	Diseases of the heart	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Acute bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Pneumonia	M	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Bronchopneumonia	M	6	-	-	-	-	-	-	-	-	-	1	-	2	3	-
		F	3	-	-	-	-	-	2	-	-	2	-	1	-	-	-
24	Diseases of the stomach	M	2	-	-	1	-	1	-	-	-	1	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
25	Diarrhea and enteritis	M	4	-	-	-	-	-	-	-	2	2	-	-	1	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Malformations	M	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-
		F	5	1	-	2	-	3	-	1	-	4	-	-	1	-	-
33	Premature birth	M	7	6	-	-	-	6	1	-	-	7	-	-	-	-	-
		F	5	1	1	-	-	2	1	1	1	5	-	-	-	-	-
33	Congenital debility	M	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-
		F	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-
33	Injuries at birth	M	7	3	-	-	3	6	-	-	-	6	1	-	-	-	-
		F	2	1	-	-	-	1	1	-	-	2	-	-	-	-	-
35	External causes	M	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
38	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	4	-	1	1	1	3	1	-	-	4	-	-	-	-	-
		F	5	1	-	1	1	3	1	-	-	4	-	1	-	-	-

[1] Exclusive of stillbirths.

Table 29m

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1925: 1926.

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	SOMERVILLE.	T	110	20	8	4	13	45	10	3	2	60	10	2	13	17	8
		M	60	11	3	1	6	21	8	2	2	33	7	2	8	4	6
		F	50	9	5	3	7	24	2	1	-	27	3	-	5	13	2
5	Measles	M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
6	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1
8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
12	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	Tuberculosis of the meninges and central nervous system.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	Meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	Diseases of the heart	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Acute bronchitis	M	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Pneumonia	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Bronchopneumonia	M	12	-	-	-	1	1	2	-	-	3	2	-	4	3	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	2	3	-
24	Diseases of the stomach	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Diarrhea and enteritis	M	5	-	-	-	-	-	-	-	1	1	1	1	-	-	2
		F	7	-	-	-	-	-	-	1	-	1	2	-	-	4	-
33	Malformations	M	9	2	-	1	1	4	-	1	-	5	1	-	2	-	1
		F	11	2	1	2	1	6	1	-	-	7	-	-	2	1	1
33	Premature birth	M	18	9	3	-	1	13	4	1	-	18	-	-	-	-	-
		F	12	5	3	-	1	9	1	-	-	10	1	-	1	-	-
33	Congenital debility	M	2	-	-	-	1	1	-	-	1	2	-	-	-	-	-
		F	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
33	Injuries at birth	M	2	-	-	-	-	-	1	-	-	1	1	-	-	-	-
		F	4	1	-	-	3	4	-	-	-	4	-	-	-	-	-
35	External causes	M	3	-	-	-	-	-	1	-	-	1	1	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	3	-	-	-	2	2	-	-	-	2	1	-	-	-	-
		F	5	1	1	1	1	4	-	-	-	4	-	-	-	1	-

[1] Exclusive of stillbirths.

Table 29n

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1925: 1926.

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	SPRINGFIELD.	T	229	65	15	10	22	112	9	6	7	134	18	9	22	22	24
		M	122	28	6	7	14	55	5	4	6	70	8	6	10	17	11
		F	107	37	9	3	8	57	4	2	1	64	10	3	12	5	13
5	Measles	M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	3
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2
6	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Whooping cough	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1
8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Influenza	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
12	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Erysipelas	M	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	Tuberculosis of the meninges and central nervous system	M	5	-	-	-	-	-	-	-	-	-	-	-	2	2	1
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
15	Other forms of tuberculosis	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	Meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	Diseases of the heart	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Acute bronchitis	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Pneumonia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
23	Bronchopneumonia	M	14	-	-	1	-	1	-	-	1	2	1	3	2	5	1
		F	10	-	-	-	-	-	-	-	-	-	2	-	2	1	5
24	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Diarrhea and enteritis	M	5	-	-	-	-	-	-	-	-	-	-	-	2	-	3
		F	8	-	-	-	-	-	-	-	-	-	-	-	3	2	3
33	Malformations	M	21	5	1	1	5	12	2	1	1	16	5	-	-	-	-
		F	14	3	3	-	-	6	2	1	-	9	2	1	1	1	-
33	Premature birth	M	31	19	4	3	2	28	1	1	1	31	-	-	-	-	-
		F	35	26	5	1	2	34	-	1	-	35	-	-	-	-	-
33	Congenital debility	M	2	-	-	-	-	-	-	-	1	1	-	-	-	-	1
		F	4	-	-	-	-	-	-	-	-	-	1	1	2	-	-
33	Injuries at birth	M	7	1	1	2	2	6	-	1	-	7	-	-	-	-	-
		F	6	5	-	-	-	5	1	-	-	6	-	-	-	-	-
35	External causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	1
38	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	26	3	-	-	5	8	2	1	2	13	1	-	4	6	2
		F	19	3	1	2	6	12	1	-	-	13	3	1	2	-	-

[1] Exclusive of stillbirths.

Table 29o

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1925: 1926.

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	WORCESTER.	T	321	87	32	13	27	159	19	7	8	193	15	24	42	26	21
		M	190	50	19	8	14	91	13	4	3	111	11	12	29	15	12
		F	131	37	13	5	13	68	6	3	5	82	4	12	13	11	9
5	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1
6	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Whooping cough	M	5	-	-	-	-	-	-	-	-	-	-	1	1	1	2
		F	5	-	-	-	-	-	-	-	-	-	1	1	2	1	-
8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Erysipelas	M	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	Tuberculosis of the meninges and central nervous system.	M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
15	Other forms of tuberculosis	M	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
17	Meningitis	M	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
37	Convulsions	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	Diseases of the heart	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Acute bronchitis	M	7	-	-	-	-	-	-	-	-	-	2	-	3	1	1
		F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
22	Pneumonia	M	4	-	-	-	1	1	-	-	1	2	-	1	-	1	-
		F	4	-	-	-	-	-	-	-	-	-	-	1	-	2	1
23	Bronchopneumonia	M	25	-	1	-	-	1	1	1	-	3	2	2	13	2	3
		F	15	-	-	-	-	-	-	-	-	-	1	4	4	4	2
24	Diseases of the stomach	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Diarrhea and enteritis	M	14	-	-	-	-	-	-	-	-	-	-	2	7	4	1
		F	10	-	-	-	-	-	-	-	1	1	-	2	2	1	4
33	Malformations	M	11	1	2	1	-	4	2	-	1	7	1	-	1	2	-
		F	9	4	1	-	-	5	1	-	-	6	-	1	1	1	-
33	Premature birth	M	58	32	11	3	1	47	7	1	1	56	2	-	-	-	-
		F	50	25	9	2	6	42	3	2	2	49	1	-	-	-	-
33	Congenital debility	M	6	-	-	-	2	2	2	-	-	4	1	-	-	-	1
		F	4	-	1	-	1	2	-	-	1	3	1	-	-	-	-
33	Injuries at birth	M	20	9	4	2	4	19	1	-	-	20	-	-	-	-	-
		F	11	5	-	1	2	8	2	1	-	11	-	-	-	-	-
35	External causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
38	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	28	8	1	2	6	17	-	2	-	19	1	3	2	-	3
		F	15	3	2	2	4	11	-	-	-	11	-	2	1	-	1

[1] Exclusive of stillbirths.

Maternal Mortality.

Table 30

Deaths and Death Rates per 100,000 Population from Diseases caused by Pregnancy and Confinement:* **1901 to 1926.**

Years.	Deaths.			Death rates — per 100,000 population.			Death rates — per 100,000 female[1] population.		
	Total. 143-150.	Puerperal septicemia. 146.	All others. 143-145, 147-150.	Total.	Puerperal septicemia.	All others.	Total.	Puerperal septicemia	All others.
1901	273	57	216	9.6	2.0	7.6	18.6	3.9	14.7
1902	277	61	216	9.6	2.1	7.5	18.5	4.1	14.4
1903	310	100	210	10.6	3.4	7.2	20.4	6.6	13.8
1904	339	87	252	11.4	2.9	8.5	21.7	5.6	16.1
1905	318	60	258	10.5	2.0	8.5	20.1	3.8	16.3
1906	340	87	253	11.0	2.8	8.2	21.2	5.4	15.8
1907	386	83	303	12.2	2.6	9.6	23.6	5.1	18.5
1908	357	37	320	11.0	1.1	9.9	21.5	2.2	19.3
1909	456	89	367	13.8	2.7	11.1	27.0	5.3	21.7
1910	402	104	298	11.9	3.1	8.8	23.4	6.1	17.3
1911	506	143	363	14.7	4.2	10.6	29.0	6.0	23.0
1912	435	97	338	12.4	2.8	9.6	24.5	5.5	19.0
1913	467	101	366	13.1	2.8	10.2	25.9	5.6	20.3
1914	538	104	434	14.8	2.9	11.9	29.4	5.7	23.7
1915	462	106	356	12.5	2.9	9.6	24.9	5.7	19.2
1916	525	159	366	13.9	4.2	9.7	27.3	8.3	19.0
1917	616	194	422	16.0	5.0	11.0	31.5	9.9	21.6
1918	804	159	645	20.6	4.1	16.5	40.4	8.0	32.4
1919	622	163	459	16.2	4.2	12.0	31.8	8.3	23.5
1920	698	195	503	18.1	5.1	13.0	35.6	10.0	25.6
1921	580	178	402	14.9	4.6	10.3	29.3	9.0	20.3
1922	559	159	400	14.2	4.0	10.2	27.9	7.9	20.0
1923	498	128	370	12.5	3.2	9.3	24.6	6.3	18.3
1924	544	161	383	13.6	4.0	9.6	26.7	7.9	18.8
1925	501	140	361	12.1	3.4	8.7	–	–	–
1926	501	150	351	11.9	3.6	8.3	–	–	–

[1] Female population for 1925 and 1926 not available.

Deaths Investigated

Table 32

Line No.	Cause of Death.	Deaths (inclusive of Stillbirths) — The State. Number.	The State. Per Cent distribution.	Counties. Barnstable.	Berkshire.	Bristol.	Dukes.
1	**All Causes.**	**7,648**	**100.00**	**70**	**157**	**660**	**12**
2	Violence.	3,016	39.4	35	75	239	7
3	*Homicide.*	89	1.2	1	2	7	–
4	Firearms (197)	38	.5	–	2	4	–
5	Stabbing (198)	7	.1	–	–	–	–
6	Infanticide (200)	6	.1	1	–	–	–
7	Other methods (199)	38	.5	–	–	3	–
8	*Suicide.*	471	6.2	1	18	36	1
9	Firearms (170)	93	1.2	–	6	7	–
10	Asphyxia by illuminating gas (167)	143	1.9	–	5	11	–
11	Hanging (168)	79	1.0	–	3	4	1
12	Poisons (165, 166)	53	.7	1	1	7	–
13	Drowning (169)	43	.6	–	2	3	–
14	Cutting or piercing instruments (171)	41	.6	–	1	1	–
15	Other methods	19	.2	–	–	3	–
16	*Accident or Negligence.*	2,456	32.0	33	55	196	6
17	Public travel (railroads, vehicles, etc.) (188)	920	12.0	18	26	63	3
18	Falls, blows and falling bodies (185, 202)	662	8.6	4	9	41	–
19	Burns, scalds and explosions (178, 179)	245	3.1	6	10	26	–
20	Drowning (182)	215	2.8	4	5	18	3
21	Asphyxia (other than drowning) (180, 181)	212	2.8	1	3	35	–
22	Machinery (187)	52	.7	–	–	2	–
23	Weather agencies (193–195)	28	.4	–	1	3	–
24	Poisons (177)	38	.5	–	–	3	–
25	Firearms and other weapons (183)	27	.4	–	1	1	–
26	Other accidental causes	57	.7	–	–	4	–
27	Causes Not Due to Violence.	4,553	59.5	34	82	405	5
28	Natural causes	3,439	45.0	31	73	378	4
29	Alcoholism	285	3.7	–	6	14	1
30	Unknown or ill-defined causes	80	1.1	1	1	6	–
31	Cremations	749	9.7	2	2	7	–
32	Stillbirths.	79	1.1	1	–	16	–
33	**Autopsies.**						
34	Number	565	–	1	–	29	2

Table 31

DEATH RATES PER 10,000 CONFINEMENTS AND PER 10,000 BIRTHS[1] FROM DISEASES CAUSED BY PREGNANCY AND CONFINEMENT (143-150):* 1901 TO 1926.

YEARS.	PER 10,000 CONFINEMENTS.[1]			PER 10,000 BIRTHS.[2]			PER 10,000 LIVE BIRTHS.			PER 10,000 CONFINEMENTS.[1] 143-150.	
	Total. 143-150.	Puerperal septicemia. 146.	All others. 143-145, 147-150.	Total. 143-150.	Puerperal septicemia. 146.	All others. 143-145, 147-150.	Total. 143-150.	Puerperal septicemia. 146.	All others. 143-145, 147-150.	Three-year averages.	Five-year averages.
1901	37	8	29	37	8	29	38	8	30		
1902	37	8	29	37	8	29	38	8	30	38	
1903	41	13	28	41	13	28	42	14	28		40
1904	44	11	33	44	11	33	45	12	33		
1905	41	8	33	41	8	33	42	8	34	42	
1906	41	11	30	41	10	31	42	11	31		
1907	44	10	34	44	9	35	45	10	35		
1908	40	4	36	40	4	36	41	4	37	45	44
1909	52	10	42	52	10	42	54	11	43		
1910	45	12	33	45	12	33	46	12	34		
1911	56	16	40	55	16	39	57	16	41	49	
1912	47	11	36	47	10	37	48	11	37		
1913	50	11	39	49	11	38	51	11	40		51
1914	56	11	45	56	11	45	58	11	47	51	
1915	48	11	37	48	11	37	48	11	37		
1916	55	17	39	54	16	38	56	17	39		
1917	63	20	43	62	19	43	64	20	44	67	
1918	82	16	66	81	16	65	84	17	67		69
1919	69	18	51	68	18	50	71	19	52		
1920	74	21	53	73	20	53	76	21	55	68	
1921	61	19	42	60	18	42	63	19	44		
1922	62	18	44	61	17	44	64	18	46		
1923	54	14	40	54	14	40	56	14	41		43
1924	58	17	41	57	17	40	59	17	42	58	
1925	57	16	41	56	16	40	58	16	42		
1926	59	18	41	58	17	41	60	18	42		

[1] Inclusive of stillbirths and making proper deductions for plural births.
[2] Inclusive of stillbirths.

BY MEDICAL EXAMINERS.

INVESTIGATED BY MEDICAL EXAMINERS, BY CAUSE OF DEATH, IN EACH COUNTY: 1926.

Line No.	COUNTIES — Con.									
	Essex.	Franklin.	Hampden.	Hampshire.	Middlesex.	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.
1	**716**	**66**	**690**	**124**	**1,565**	**5**	**491**	**271**	**1,998**	**823**
2	342	23	250	44	568	4	139	122	819	349
3	10	–	10	–	15	–	2	3	35	4
4	6	–	4	–	8	–	–	–	12	2
5	1	–	–	–	1	–	–	–	5	–
6	–	–	–	–	1	–	–	–	3	1
7	3	–	6	–	5	–	2	3	15	1
8	64	8	35	15	76	1	28	16	117	55
9	7	3	9	5	16	–	6	4	18	12
10	28	1	10	3	18	–	8	4	42	13
11	13	4	5	2	13	–	6	3	14	11
12	6	–	2	4	9	–	3	1	15	4
13	3	–	6	–	9	–	1	4	7	8
14	5	–	2	1	10	1	2	–	11	7
15	2	–	1	–	1	–	2	–	10	–
16	268	15	205	29	477	3	109	103	667	290
17	94	9	91	8	190	2	44	26	231	115
18	63	–	49	6	121	–	19	34	228	88
19	24	1	14	3	47	–	12	7	68	27
20	34	2	16	7	36	1	11	22	31	25
21	23	–	14	1	44	–	11	4	64	12
22	5	–	8	–	7	–	2	1	22	5
23	4	1	2	–	8	–	1	3	4	1
24	5	–	6	–	7	–	–	1	11	5
25	2	2	3	3	5	–	2	3	1	4
26	14	–	2	1	12	–	7	2	7	8
27	371	43	433	78	979	1	348	147	1,163	464
28	322	40	290	70	737	1	264	123	678	428
29	32	–	14	3	34	–	7	8	149	17
30	4	2	–	1	22	–	9	4	16	14
31	13	1	129	4	186	–	68	12	320	5
32	3	–	7	2	18	–	4	2	16	10
33										
34	24	–	19	5	47	2	14	7	358	57

Detailed Int. List No.	Table 33 — Cause of Death.	Sex.	All deaths investigated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
			Deaths due to Violence and Other and Months, and by	Months.											
	All Causes.[1]	T	**6,899**	**536**	**470**	**640**	**596**	**604**	**563**	**614**	**504**	**526**	**579**	**588**	**679**
		M	4,577	352	316	371	406	392	395	425	346	343	382	405	444
		F	2,322	184	154	269	190	212	168	189	158	183	197	183	235
	All Causes (exclusive of stillbirths.)	T	**6,820**												
		M	4,531	345	314	368	401	387	388	423	343	339	378	404	441
		F	2,289	183	153	265	187	210	167	183	157	175	195	180	234
	Violence.	T	3,016												
		M	2,122	137	120	145	183	170	198	236	191	172	209	179	182
		F	894	56	50	95	59	80	76	88	59	78	80	79	94
	Suicide.	T	471												
		M	348	30	24	23	34	24	39	34	13	26	30	32	39
		F	123	7	3	16	8	10	10	9	16	12	13	7	12
165	Suicide by solid or liquid poisons (corrosive substances excepted)	T	24												
		M	11	1	–	1	2	–	1	1	1	–	2	1	1
		F	13	–	–	2	–	1	2	1	3	1	1	–	2
165*a*	Arsenic and its compounds	T	6												
		M	2	–	–	–	1	–	–	–	–	–	–	–	1
		F	4	–	–	–	–	–	1	–	2	1	–	–	–
165*b*	Opium and its preparations	T	3												
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	1	–	1	–	–	–	–	–
165*c*	Carbolic acid	T													
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
165*d*	Other poisons	T	15												
		M	8	–	–	1	1	–	1	1	1	–	2	1	–
		F	7	–	–	2	–	–	1	–	1	–	1	–	2
166	By corrosive substances	T	29												
		M	14	1	2	1	2	1	2	1	1	2	1	–	–
		F	15	1	–	2	1	–	2	1	1	3	2	–	2
167	Suicide by poisonous gas	T	143												
		M	103	11	8	7	11	4	10	8	4	8	8	6	18
		F	40	2	1	2	3	5	3	4	7	2	4	5	2
168	Suicide by hanging or strangulation	T	79												
		M	63	4	5	3	4	8	8	9	3	5	2	8	4
		F	16	1	–	3	2	–	2	–	1	3	2	–	2
169	Suicide by drowning	T	43												
		M	27	1	–	1	5	4	6	4	1	3	–	1	1
		F	16	1	1	4	2	2	1	1	3	–	1	–	–
170	Suicide by firearms	T	93												
		M	84	7	6	8	6	4	7	7	1	4	11	14	9
		F	9	–	–	1	–	–	–	–	1	3	1	1	2
171	Suicide by cutting or piercing instruments	T	41												
		M	38	4	3	1	3	2	4	4	2	3	5	1	6
		F	3	–	–	1	–	–	–	–	–	–	1	–	1
172	Suicide by jumping from high places	T	12												
		M	4	1	–	1	1	–	–	–	–	–	–	1	–
		F	8	1	1	1	–	1	–	2	–	–	–	1	1
173	Suicide by crushing	T	3												
		M	3	–	–	–	–	1	–	–	–	1	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Other suicides	T	4												
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	3	1	–	–	–	1	–	–	–	–	1	–	–
	Homicide.	T	89												
		M	61	7	3	7	5	7	5	4	8	4	6	3	2
		F	28	3	–	4	4	1	1	4	1	2	4	1	3
197	By firearms	T	38												
		M	34	4	3	5	2	4	2	3	5	–	4	1	1
		F	4	–	–	–	–	1	–	1	–	1	1	–	–
198	By cutting or piercing instruments	T	7												
		M	7	1	–	1	–	–	2	1	1	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
199	By other means	T	38												
		M	17	2	–	1	2	2	–	–	2	4	1	2	1
		F	21	3	–	4	3	–	1	3	1	–	3	–	3
200	Infanticide (murder of infants less than one year of age)	T	6												
		M	3	–	–	–	1	1	1	–	–	–	–	–	–
		F	3	–	–	–	1	–	–	–	–	1	–	1	–
	Accidental.	T	2,456												
		M	1,713	100	93	115	144	139	154	198	170	142	173	144	141
		F	743	46	47	75	47	69	65	75	42	64	63	71	79
175	Poisoning by food	T													
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
176	Poisoning by venomous animals	T													
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Not including 749 views for cremation.

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: 1926.

Detailed Int. List No.	AGE PERIODS.													
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
	142	**295**	**279**	**240**	**133**	**190**	**430**	**614**	**908**	**1,136**	**1,194**	**920**	**413**	**5**
	84	176	161	156	92	142	274	441	692	812	836	541	166	4
	58	119	118	84	41	48	156	173	216	324	358	379	247	1
	38	176	161	156	92	142	274	441	692	812	836	541	166	4
	25	119	118	84	41	48	156	173	216	324	358	379	247	1
	10	33	113	143	83	120	204	296	359	304	246	167	43	1
	6	26	85	71	31	31	87	74	79	89	108	116	91	–
	–	–	–	–	–	9	27	59	85	66	61	35	6	–
	–	–	–	–	–	9	31	22	23	14	15	4	5	–
165														
	–	–	–	–	–	–	1	3	3	2	2	–	–	–
	–	–	–	–	–	1	5	2	4	–	1	–	–	–
165*a*														
	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	–	–	–	–	–	1	–	–	3	–	–	–	–	–
165*b*														
	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	1	–	1	–	–	–	–	–
165*c*														
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
165*d*														
	–	–	–	–	–	–	–	3	2	1	2	–	–	–
	–	–	–	–	–	–	4	2	–	–	1	–	–	–
166														
	–	–	–	–	–	–	2	1	3	2	4	2	–	–
	–	–	–	–	–	2	8	3	1	1	–	–	–	–
167														
	–	–	–	–	–	2	10	15	21	26	14	11	4	–
	–	–	–	–	–	2	8	6	7	7	7	2	1	–
168														
	–	–	–	–	–	–	4	12	16	7	13	10	1	–
	–	–	–	–	–	–	4	6	2	2	2	–	–	–
169														
	–	–	–	–	–	2	1	3	11	7	3	–	–	–
	–	–	–	–	–	1	4	2	2	2	4	1	–	–
170														
	–	–	–	–	–	3	3	18	24	12	14	9	1	–
	–	–	–	–	–	3	–	2	3	–	1	–	–	–
171														
	–	–	–	–	–	1	2	5	7	9	11	3	–	–
	–	–	–	–	–	–	–	1	2	–	–	–	–	–
172														
	–	–	–	–	–	1	3	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	1	2	–	1	3	–
173														
	–	–	–	–	–	–	1	2	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174														
	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	1	–	1	–	–	–	1	–
	2	2	–	–	–	3	4	26	15	6	3	–	–	–
	3	2	1	1	4	1	4	6	1	4	1	–	–	–
197														
	–	–	–	–	–	2	3	14	8	5	2	–	–	–
	–	–	–	–	2	–	–	1	–	1	–	–	–	–
198														
	–	–	–	–	–	1	1	3	2	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199														
	–	1	–	–	–	–	–	9	5	1	1	–	–	–
	1	1	1	1	2	1	4	5	1	3	1	–	–	–
200														
	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	8	31	113	143	83	108	173	211	259	232	182	132	37	1
	3	24	84	70	27	21	52	46	55	71	92	112	86	–
175														
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
176														
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 33

Deaths due to Violence and Other and Months, and by

Detailed Int. List No.	Cause of Death.	Sex.	All deaths investigated.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
177	Other acute accidental poisonings (gas excepted)	T	38												
		M	21	–	4	1	1	1	3	2	1	1	1	2	4
		F	17	2	–	1	3	3	2	1	2	–	1	1	1
178	Conflagration	T	42												
		M	27	3	3	3	6	4	–	4	1	–	1	–	2
		F	15	4	–	1	1	7	2	–	–	–	–	–	–
179	Accidental burns (conflagration excepted)	T	203												
		M	85	6	6	6	12	5	8	6	6	4	10	6	10
		F	118	7	8	16	13	6	7	11	3	12	9	12	14
180	Accidental mechanical suffocation	T	56												
		M	36	3	1	4	7	2	–	2	2	5	4	2	4
		F	20	1	3	4	–	3	2	2	–	–	1	1	3
181	Accidental absorption of irrespirable or poisonous gas	T	156												
		M	103	9	11	13	10	8	5	6	2	4	10	12	13
		F	53	5	9	10	3	2	3	1	1	2	6	3	8
182	Accidental drowning	T	215												
		M	194	4	4	5	13	16	28	50	40	12	10	8	4
		F	21	1	–	–	–	4	–	3	3	6	2	1	1
183	Accidental traumatism by firearms (wounds of war excepted)	T	27												
		M	24	1	1	2	1	–	1	2	1	4	4	2	5
		F	3	–	1	–	–	–	1	–	–	–	–	1	–
184	Accidental traumatism by cutting or piercing instruments	T	17												
		M	16	2	–	4	3	–	–	2	2	1	2	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
185	Accidental traumatism by fall	T	485												
		M	295	18	16	19	30	26	29	17	28	25	38	19	30
		F	190	9	12	23	14	15	18	19	14	15	14	16	21
186	Accidental traumatism in mines and quarries	T	2												
		M	2	–	–	–	–	–	–	–	2	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
187	Accidental traumatism by machines	T	52												
		M	47	3	5	7	1	4	3	4	3	7	2	4	4
		F	5	–	1	–	–	1	–	2	–	–	1	–	–
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)	T	920												
		M	681	39	32	36	45	62	65	67	65	63	74	76	57
		F	239	13	11	14	11	24	24	21	17	23	24	30	27
188*a*	Railroad accidents	T	123												
		M	106	9	13	8	4	17	8	11	7	6	11	7	5
		F	17	1	2	–	–	1	2	2	–	5	–	1	3
188*b*	Street car accidents	T	47												
		M	34	2	2	–	2	2	3	4	3	3	–	7	6
		F	13	–	1	4	–	2	1	2	–	–	1	2	–
188*c*	Automobile accidents	T	687												
		M	487	26	11	25	38	36	51	42	48	49	59	60	42
		F	200	10	7	10	10	21	19	17	17	17	21	27	24
188*d*	Aeroplane and balloon accidents	T	2												
		M	2	–	–	–	–	–	–	2	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
188*e*	Motorcycle accidents	T	12												
		M	10	–	–	–	1	1	–	1	4	–	1	2	–
		F	2	–	–	–	1	–	–	–	–	–	1	–	–
188*f*	Injuries by other vehicles	T	45												
		M	38	2	6	3	–	5	2	7	3	4	2	–	4
		F	7	2	1	–	–	–	2	–	–	1	1	–	–
188*g*	Landslide, other crushing	T	4												
		M	4	–	–	–	–	1	1	–	–	1	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
189	Injuries by animals (not poisoning)	T	5												
		M	5	–	–	1	1	–	–	–	–	1	1	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
190	Wounds of war	T													
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
191	Execution of civilians by belligerent armies	T													
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
192	Starvation (deprivation of food or water)	T													
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
193	Excessive cold	T	1												
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
194	Excessive heat	T	23												
		M	16	–	–	–	–	–	–	12	4	–	–	–	–
		F	7	–	–	–	–	–	–	7	–	–	–	–	–
195	Lightning	T	4												
		M	3	–	–	–	–	–	–	1	2	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: 1926.

Detailed Int. List No.	AGE PERIODS.													
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
177	1	1	3	–	–	–	1	2	7	5	1	–	–	–
	–	–	5	–	–	–	3	3	5	–	1	–	–	–
178	–	–	–	6	1	–	2	–	5	3	7	3	–	–
	–	–	2	1	–	1	3	1	1	4	–	2	–	–
179	–	5	28	7	4	1	8	13	5	7	4	2	1	–
	–	2	39	15	7	1	7	7	3	10	6	13	8	–
180	7	13	2	–	–	–	2	1	6	3	2	–	–	–
	3	13	1	–	–	–	1	1	–	–	1	–	–	–
181	–	3	2	2	–	1	6	12	15	23	25	10	4	–
	–	2	2	1	–	2	3	4	4	9	12	10	4	–
182	–	–	18	25	21	28	27	30	29	10	6	–	–	–
	–	–	4	2	2	1	4	2	2	2	1	1	–	–
183	–	–	–	2	1	9	6	3	1	1	–	–	1	–
	–	–	–	–	1	1	–	–	1	–	–	–	–	–
184	–	–	–	–	1	3	1	4	–	4	1	2	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–
185	–	1	13	4	6	20	7	28	55	47	44	50	20	–
	–	1	6	1	–	–	1	2	7	22	37	48	65	–
186	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
187	–	–	–	–	1	3	9	9	9	7	5	4	–	–
	–	–	1	–	–	1	1	–	–	1	–	–	1	–
188	–	1	43	94	40	48	77	83	82	93	60	49	10	1
	–	1	20	49	17	9	16	15	25	21	28	31	7	–
188*a*	–	–	1	2	5	8	9	19	21	18	14	8	1	–
	–	–	–	1	3	–	–	5	2	3	2	1	–	–
188*b*	–	–	5	1	–	–	2	4	10	6	3	3	–	–
	–	–	3	4	–	–	1	–	1	1	1	2	–	–
188*c*	–	1	35	88	32	35	57	54	44	61	38	32	9	1
	–	1	17	42	14	7	15	9	21	16	24	27	7	–
188*d*	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188*e*	–	–	–	–	–	3	6	–	1	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	1	–	–	–
188*f*	–	–	2	3	3	1	1	5	6	7	5	5	–	–
	–	–	–	2	–	1	–	1	1	1	–	1	–	–
188*g*	–	–	–	–	–	1	1	–	–	1	–	1	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189	–	–	–	–	–	–	–	–	1	2	1	1	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
190	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
191	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
192	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
193	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
194	–	2	1	–	–	1	–	1	4	2	3	2	–	–
	–	2	–	–	–	–	–	1	1	–	2	–	1	–
195	–	–	–	–	–	1	–	1	–	1	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 33 — Cause of Death.	Sex.	All deaths investigated.	January.	February.	March.	April.	May.	June.	July.	August.	September	October.	November.	December.
			Deaths due to Violence and Other and Months, and by Months.												
196	Other accidental electric shocks	T	19												
		M	17	–	2	1	1	–	2	3	3	1	3	1	–
		F	2	–	–	–	1	–	–	–	–	1	–	–	–
201	Fracture (cause not specified)	T	14												
		M	7	2	–	–	–	1	1	1	–	–	1	1	–
		F	7	–	1	1	–	–	2	2	–	1	–	–	–
202	Other external violence (cause specified)	T	177												
		M	133	10	8	13	12	10	9	19	8	14	12	11	7
		F	44	3	1	5	1	4	4	5	2	4	5	6	4
203	Other external violence (cause not specified)	T													
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not due to Violence.	T	3,804												
		M	2,409	208	194	223	218	217	190	187	152	167	169	225	259
		F	1,395	127	103	170	128	130	91	95	98	97	115	101	140
		T	79												
	Stillbirths.	M	46	7	2	3	5	5	7	2	3	4	4	1	3
		F	33	1	1	4	3	2	1	6	1	8	2	3	1

Line No.	Table 34 — Counties.	Deaths (inclusive of Stillbirths) investigated and Autopsies made by Medical Examiners in Each County: 1917 to 1926.										
		10 years, 1917 to 1926.			1926.		1925.		1924.		1923.	
		Views.	Autopsies. Number.	Autopsies. Per cent.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.
1	**The State.**	70,508	6,082	8.6	7,648	565	7,689	577	7,341	655	7,549	732
2	Barnstable	588	15	2.6	70	1	76	1	75	2	55	1
3	Berkshire	1,443	34	2.5	157	–	170	5	147	1	151	4
4	Bristol	6,377	182	2.9	660	29	629	26	648	25	645	22
5	Dukes	106	10	9.4	12	2	9	–	13	–	26	5
6	Essex	6,939	268	3.7	716	24	723	29	795	29	767	26
7	Franklin	804	14	1.7	66	–	74	2	67	2	89	1
8	Hampden	5,628	216	3.8	690	19	666	17	633	14	610	19
9	Hampshire	1,084	33	3.0	124	5	117	8	91	–	106	–
10	Middlesex	13,865	480	3.4	1,565	47	1,568	53	1,468	63	1,506	49
11	Nantucket	45	4	8.8	5	2	4	–	6	–	2	–
12	Norfolk	4,022	202	5.0	491	14	470	19	474	15	439	17
13	Plymouth	2,381	169	7.1	271	7	274	18	234	27	247	17
14	Suffolk	19,839	4,057	20.4	1,998	358	2,109	356	1,909	427	2,142	519
15	Worcester	7,387	398	5.4	823	57	800	43	781	50	764	52

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: 1926.

Detailed Int. List No.	AGE PERIODS.													
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
196														
	–	–	–	–	3	1	3	6	3	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	1	1	–	–	–
201														
	–	–	–	–	–	1	1	1	1	2	1	–	–	–
	–	–	–	–	–	–	–	–	1	–	1	5	–	–
202														
	–	5	3	3	5	4	10	17	36	21	19	9	1	–
	–	3	4	1	–	4	13	10	5	–	2	2	–	–
203														
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	28	143	48	13	9	22	70	145	333	508	590	374	123	3
	19	93	33	13	10	17	69	99	137	235	250	263	156	1
	46	–	–	–	–	–	–	–	–	–	–	–	–	–
	33	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS (INCLUSIVE OF STILLBIRTHS) INVESTIGATED AND AUTOPSIES MADE BY MEDICAL EXAMINERS IN EACH COUNTY: 1917 TO 1926.

Line No.	1922.		1921.		1920.		1919.		1918.		1917.	
	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.
1	6,939	694	6,368	621	6,276	573	6,183	486	7,227	553	7,288	626
2	61	2	53	1	48	1	53	2	48	1	49	3
3	140	3	124	8	134	4	130	5	143	1	147	3
4	603	15	561	10	594	4	569	16	749	16	719	19
5	11	–	9	1	12	1	8	–	2	–	4	1
6	725	32	615	27	630	31	595	13	691	21	682	36
7	67	–	86	–	85	1	70	3	95	2	105	3
8	539	31	500	22	503	20	439	28	487	25	561	21
9	103	2	115	4	127	5	103	4	104	1	94	4
10	1,310	51	1,271	52	1,243	38	1,178	45	1,375	25	1,381	57
11	8	1	2	1	6	–	2	–	6	–	4	–
12	419	24	341	20	336	22	328	15	383	36	341	20
13	235	16	241	20	229	20	202	18	220	13	228	13
14	2,029	474	1,775	427	1,664	398	1,867	315	2,153	380	2,193	403
15	689	43	675	28	665	28	639	22	771	32	780	43

PART II. A.

BIRTH STATISTICS

	PAGE
Introduction	120–122
Birth registration	120, 121
Live births	121
Birth rates	121
Changes in birth rate	121
Stillbirths	121
Birth rates, principal cities	121, 122
Sex proportions at birth	122
Nativity of parents	122
Plural births	122
Natural increase	122
Statistical tables	123–130

INTRODUCTION.

Birth Registration. — Like the registration of deaths, birth registration has been compulsory in Massachusetts since Colonial times. It was one of the first States to be included in the registration area of the United States Census Bureau. The making of authentic birth records presents greater difficulties than that of either marriages or deaths, and probably no State or sizable city claims 100 per cent birth registration; but the results in Massachusetts on the whole are considered to be far above the average and efforts are continually being made for its improvement.

Records are made in the first instance by the local registrars, who are the city and town clerks, with the exception of Boston where the City Registrar is the official in charge.

The physician* in attendance at the birth of a child is required, within forty-eight hours, to give notice and make a complete return within fifteen days of the facts required for record to the clerk of the city or town in which such birth occurred. Parents, within forty days, are required to give notice to the registration official of every child born to them.

In addition to the above, persons in charge of a hospital, almshouse, or other institution, public or private, are required to give, on or before the fifth day of each month, notice to the town clerk of every birth occurring among the persons in such institution during the preceding month. The law also requires the clerk of each town annually in January to ascertain the facts required for record of all children born in his town during the preceding year and resident therein.

The records on file in the Division of Vital Statistics are attested copies of the originals filed with the local officials. The law has required the filing at this central record office from 1841. During this time 4,702,954 births have been registered and the annual registration report issued. Since the establishment of the office of the State Registrar of Vital Statistics in 1918, a systematic campaign has been carried on to obtain prompt and complete compliance with the birth registration laws. If people generally realized the importance of birth records, complete registration would soon be an accomplished fact.

There is hardly a relation of life, social, legal, or economic, in which the evidence furnished by an accurate registration of births may not prove to be of the greatest value, not only to the individual, but also to the public at large. It is not only an act of civilization to register Birth Certificates, but also good business, for they are frequently used in many practical ways:

1. As evidence to prove the age and legitimacy of heirs;
2. As proof of age to determine the validity of a contract entered into by an alleged minor;
3. As evidence to establish age and proof of citizenship and descent; in order to vote;
4. As evidence to establish the right of admission to the professions and to many public offices;
5. As evidence of legal age to marry;
6. As evidence to prove the pension claims of widows and orphans.

* Midwives are not recognized in Massachusetts. It has been held that the practice of midwifery is the practice of medicine, and as there is no provision under the law for licensing midwives, any one who practices midwifery is violating the medical registration laws.

7. As evidence to determine the liability of parents for the debts of a minor;

8. As evidence in the administration of estates, the settlement of insurance and pensions;

9. As evidence to prove the irresponsibility of children under age for crime and misdemeanor, and various other matters in the criminal code;

10. As evidence in the enforcement of laws relating to education and to child labor;

11. As evidence to determine the relations of guardians and wards;

12. As proof of citizenship in order to obtain a passport;

13. As evidence in the claim for exemption from or the right to jury and militia service.

Copies of records of births occurring during the preceding year are forwarded to the Division of Vital Statistics on or before March 1st, April 1st and May 1st of the year following; the time depending upon the size of the city or town making the return.

After the statutory period has elapsed for filing copies of the records with the Department of the Secretary of the Commonwealth, no delayed returns or corrections can be accepted unless supported by a deposition made by the parents, physician, or based upon a writing made at the time by a person since deceased charged with making the return in the first instance. As the evidential value of a record depends for its authenticity upon the fact that it is made contemporaneously with the happening of the event recorded, the registrars are urged to exercise considerable care in accepting delayed returns for records, particularly if it is some years after the birth occurred. This holds true of corrections which can only be made in accordance with the facts as they actually existed at the time the birth occurred, with the exception of an illegitimate child who is legitimatized through the subsequent marriage of its parents; in these cases the record may be corrected in accordance with Chapter 281 of the Acts of 1925, so that the child will appear on the record as the legitimate offspring of its parents.

The annual canvass is an important factor in eliminating errors from physicians' returns of births, and many local registrars in Massachusetts are guarding against such errors by sending an exact copy of the physician's return to the parents for their approval; and when the certificate is returned properly signed by a parent, it is filed with the physician's certificate. Many cities and towns have already adopted this follow-up system, and an attempt is being made to institute this method throughout Massachusetts.

Live Births. — In the Commonwealth in 1926 there were 83,502 live births, a decrease of 2,512, or 2.9 per cent, as compared with the number registered in 1925. There was a decrease in 1926 of 7 in the number of infants born to native parents; 2,739, or 9.5 per cent, to foreign-born parents; and an increase of 233, or 1.5 per cent, to mixed parents, namely, one parent native, the other foreign-born, as compared with 1925.

Birth Rate. — In proportion to the total population, the total live births were equivalent to a rate of 19.8 per 1,000 population. This was .1 per 1,000 lower than that recorded in 1925, and 2.6 per 1,000 below the average for the five years 1921 to 1925.

Changes in Birth Rate. — The birth rate for the Commonwealth attained the highest point on record, 30.2 in the year 1857. Since then the rate, although fluctuating considerably, has shown a considerable decline, notwithstanding an improvement in the registration. Although the birth rate has been smaller in recent years, the infant death rate has also declined, so that the number of babies who survive the dangers of infancy is becoming steadily greater. This fact is strikingly shown in the infant mortality tables.

Stillbirths. — Stillbirths registered in 1926 number 2,997, a decrease of 144, or 4.6 per cent, as compared with 1925. The rate per 1,000 live births was 35.9 in 1926, 36.5 in 1925, 38.8 in 1924, 37.3 in 1923 and 1922, and 37.2 in 1921.

Birth Rates, Principal Cities. — The six municipalities having 15,000 inhabitants or more showing the highest birth rates in 1926 are: Newburyport, 27.6; Framingham, 26.9; Attleboro, 24.9; Woburn, 24.8; Cambridge and Pittsfield, 24.0.

The city of Cambridge has the highest birth rate (24.0) of any place in the

State of over 100,000 population. High birth rates, however, do not necessarily indicate satisfactory increases in population, since high rates of infant and childhood mortality may nullify the effect of high birth rates.

Variations in the birth rates of different communities may be partially accounted for by differences in the proportions of married women of child-bearing age residing therein, and by the presence of hospitals to which expectant mothers go from neighboring cities and towns in order to take advantage of the best medical advice and obstetrical care during pregnancy and childbirth.

Sex Proportion at Birth. — It has never been determined whether the higher proportion of masculine than of feminine births is the result of definite causes or not. The fact remains that this phenomenon is invariably true. Births of males in 1926 numbered 42,681, and those of females 40,821, corresponding to a ratio of 1,046 male births to 1,000 female births.

Nativity of Parents. — The number of births where both parents were native (40,898) exceeded the number of births where both parents were foreign-born (26,229), by 14,669, or 55.9 per cent in 1926. Children born of mixed parents (one parent native and one parent foreign-born) numbered 16,345 in 1926, as compared with 16,112 in 1925.

The proportion of children born of native parents declined from 1890 until about 1910, since when the proportion has steadily increased. In 1926 the proportion was 49 per cent.

The proportion of children born of parents one of whom was native and the other foreign-born was 19.6 in 1926, as compared with 18.7 in 1925. The number of children born of parents whose nativity was not reported on the birth certificate was 30 in 1926.

Plural Births. — In 1926 there were 909 plural births, 898 pairs of twins, 10 cases of triplets, and 1 case of quadruplets, or 10.8 pairs of twins per 1,000 live births, and .1 cases of triplets per 1,000 live births.

Natural Increase. — The excess of the birth rate over the death rate shows the ratio at which the community is reproducing itself by natural increases. In every year since the compilation of birth statistics was started the birth rate has been higher than the death rate.

The rate of natural increase for 1926 was 7.2 per 1,000 population, and averaged 9.7 for the five years 1921 to 1925.

Notwithstanding the decline in the birth rate in recent years, the number of births is greatly in excess of the number of deaths; and this fact, coupled with the steady decrease in infant mortality, has resulted in a net gain in the natural increase in population. The excess of births over deaths amounts to 57.9 per cent in 1926, as compared with 65.8 in 1925, 84.9 in 1924, 70.3 in 1923, 71.4 in 1922, and 93 in 1921.

For comparisons previous to 1900 relative to the natural increase from 1851, and for figures from that date up to and including 1919, reference may be made to the Annual Report of Vital Statistics of Massachusetts for the year ending Dec. 31, 1919, Public Document No. 1.

Table 35

LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES[1]: 1926.

Counties and Municipalities.	Total number.	Sex.			Parent nativity.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
The State.	**83,502**	**42,681**	**40,821**	**–**	**40,898**	**26,229**	**16,345**	**30**	**19.8**
COUNTIES.									
Barnstable	598	307	291	–	362	109	127	–	19.6
Berkshire	2,279	1,170	1,109	–	1,412	524	343	–	18.5
Bristol	8,262	4,186	4,076	–	3,514	2,900	1,847	1	21.2
Dukes	87	46	41	–	61	9	17	–	17.5
Essex	9,340	4,760	4,580	–	4,546	2,880	1,908	6	18.7
Franklin	908	450	458	–	614	175	119	–	18.3
Hampden	6,806	3,481	3,325	–	3,349	2,135	1,321	1	20.4
Hampshire	1,347	675	672	–	770	375	202	–	17.6
Middlesex	17,101	8,781	8,320	–	8,529	5,115	3,454	3	19.4
Nantucket	72	38	34	–	46	11	15	–	22.2
Norfolk	3,774	1,944	1,830	–	1,996	1,042	736	–	13.9
Plymouth	2,522	1,271	1,251	–	1,522	530	470	–	15.2
Suffolk	20,580	10,477	10,103	–	9,347	7,436	3,778	19	23.2
Worcester	9,826	5,095	4,731	–	4,830	2,988	2,008	–	19.7
MUNICIPALITIES.[2]									
Abington	49	27	22	–	29	11	9	–	–
Acton	12	4	8	–	8	2	2	–	–
Acushnet	133	69	64	–	46	47	40	–	–
Adams	253	133	120	–	125	82	46	–	–
Agawam	62	33	29	–	29	16	17	–	–
Alford	3	1	2	–	2	1	–	–	–
Amesbury	180	90	90	–	69	81	30	–	–
Amherst	59	35	24	–	39	12	8	–	–
Andover	147	92	55	–	61	54	32	–	–
Arlington	521	249	272	–	301	113	107	–	19.7
Ashburnham	24	13	11	–	17	5	2	–	–
Ashby	5	1	4	–	3	1	1	–	–
Ashfield	9	4	5	–	5	3	1	–	–
Ashland	16	8	8	–	6	7	3	–	–
Athol	163	90	73	–	90	44	29	–	–
ATTLEBORO	518	255	263	–	317	94	107	–	24.9
Auburn	41	24	17	–	22	10	9	–	–
Avon	28	14	14	–	20	3	5	–	–
Ayer	83	42	41	–	59	7	17	–	–
Barnstable	230	112	118	–	153	34	43	–	–
Barre	40	25	15	–	17	18	5	–	–
Becket	9	4	5	–	6	3	–	–	–
Bedford	11	7	4	–	5	4	2	–	–
Belchertown	33	13	20	–	17	9	7	–	–
Bellingham	60	26	34	–	21	28	11	–	–
Belmont	95	41	54	–	39	39	17	–	5.8
Berkley	19	12	7	–	10	5	4	–	–
Berlin	11	3	8	–	9	–	2	–	–
Bernardston	10	4	6	–	9	–	1	–	–
BEVERLY	442	238	204	–	252	92	98	–	19.5
Billerica	64	30	34	–	39	6	19	–	–
Blackstone	77	43	34	–	31	28	18	–	–
Blandford	5	3	2	–	3	2	–	–	–
Bolton	2	1	1	–	1	–	1	–	–
BOSTON	18,731	9,541	9,190	–	8,666	6,627	3,420	18	23.8
Bourne	51	21	30	–	29	13	9	–	–
Boxborough	1	1	–	–	–	1	–	–	–
Boxford	4	2	2	–	2	1	1	–	–
Boylston	9	7	2	–	5	4	–	–	–
Braintree	230	127	103	–	138	38	54	–	–
Brewster	7	5	2	–	7	–	–	–	–
Bridgewater	83	39	44	–	36	32	15	–	–
Brimfield	5	3	2	–	2	2	1	–	–
BROCKTON	1,374	711	663	–	856	279	239	–	21.0
Brookfield	15	8	7	–	15	–	–	–	–
Brookline	216	112	104	–	120	56	40	–	4.9
Buckland	19	9	10	–	15	–	4	–	–
Burlington	23	10	13	–	14	3	6	–	–
CAMBRIDGE	2,933	1,542	1,391	–	1,331	1,047	555	–	24.0
Canton	63	31	32	–	28	20	15	–	–
Carlisle	1	1	–	–	1	–	–	–	–
Carver	12	4	8	–	3	6	3	–	–
Charlemont	13	7	6	–	12	1	–	–	–
Charlton	34	18	16	–	24	7	3	–	–
Chatham	22	8	14	–	17	–	5	–	–
Chelmsford	93	56	37	–	53	17	23	–	–
CHELSEA	1,121	551	570	–	349	553	219	–	23.3

[1] All birth rates are based upon the total number of live births, including births in hospitals and institutions, and the total population. No allowances have been made for differences in the sex and age distribution of the population.

[2] Cities are printed in small capitals.

Table 35

LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES[1]: 1926.

MUNICIPALITIES.	Total number.	SEX.			PARENT NATIVITY.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
Cheshire	16	8	8	–	10	5	1	–	–
Chester	8	3	5	–	6	2	–	–	–
Chesterfield	7	3	4	–	7	–	–	–	–
CHICOPEE	818	425	393	–	235	374	209	–	18.9
Chilmark	2	2	–	–	2	–	–	–	–
Clarksburg	10	5	5	–	6	3	1	–	–
Clinton	319	165	154	–	155	114	50	–	–
Cohasset	76	35	41	–	54	15	7	–	–
Colrain	20	11	9	–	15	2	3	–	–
Concord	163	83	80	–	92	42	29	–	–
Conway	13	9	4	–	9	2	2	–	–
Cummington	11	6	5	–	11	–	–	–	–
Dalton	22	12	10	–	15	6	1	–	–
Dana	11	6	5	–	11	–	–	–	–
Danvers	110	54	56	–	64	28	18	–	–
Dartmouth	164	87	77	–	57	81	26	–	–
Dedham	172	94	78	–	71	64	37	–	–
Deerfield	43	21	22	–	14	25	4	–	–
Dennis	14	8	6	–	11	3	–	–	–
Dighton	83	40	43	–	52	18	13	–	–
Douglas	35	14	21	–	8	23	4	–	–
Dover	6	3	3	–	4	–	2	–	–
Dracut	157	78	79	–	70	40	47	–	–
Dudley	98	53	45	–	42	36	20	–	–
Dunstable	3	2	1	–	3	–	–	–	–
Duxbury	16	7	9	–	11	2	3	–	–
East Bridgewater	37	16	21	–	21	11	5	–	–
East Brookfield	22	13	9	–	16	3	3	–	–
East Longmeadow	27	14	13	–	16	6	5	–	–
Eastham	10	6	4	–	9	1	–	–	–
Easthampton	234	118	116	–	116	79	39	–	–
Easton	80	45	35	–	37	26	17	–	–
Edgartown	14	5	9	–	11	1	2	–	–
Egremont	5	3	2	–	3	2	–	–	–
Enfield	–	–	–	–	–	–	–	–	–
Erving	22	10	12	–	16	4	2	–	–
Essex	10	5	5	–	8	1	1	–	–
EVERETT	711	375	336	–	237	312	162	–	16.7
Fairhaven	146	71	75	–	65	51	30	–	–
FALL RIVER	3,050	1,557	1,493	–	1,367	1,007	676	–	23.3
Falmouth	106	62	44	–	34	41	31	–	–
FITCHBURG	999	486	513	–	448	304	247	–	22.6
Florida	4	1	3	–	2	–	2	–	–
Foxborough	45	20	25	–	31	4	10	–	–
Framingham	594	307	287	–	308	162	123	1	26.9
Franklin	113	57	56	–	40	46	27	–	–
Freetown	39	19	20	–	28	10	1	–	–
GARDNER	442	237	205	–	190	153	99	–	23.1
Gay Head	2	2	–	–	2	–	–	–	–
Georgetown	16	7	9	–	15	1	–	–	–
Gill	11	4	7	–	7	4	–	–	–
GLOUCESTER	473	234	239	–	258	100	115	–	20.1
Goshen	1	–	1	–	1	–	–	–	–
Gosnold	–	–	–	–	–	–	–	–	–
Grafton	78	46	32	–	40	16	22	–	–
Granby	3	2	1	–	1	–	2	–	–
Granville	10	6	4	–	8	2	–	–	–
Great Barrington	138	73	65	–	93	30	15	–	–
Greenfield	292	138	154	–	209	47	36	–	19.2
Greenwich	–	–	–	–	–	–	–	–	–
Groton	32	22	10	–	25	–	7	–	–
Groveland	18	11	7	–	13	2	3	–	–
Hadley	49	26	23	–	9	33	7	–	–
Halifax	7	3	4	–	5	2	–	–	–
Hamilton	9	6	3	–	7	1	1	–	–
Hampden	4	2	2	–	4	–	–	–	–
Hancock	4	–	4	–	3	1	–	–	–
Hanover	29	14	15	–	12	10	7	–	–
Hanson	26	12	14	–	14	3	9	–	–
Hardwick	30	14	16	–	10	15	5	–	–
Harvard	4	2	2	–	2	2	–	–	–
Harwich	31	15	16	–	18	8	5	–	–
Hatfield	40	22	18	–	4	31	5	–	–
HAVERHILL	946	484	462	–	535	231	180	–	19.2
Hawley	4	2	2	–	2	2	–	–	–
Heath	6	4	2	–	4	1	1	–	–
Hingham	47	16	31	–	30	6	11	–	–
Hinsdale	13	6	7	–	8	5	–	–	–

[1] See footnotes on page 123.

Table 35

LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES[1]: 1926.

MUNICIPALITIES.	Total number.	SEX.			PARENT NATIVITY.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
Holbrook	26	9	17	–	21	2	3	–	–
Holden	93	47	46	–	63	13	17	–	–
Holland	4	2	2	–	4	–	–	–	–
Holliston	12	7	5	–	5	4	3	–	–
HOLYOKE	1,300	679	621	–	626	394	280	–	21.5
Hopedale	24	12	12	–	8	13	3	–	–
Hopkinton	13	10	3	–	9	2	2	–	–
Hubbardston	16	7	9	–	11	2	3	–	–
Hudson	100	51	49	–	42	37	21	–	–
Hull	9	4	5	–	3	5	1	–	–
Huntington	5	2	3	–	3	2	–	–	–
Ipswich	169	99	70	–	72	63	34	–	–
Kingston	17	11	6	–	7	6	4	–	–
Lakeville	9	4	5	–	9	–	–	–	–
Lancaster	18	9	9	–	12	2	4	–	–
Lanesborough	6	3	3	–	4	1	1	–	–
LAWRENCE	1,997	1,033	964	–	694	873	430	–	21.4
Lee	31	12	19	–	16	13	2	–	–
Leicester	55	36	19	–	33	8	14	–	–
Lenox	12	10	2	–	7	3	2	–	–
LEOMINSTER	430	232	198	–	180	146	104	–	19.0
Leverett	15	8	7	–	14	–	1	–	–
Lexington	80	33	47	–	42	24	14	–	–
Leyden	1	–	1	–	1	–	–	–	–
Lincoln	6	3	3	–	1	2	3	–	–
Littleton	6	3	3	–	3	1	2	–	–
Longmeadow	10	7	3	–	6	2	2	–	–
LOWELL	2,466	1,229	1,237	–	1,243	667	556	–	22.4
Ludlow	286	142	144	–	115	126	45	–	–
Lunenburg	23	8	15	–	17	4	2	–	–
LYNN	1,887	953	934	–	939	550	397	1	18.1
Lynnfield	3	2	1	–	1	2	–	–	–
MALDEN	1,042	576	466	–	468	350	224	–	19.9
Manchester	24	13	11	–	6	12	5	1	–
Mansfield	82	39	43	–	38	28	16	–	–
Marblehead	92	38	54	–	72	1	19	–	–
Marion	22	10	12	–	12	9	1	–	–
MARLBOROUGH	372	183	189	–	232	59	81	–	22.5
Marshfield	16	13	3	–	8	4	4	–	–
Mashpee	6	4	2	–	5	–	1	–	–
Mattapoisett	17	6	11	–	9	4	4	–	–
Maynard	73	31	42	–	16	47	10	–	–
Medfield	14	6	8	–	6	5	3	–	–
MEDFORD	1,020	535	485	–	575	223	221	1	20.5
Medway	24	12	12	–	12	10	2	–	–
MELROSE	378	190	188	–	260	49	69	–	18.3
Mendon	19	11	8	–	15	2	2	–	–
Merrimac	24	10	14	–	21	–	3	–	–
Methuen	394	208	186	–	143	129	120	2	18.0
Middleborough	152	77	75	–	97	17	38	–	–
Middlefield	2	2	–	–	–	2	–	–	–
Middleton	7	3	4	–	5	2	–	–	–
Milford	461	227	234	–	204	172	85	–	–
Millbury	99	48	51	–	53	20	26	–	–
Millis	16	8	8	–	8	3	5	–	–
Millville	45	22	23	–	20	8	17	–	–
Milton	274	151	123	–	193	23	58	–	–
Monroe	1	1	–	–	–	1	–	–	–
Monson	38	21	17	–	26	7	5	–	–
Montague	217	109	108	–	138	39	40	–	–
Monterey	2	2	–	–	2	–	–	–	–
Montgomery	2	1	1	–	2	–	–	–	–
Mount Washington	–	–	–	–	–	–	–	–	–
Nahant	2	1	1	–	1	1	–	–	–
Nantucket	72	38	34	–	46	11	15	–	–
Natick	329	166	163	–	200	74	55	–	–
Needham	128	61	67	–	66	38	24	–	–
New Ashford	1	–	1	–	1	–	–	–	–
NEW BEDFORD	2,762	1,408	1,354	–	906	1,189	666	1	23.1
New Braintree	4	2	2	–	4	–	–	–	–
New Marlborough	8	3	5	–	6	1	1	–	–
New Salem	5	4	1	–	3	–	2	–	–
Newbury	15	7	8	–	11	2	2	–	–
NEWBURYPORT	432	196	236	–	289	85	58	–	27.6
NEWTON	985	513	472	–	551	242	191	1	18.0
Norfolk	8	2	6	–	3	3	2	–	–
NORTH ADAMS	479	257	222	–	291	79	109	–	21.0
North Andover	73	38	35	–	34	17	22	–	–

[1] See footnotes on page 123.

Table 35

LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES[1]: 1926.

MUNICIPALITIES.	Total number.	SEX.			PARENT NATIVITY.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
North Attleborough	115	61	54	–	70	18	27	–	–
North Brookfield	39	19	20	–	24	10	5	–	–
North Reading	13	8	5	–	8	1	4	–	–
NORTHAMPTON	487	238	249	–	323	89	75	–	19.7
Northborough	14	7	7	–	8	3	3	–	–
Northbridge	284	149	135	–	129	83	72	–	–
Northfield	27	13	14	–	21	5	1	–	–
Norton	32	13	19	–	20	9	3	–	–
Norwell	14	7	7	–	9	2	3	–	–
Norwood	452	225	227	–	222	166	64	–	–
Oak Bluffs	44	17	27	–	33	2	9	–	–
Oakham	5	3	2	–	4	1	–	–	–
Orange	87	48	39	–	67	7	13	–	–
Orleans	15	6	9	–	12	1	2	–	–
Otis	2	1	1	–	2	–	–	–	–
Oxford	79	39	40	–	54	10	15	–	–
Palmer	223	119	104	–	102	91	30	–	–
Paxton	3	1	2	–	2	–	1	–	–
PEABODY	469	235	234	–	187	218	64	–	23.5
Pelham	24	11	13	–	22	–	2	–	–
Pembroke	19	11	8	–	9	6	4	–	–
Pepperell	45	26	19	–	35	3	7	–	–
Peru	4	2	2	–	3	1	–	–	–
Petersham	8	4	4	–	8	–	–	–	–
Phillipston	6	4	2	–	3	2	1	–	–
PITTSFIELD	1,155	575	580	–	748	259	148	–	24.0
Plainfield	4	3	1	–	4	–	–	–	–
Plainville	19	14	5	–	14	5	–	–	–
Plymouth	253	120	133	–	144	61	48	–	–
Plympton	8	2	6	–	4	2	2	–	–
Prescott	1	1	–	–	1	–	–	–	–
Princeton	7	4	3	–	4	1	2	–	–
Provincetown	66	36	30	–	36	7	23	–	–
QUINCY	996	518	478	–	461	322	213	–	10.7
Randolph	76	39	37	–	53	7	16	–	–
Raynham	28	15	13	–	13	6	9	–	–
Reading	72	34	38	–	43	11	18	–	–
Rehoboth	24	13	11	–	15	4	5	–	–
REVERE	437	241	196	–	148	197	91	1	12.7
Richmond	5	2	3	–	2	1	2	–	–
Rochester	13	8	5	–	10	3	–	–	–
Rockland	73	33	40	–	47	10	16	–	–
Rockport	37	17	20	–	30	5	2	–	–
Rowe	1	–	1	–	1	–	–	–	–
Rowley	15	9	6	–	13	1	1	–	–
Royalston	13	8	5	–	9	4	–	–	–
Russell	14	6	8	–	10	3	1	–	–
Rutland	12	7	5	–	7	4	1	–	–
SALEM	915	465	450	–	498	226	191	–	21.3
Salisbury	18	8	10	–	13	2	3	–	–
Sandisfield	7	5	2	–	2	5	–	–	–
Sandwich	16	10	6	–	11	1	4	–	–
Saugus	190	93	97	–	89	50	51	–	–
Savoy	1	1	–	–	–	–	1	–	–
Scituate	47	27	20	–	38	3	6	–	–
Seekonk	59	29	30	–	23	13	23	–	–
Sharon	28	11	17	–	22	2	4	–	–
Sheffield	15	7	8	–	12	3	–	–	–
Shelburne	14	7	7	–	11	3	–	–	–
Sherborn	1	1	–	–	1	–	–	–	–
Shirley	45	28	17	–	17	19	9	–	–
Shrewsbury	55	28	27	–	24	22	9	–	–
Shutesbury	4	3	1	–	2	1	1	–	–
Somerset	91	39	52	–	28	47	16	–	–
SOMERVILLE	1,792	915	877	–	843	616	333	–	17.8
South Hadley	57	26	31	–	20	26	11	–	–
Southampton	10	7	3	–	5	4	1	–	–
Southborough	16	9	7	–	5	6	5	–	–
Southbridge	309	158	151	–	138	90	81	–	19.6
Southwick	17	10	7	–	9	2	6	–	–
Spencer	91	52	39	–	66	7	18	–	–
SPRINGFIELD	3,298	1,652	1,646	–	1,820	845	632	1	22.7
Sterling	15	10	5	–	6	5	4	–	–
Stockbridge	19	12	7	–	12	5	2	–	–
Stoneham	174	95	79	–	111	32	31	–	–
Stoughton	127	61	66	–	66	37	24	–	–
Stow	10	6	4	–	5	2	3	–	–
Sturbridge	26	12	14	–	19	5	2	–	–

[1] See footnotes on page 123.

Table 35

LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES[1]: 1926.

MUNICIPALITIES.	Total number.	SEX.			PARENT NATIVITY.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
Sudbury	5	1	4	–	4	–	1	–	–
Sunderland	40	18	22	–	22	15	3	–	–
Sutton	27	17	10	–	13	7	7	–	–
Swampscott	196	99	97	–	123	47	24	2	–
Swansea	42	23	19	–	26	6	10	–	–
TAUNTON	736	358	378	–	368	222	146	–	18.5
Templeton	55	22	33	–	26	17	12	–	–
Tewksbury	35	12	23	–	16	12	7	–	–
State Infirmary	108	52	56	–	81	21	6	–	–
Tisbury	24	19	5	–	12	6	6	–	–
Tolland	–	–	–	–	–	–	–	–	–
Topsfield	8	3	5	–	6	1	1	–	–
Townsend	14	7	7	–	11	2	1	–	–
Truro	8	6	2	–	7	–	1	–	–
Tyngsborough	16	8	8	–	11	4	1	–	–
Tyringham	1	1	–	–	1	–	–	–	–
Upton	26	13	13	–	17	4	5	–	–
Uxbridge	113	55	58	–	52	32	29	–	–
Wakefield	251	127	124	–	95	103	53	–	15.5
Wales	3	2	1	–	2	1	–	–	–
Walpole	87	46	41	–	31	46	10	–	–
WALTHAM	880	439	441	–	398	302	180	–	24.7
Ware	282	139	143	–	162	77	43	–	–
Wareham	84	42	42	–	34	26	24	–	–
Warren	61	30	31	–	25	23	13	–	–
Warwick	7	4	3	–	7	–	–	–	–
Washington	2	–	2	–	1	–	1	–	–
Watertown	304	143	161	–	70	172	62	–	11.5
Wayland	16	8	8	–	10	3	3	–	–
Webster	260	141	119	–	136	68	56	–	–
Wellesley	112	64	48	–	45	45	22	–	–
Wellfleet	6	3	3	–	6	–	–	–	–
Wendell	5	2	3	–	4	1	–	–	–
Wenham	4	1	3	–	4	–	–	–	–
West Boylston	22	15	7	–	9	12	1	–	–
West Bridgewater	33	22	11	–	22	6	5	–	–
West Brookfield	12	8	4	–	7	2	3	–	–
West Newbury	14	6	8	–	11	1	2	–	–
West Springfield	208	98	110	–	90	85	33	–	13.2
West Stockbridge	19	11	8	–	3	12	4	–	–
West Tisbury	1	1	–	–	1	–	–	–	–
Westborough	58	29	29	–	34	13	11	–	–
WESTFIELD	429	232	197	–	228	148	53	–	22.0
Westford	67	31	36	–	19	30	18	–	–
Westhampton	3	2	1	–	2	1	–	–	–
Westminster	8	4	4	–	5	3	–	–	–
Weston	17	8	9	–	10	3	4	–	–
Westport	59	33	26	–	28	19	12	–	–
Westwood	19	9	10	–	14	1	4	–	–
Weymouth	334	181	153	–	219	49	66	–	18.8
Whately	22	10	12	–	6	12	4	–	–
Whitman	56	25	31	–	43	4	9	–	–
Wilbraham	35	21	14	–	6	27	2	–	–
Williamsburg	28	13	15	–	16	10	2	–	–
Williamstown	31	19	12	–	24	3	4	–	–
Wilmington	57	31	26	–	34	11	12	–	–
Winchendon	149	82	67	–	94	24	31	–	–
Winchester	312	164	148	–	209	60	43	–	–
Windsor	2	1	1	–	2	–	–	–	–
Winthrop	291	144	147	–	184	59	48	–	17.8
WOBURN	467	248	219	–	257	124	86	–	24.8
WORCESTER	4,312	2,236	2,076	–	2,129	1,358	825	–	22.3
Worthington	7	6	1	–	7	–	–	–	–
Wrentham	25	8	17	–	13	4	8	–	–
Yarmouth	10	5	5	–	7	–	3	–	–

[1] See footnotes on page 123.

Table 36

Counties and Cities having over 50,000 Inhabitants in 1925. (Grouped in order of population.)

Live Births, by Month of Birth, in Counties and in Cities having over 50,000 Inhabitants: 1926.

	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	**83,502**	**7,148**	**6,434**	**7,136**	**6,908**	**7,245**	**7,072**	**7,434**	**7,494**	**6,822**	**6,980**	**6,436**	**6,393**
Average daily number of births	229	231	230	230	230	234	236	240	242	227	225	215	206
Counties.													
Suffolk	20,580	1,806	1,584	1,760	1,674	1,797	1,719	1,831	1,852	1,662	1,739	1,586	1,570
Middlesex	17,101	1,460	1,289	1,499	1,425	1,423	1,415	1,480	1,546	1,341	1,432	1,410	1,375
Essex	9,340	782	705	761	822	808	855	811	875	795	750	657	719
Worcester	9,826	776	782	828	859	912	859	867	859	787	787	743	767
Bristol	8,262	736	672	670	660	697	659	762	719	744	717	626	600
Hampden	6,806	626	503	597	538	585	555	662	620	506	592	521	501
Norfolk	3,774	311	285	345	305	327	335	307	317	324	353	287	278
Plymouth	2,522	208	203	212	215	221	212	244	237	211	177	189	193
Berkshire	2,279	170	205	189	180	188	194	197	198	194	189	195	180
Hampshire	1,347	123	88	126	109	117	139	114	120	110	110	92	99
Franklin	908	82	65	85	58	103	74	76	87	82	71	65	60
Barnstable	598	60	40	46	51	53	49	57	48	55	49	50	40
Dukes	87	2	12	7	7	8	5	12	5	6	9	7	7
Nantucket	72	6	1	11	5	6	2	8	11	5	5	8	4
Cities over 100,000.													
Boston	18,731	1,642	1,406	1,600	1,523	1,635	1,553	1,698	1,688	1,510	1,589	1,455	1,432
Worcester	4,312	338	327	382	391	396	376	386	378	338	358	312	330
Springfield	3,298	306	238	289	254	284	284	295	289	260	299	245	255
Fall River	3,050	264	230	259	236	252	251	279	270	265	250	250	244
Cambridge	2,933	239	230	246	241	235	261	247	257	226	257	240	254
New Bedford	2,762	255	237	212	224	231	225	277	241	249	247	180	184
Lowell	2,466	215	185	242	224	202	194	215	217	183	192	211	186
Lynn	1,887	139	148	145	155	180	190	177	178	152	146	135	142
Cities 50,000 to 100,000.													
Somerville	1,792	145	133	158	150	167	162	151	174	133	143	137	139
Lawrence	1,997	158	166	183	171	179	173	156	162	191	174	133	151
Brockton	1,374	118	119	116	119	113	128	125	128	97	100	115	96
Holyoke	1,300	117	101	131	101	112	105	139	110	96	104	100	84
Quincy	996	77	73	82	86	84	80	83	87	88	110	80	66
Newton	985	67	75	87	86	87	64	91	88	80	94	84	82
Malden	1,042	95	69	97	84	78	80	108	111	79	91	76	74

Table 37

Counties and Cities having over 50,000 Inhabitants in 1925. (Grouped in order of population.)

Plural Births, by Sex, and Stillbirths, in Counties and in Cities having over 50,000 Inhabitants: 1926.

	Plural Births.							Still-births.
	Twins.			Triplets.			Quadruplets.	
	Total.	Males.	Females.	Total.	Males.	Females.	Males.	
The State.	**1,796**	**916**	**880**	**30**	**14**	**16**	**4**	**2,997**
Counties.								
Suffolk	430	229	201	12	6	6	4	665
Middlesex	386	192	194	–	–	–	–	603
Essex	200	116	84	6	3	3	–	366
Worcester	198	93	105	–	–	–	–	336
Bristol	192	103	89	6	4	2	–	340
Hampden	166	78	88	3	–	3	–	278
Norfolk	70	38	32	–	–	–	–	129
Plymouth	30	8	22	3	1	2	–	78
Berkshire	48	26	22	–	–	–	–	91
Hampshire	42	17	25	–	–	–	–	42
Franklin	14	7	7	–	–	–	–	35
Barnstable	18	9	9	–	–	–	–	27
Dukes	–	–	–	–	–	–	–	2
Nantucket	2	–	2	–	–	–	–	5
Cities over 100,000.								
Boston	398	215	183	12	6	6	4	588
Worcester	94	48	46	–	–	–	–	160
Springfield	60	24	36	–	–	–	–	132
Fall River	64	27	37	–	–	–	–	119
Cambridge	70	45	25	–	–	–	–	105
New Bedford	70	45	25	3	3	–	–	126
Lowell	62	21	41	–	–	–	–	110
Lynn	26	14	12	–	–	–	–	75
Cities 50,000 to 100,000.								
Somerville	42	21	21	–	–	–	–	62
Lawrence	50	35	15	–	–	–	–	83
Brockton	16	5	11	3	1	2	–	42
Holyoke	44	22	22	–	–	–	–	61
Quincy	14	7	7	–	–	–	–	50
Newton	30	16	14	–	–	–	–	24
Malden	28	18	10	–	–	–	–	43

Table 38 — Live Births and Birth Rates for the State and Cities having over 100,000 Inhabitants in 1925: 1900 to 1926.

Years.	The State.	Cities having over 100,000 Inhabitants in 1925.							
		Boston.	Worcester.	Springfield.	Fall River.	Cambridge.	New Bedford.	Lowell.	Lynn.
	Live Births.								
1900	73,386	16,328	3,131	1,560	4,327	2,468	2,230	2,596	1,563
1901	71,976	15,561	3,291	1,449	4,054	2,525	2,440	2,794	1,567
1902	72,219	15,516	3,349	1,592	4,341	2,476	2,437	2,493	1,477
1903	73,584	15,664	3,501	1,647	4,448	2,528	2,469	2,519	1,559
1904	75,014	15,730	3,540	1,624	4,514	2,528	2,620	2,519	1,724
1905	75,022	15,661	3,510	1,810	4,092	2,453	2,765	2,500	1,698
1906	80,237	17,062	3,743	1,816	4,333	2,768	2,949	2,547	2,065
1907	85,001	18,229	3,998	2,019	4,622	2,826	3,272	2,704	2,110
1908	86,911	18,359	3,978	2,184	4,838	2,887	3,580	2,743	2,139
1909	84,039	17,584	3,645	2,258	4,692	2,643	3,836	2,648	2,037
1910	86,539	17,672	3,923	2,445	4,591	2,436	3,863	2,632	2,212
1911	88,327	17,844	4,122	2,512	4,617	2,621	4,160	2,580	2,136
1912	89,882	18,745	4,167	2,779	4,714	2,605	3,594	2,748	2,111
1913	91,644	19,109	4,520	2,866	4,664	2,713	3,647	2,794	2,087
1914	93,399	19,467	4,667	2,986	4,703	2,745	3,574	2,914	2,083
1915	93,155	19,713	4,504	3,099	3,910	2,610	3,533	2,944	2,108
1916	93,487	19,604	4,941	3,281	3,690	2,691	3,497	3,289	2,205
1917	95,731	19,950	5,276	3,614	3,807	2,764	3,664	3,289	2,176
1918	95,607	20,092	5,239	3,770	3,645	2,672	3,920	3,279	2,143
1919	87,827	18,799	4,596	3,268	3,421	2,757	3,386	3,064	1,935
1920	91,859	19,573	4,812	3,419	3,537	2,862	3,507	3,154	2,024
1921	92,207	19,397	4,838	3,392	3,710	3,048	3,649	3,157	2,064
1922	87,636	18,536	4,357	3,089	3,537	3,007	3,344	2,923	2,057
1923	89,210	19,056	4,517	3,358	3,645	3,033	3,295	2,902	1,964
1924	91,463	19,776	4,551	3,520	3,594	3,144	3,170	3,011	2,077
1925	86,014	18,636	4,340	3,385	3,324	2,932	3,009	2,705	1,972
1926	83,502	18,731	4,312	3,298	3,050	2,933	2,762	2,466	1,887
	Birth Rates per 1,000 Population: Census Years 1900 to 1925.								
1900	26.2	29.1	26.4	25.1	41.3	28.8	35.7	27.3	22.8
1905	24.9	26.3	27.4	24.6	38.7	25.2	37.2	26.4	22.0
1910	25.6	26.4	26.9	27.5	38.5	23.2	40.0	24.8	24.8
1915	25.2	26.4	27.7	30.1	31.3	24.0	32.2	27.3	22.0
1920	23.8	26.2	26.8	26.4	29.4	26.1	28.9	28.0	20.4
1925	20.8	23.9	22.8	23.8	25.8	24.5	25.2	24.5	19.1

Table 39 — Live Births by Sex and Parent Nativity: 1900 to 1926.

Years.	Population.	Sex.					Parent nativity.			
		Total number.	Males.	Females.	Unknown.	Males to 1,000 females.	Native.	Foreign.	Mixed.	Unknown.
1900	2,805,346	73,386	37,772	35,614	–	1,060	23,006	36,062	14,080	238
1901	2,849,047	71,976	37,004	34,972	–	1,058	22,516	35,370	13,847	243
1902	2,889,386	72,219	37,057	35,162	–	1,054	22,710	35,413	13,897	199
1903	2,929,725	73,584	38,210	35,374	–	1,080	22,941	36,346	14,174	123
1904	2,970,064	75,014	38,689	36,325	–	1,065	23,365	37,047	14,473	129
1905	3,015,872	75,022	38,484	36,538	–	1,080	23,785	37,085	14,021	131
1906	3,089,029	80,237	41,217	39,020	–	1,056	25,748	39,446	14,899	144
1907	3,162,186	85,001	43,486	41,515	–	1,047	26,561	43,004	15,324	112
1908	3,235,343	86,911	44,796	42,090	25	1,064	27,016	43,901	15,861	133
1909	3,308,500	84,039	43,339	40,679	21	1,061	26,525	42,596	14,785	133
1910	3,380,151	86.539	44,243	42,276	20	1,047	26,749	44,398	15,260	132
1911	3,446,079	88,327	45,352	42,961	14	1,056	27,390	45,741	15,054	142
1912	3,512,007	89,882	46,436	43,440	6	1,069	28,424	45,861	15,497	100
1913	3,577,935	91,644	47,099	44,541	4	1,057	29,387	46,737	15,430	90
1914	3,643,863	93,399	47,671	45,725	3	1,043	30,127	47,824	15,378	70
1915	3,709,792	93,155	47,786	45,363	6	1,053	31,325	46,347	15,401	82
1916	3,775,720	93,487	48,256	45,227	4	1,067	31,971	45,920	15,525	71
1917	3,841,648	95,731	49,017	46,714	–	1,049	34,129	45,753	15,786	63
1918	3,907,576	95,607	49,138	46,465	4	1,058	35,913	43,419	16,222	53
1919	3,835,614	87,827	44,713	43,113	1	1,037	33,295	39,194	15,302	36
1920	3,852,356	91,859	47,288	44,569	2	1,061	38,395	37,236	16,207	21
1921	3,885,836	92,207	47,414	44,791	2	1,059	39,254	36,553	16,378	22
1922	3,936,056	87,636	45,035	42,595	6	1,057	38,355	33,701	15,551	29
1923	3,969,536	89,210	45,631	43,572	7	1,047	40,035	33,049	16,106	20
1924	4,003,016	91,463	46,957	44,500	6	1,055	42,393	32,380	16,653	37
1925	4,144,205	86,014	44,082	41,930	2	1,051	40,905	28,968	16,112	29
1926	4,213,700	83,502	42,681	40,821	–	1,046	40,898	26,229	16,345	30

Table 40	Live Births: 1900 to 1926.					Stillbirths: 1900 to 1926.					
Years.	Birth rate per 1,000 population.	Excess of births over deaths.[1]	Excess of births over deaths per 1,000 population.	Cases of plural births.[2]		Total number.	Per 1,000 live births.	Sex.			
				Twins.	Triplets.			Males.	Females.	Unknown.	Males. to 1,000 females.
1900 . .	26.2	22,230	8.0	814	4	2,873	–	1,694	1,128	51	1,502
1901 . .	25.3	23,701	8.4	726	9	2,682		1,415	1,208	59	1,171
1902 . .	25.0	24,728	8.6	728	7	2,836		1,696	1,098	42	1,545
1903 . .	25.1	24,530	8.4	850	11	2,635	37	1,533	1,014	88	1,512
1904 . .	25.3	26,532	9.0	834	4	2,846		1,614	1,162	70	1,389
1905 . .	24.9	24,536	8.2	803	14	2,618		1,515	1,043	60	1,314
1906 . .	26.0	29,613	9.6	878	10	2,760		1,586	1,134	40	1,452
1907 . .	26.9	30,767	9.7	928	10	3,079		1,757	1,274	48	1,379
1908 . .	26.9	35,123	10.9	965	6	3,179	36	1,863	1,278	38	1,457
1909 . .	25.4	32,803	9.9	881	4	3,102		1,834	1,219	49	1,505
1910 . .	25.6	32,132	9.5	940	17	3,158		1,829	1,263	66	1,448
1911 . .	25.6	35,265	10.2	915	14	3,280		1,825	1,408	47	1,296
1912 . .	25.6	37,482	10.7	996	8	3,188		1,871	1,263	29	1,456
1913 . .	25.6	38,242	10.7	996	13	3,175	35	1,872	1,275	28	1,468
1914 . .	25.6	40,426	11.1	1,008	15	3,349		1,936	1,369	44	1,414
1915 . .	25.2	40,045	10.8	952	9	3,161		1,815	1,312	34	1,383
1916 . .	24.8	37,121	9.9	942	13	3,300		1,916	1,334	50	1,436
1917 . .	24.9	39,103	10.2	1,065	7	3,324		1,937	1,330	57	1,456
1918 . .	24.5	16,765	4.3	1,054	10	3,779	36	2,173	1,570	36	1,384
1919 . .	22.9	35,482	9.3	986	7	3,092		1,750	1,332	10	1,314
1920 . .	23.8	38,227	9.9	1,006	6	3,336		1,948	1,374	14	1,418
1921 . .	23.7	44,427	11.4	1,059	13	3,428		1,983	1,429	16	1,388
1922 . .	22.3	36,521	9.3	916	11	3,268		1,886	1,373	9	1,374
1923 . .	22.5	36,830	9.3	976	8	3,332	37	1,891	1,413	28	1,338
1924 . .	22.8	41,997	10.4	1,003	13	3,548		1,965	1,490	93	1,319
1925 . .	20.8	34,124	8.3	869	17	3,141		1,807	1,317	17	1,372
1926 . .	19.8	30,614	7.2	898	10	2,997	36	1,675	1,313	9	1,276

[1] Exclusive of stillbirths. [2] There was one case of quadruplets.

PART II. B.
MARRIAGE STATISTICS

	PAGE
Introduction	131, 132
Marriage registration	131
Accuracy	131
Source of data	131
Purpose, marriage requirements	131, 132
Statistical tables	133–143

INTRODUCTION.

Marriage Registration. — As in the case of births and deaths the public registration of marriages has been required for many years in Massachusetts. Records of marriage are made in the first instance in the cities and towns of the State where the contracting parties dwell and where the ceremony is performed.

Since 1841 it has been required that copies of these records be forwarded annually to the Secretary of the Commonwealth and from 1841 to 1926, inclusive, there have been 4,673,384 marriages reported, recorded and tabulated in this department.

Accuracy. — The registration of marriages presents fewer difficulties than the registration of birth and death records and the statistics should be nearly 100 per cent perfect.

Source of Data. — The marriage statistics in this report are compiled from attested copies of the records of marriages recorded in every city and town. Persons intending to be joined in marriage in Massachusetts must file a notice of intention in the town in which they respectively dwell, and this notice of intention must contain the facts required for record and be sworn to by one of the parties to the marriage. If a marriage is performed in a town other than the town issuing the license, a copy of the license or licenses must be made and forwarded by the clergyman or magistrate to the clerk of the municipality in which the ceremony was performed. Five days after the notice of intention is filed the marriage license is issued with all the facts set forth in the notice of intention which are required for record. This certificate is presented to the clergyman or magistrate before whom the marriage is performed, and the facts as to the ceremony are certified by that person. Between the first and tenth days of the month following the ceremony the license or licenses must be returned to the office or offices issuing the same.

Marriages may be performed by a minister of the gospel, ordained according to the usage of his denomination, who resides in the Commonwealth and continues to perform the functions of his office; by a rabbi of the Israelitish faith, duly licensed by a congregation of said faith established in the Commonwealth, who has filed with the clerk or registrar of the town where he resides a certificate of the establishment of the synagogue, the date of his appointment thereto, and of the term of his engagement; by a justice of the peace if he is also clerk or assistant clerk of a town, or a registrar or assistant registrar, in the town where he holds such office, or if he is also clerk or assistant clerk of a court, in the city or town where the court is authorized to be held, or if he has been designated as a justice of the peace; and it may be solemnized among Friends or Quakers according to the usage of their societies; and a specified marriage may be performed by a non-resident clergyman commissioned by the Governor in accordance with the provisions of Chap. 102 of the Acts of 1926; but no person shall solemnize a marriage in the Commonwealth unless he can read and write the English language.

The principal source of error in the records of marriage comes about through the carelessness or ignorance of one of the parties in filing the notice of intention as to the facts concerning the other party. Therefore, it sometimes happens that records for the same marriage coming from different towns do not contain the same information. Names and other facts will be at variance. These certificates are compared in the Division of Vital Statistics and every effort is made to have the certificates agree, but considerable confusion and delay follow from this situation.

Purpose. — The practical purposes of marriage records are:

1. As evidence to establish dower and curtesy rights of husband and wife.
2. To prove legality as to claims of inheritance.

3. As evidence upon which to base subsequent records concerning the parties.
4. For Governmental pension purposes.
5. For pensions under Employees Pension Laws.
6. For insurance, pension and retirement purposes.
7. To establish legal settlement for public aid and the settlement of dependent children of parents.
8. For naturalization and passport purposes.
9. To prove legitimacy of children.

Every precaution has been taken to see that all the statutes pertaining to the solemnization of marriage are strictly enforced, but because there is no public registration of ministers of the gospel required in Massachusetts, it is not always possible to get in touch with the persons responsible for making returns of marriages solemnized by them. To guard against the possibility of marriages being performed on one license where two are required, on an out-of-state license, or on a license that has become invalid because of lapse of time, a circular setting forth the requirements before and after solemnizing a marriage has been prepared, together with copy of the marriage laws and these are forwarded, upon request, to all persons interested, and are sent to the city and town clerks together with posters setting forth the legal impediments to marriage which are posted in their offices.

The errors in solemnizing and returning a record of marriage, if any, are due to the lack of information as to the requirements of the statute rather than to any wilful attempt to evade the requirements of the law.

A marriage license is valid throughout the Commonwealth, regardless of the residence of either party and many marriages are performed in cities and towns other than the place where either party lived. Persons who do not reside in the Commonwealth must file their intention with the clerk of the city or town where they propose to have the marriage solemnized.

The following tables contain the number of marriages solemnized:

Table 41

Counties and Municipalities.	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1926. Nativity. Total couples.	Bride and groom both — Native.	Bride and groom both — Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1926. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
The State.	**30,584**	**18,121**	**5,374**	**2,985**	**4,104**	**16,692**	**1,911**	**7,471**	**4,510**
COUNTIES.									
Barnstable	254	194	17	18	25	120	8	49	77
Berkshire	699	518	61	43	77	371	34	179	115
Bristol	2,887	1,729	447	268	443	1,846	108	515	418
Dukes	31	21	4	1	5	5	7	8	11
Essex	3,516	2,104	574	339	499	1,957	251	859	449
Franklin	302	241	14	11	36	120	20	68	94
Hampden	2,189	1,386	344	179	280	1,246	112	558	273
Hampshire	474	358	23	42	51	196	21	178	79
Middlesex	6,361	3,794	1,089	665	813	2,864	442	2,038	1,017
Nantucket	30	22	2	3	3	19	5	1	5
Norfolk	1,827	1,137	274	182	234	631	141	638	417
Plymouth	1,055	728	95	91	141	509	80	282	184
Suffolk	7,828	3,932	1,963	862	1,071	4,894	532	1,388	1,014
Worcester	3,131	1,957	467	281	426	1,914	150	710	357
MUNICIPALITIES.[1]									
Abington	47	43	1	2	1	11	4	19	13
Acton	7	7	–	–	–	2	–	2	3
Acushnet	21	19	1	–	1	4	4	7	6
Adams	102	70	14	6	12	58	7	25	12
Agawam	30	19	5	2	4	10	2	11	7
Alford	2	2	–	–	–	1	–	1	–
Amesbury	72	33	14	8	17	48	4	12	8
Amherst	31	28	–	1	2	5	3	19	4
Andover	57	28	14	5	10	24	3	22	8
Arlington	185	129	20	12	24	44	11	104	26
Ashburnham	8	6	–	–	2	4	1	1	2
Ashby	4	3	–	–	1	1	–	2	1
Ashfield	5	5	–	–	–	3	–	2	–
Ashland	8	3	2	1	2	1	1	5	1
Athol	64	43	8	8	5	37	3	12	12
ATTLEBORO	184	125	18	20	21	68	9	37	70
Auburn	31	24	3	2	2	7	6	13	5
Avon	9	7	2	–	–	1	–	5	3
Ayer	26	19	–	3	4	6	3	5	12
Barnstable	59	41	7	7	4	27	1	8	23
Barre	18	9	4	3	2	10	–	5	3
Becket	2	2	–	–	–	–	–	1	1
Bedford	5	2	1	–	2	2	2	1	–
Belchertown	16	12	–	3	1	5	3	7	1
Bellingham	5	4	–	1	–	1	–	3	1
Belmont	119	62	28	17	12	30	6	46	37
Berkley	2	2	–	–	–	1	–	1	–
Berlin	6	6	–	–	–	2	–	3	1
Bernardston	13	11	–	–	2	1	1	–	11
BEVERLY	140	96	15	12	17	69	17	40	14
Billerica	32	22	5	2	3	10	5	9	8
Blackstone	26	17	1	1	7	7	–	18	1
Blandford	2	2	–	–	–	1	–	–	1
Bolton	3	2	–	1	–	1	–	1	1
BOSTON	7,151	3,563	1,800	798	990	4,553	486	1,187	925
Bourne	19	15	2	–	2	10	1	3	5
Boxborough	4	3	–	–	1	–	1	1	2
Boxford	3	2	–	–	1	1	–	1	1
Boylston	2	1	–	–	1	1	–	1	–
Braintree	63	50	5	2	6	25	10	19	9
Brewster	5	4	–	–	1	1	–	2	2
Bridgewater	37	22	4	5	6	14	3	12	8
Brimfield	2	2	–	–	–	–	–	–	2
BROCKTON	442	289	53	41	59	256	27	113	46
Brookfield	7	5	1	–	1	1	1	1	4
Brookline	458	260	100	41	57	91	19	188	160
Buckland	19	16	–	1	2	6	3	6	4
Burlington	3	3	–	–	–	2	–	1	–
CAMBRIDGE	1,062	538	249	127	148	509	83	312	158
Canton	27	22	2	3	–	12	3	8	4
Carlisle	1	1	–	–	–	–	–	–	1
Carver	7	7	–	–	–	2	–	–	5
Charlemont	3	3	–	–	–	1	–	1	1
Charlton	5	4	–	–	1	3	–	2	–
Chatham	12	10	–	1	1	7	–	4	1
Chelmsford	52	40	3	4	5	20	5	14	13
CHELSEA	337	132	121	36	48	185	27	83	42
Cheshire	5	3	–	1	1	3	–	2	–
Chester	10	9	–	–	1	3	–	4	3
Chesterfield	1	1	–	–	–	–	1	–	–
CHICOPEE	277	171	51	18	37	150	9	105	13
Chilmark	–	–	–	–	–	–	–	–	–

[1] Cities are printed in small capitals.

Table 41

Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1926.					Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1926.			
	Nativity.								
	Total couples.	Bride and groom both — Native.	Bride and groom both — Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
Clarksburg	–	–	–	–	–	–	–	–	–
Clinton	80	51	11	4	14	44	2	30	4
Cohasset	21	16	–	4	1	5	4	6	6
Colrain	8	6	–	–	2	2	–	1	5
Concord	47	30	2	6	9	17	1	16	13
Conway	1	1	–	–	–	–	–	–	1
Cummington	3	3	–	–	–	–	–	2	1
Dalton	23	20	–	1	2	3	3	15	2
Dana	2	2	–	–	–	–	–	–	2
Danvers	58	38	3	8	9	23	5	22	8
Dartmouth	25	22	1	1	1	5	–	9	11
Dedham	92	62	13	10	7	36	9	33	14
Deerfield	25	15	3	2	5	4	2	2	17
Dennis	11	11	–	–	–	3	–	2	6
Dighton	26	17	3	2	4	6	5	8	7
Douglas	14	13	–	–	1	5	3	5	1
Dover	3	3	–	–	–	–	–	1	2
Dracut	16	10	2	–	4	2	3	7	4
Dudley	–	–	–	–	–	–	–	–	–
Dunstable	3	2	–	–	1	–	–	–	3
Duxbury	18	16	–	–	2	5	3	4	6
East Bridgewater	21	16	2	2	1	6	4	4	7
East Brookfield	3	1	1	1	–	1	–	1	1
East Longmeadow	9	5	–	1	3	3	–	–	6
Eastham	1	1	–	–	–	1	–	–	–
Easthampton	91	69	4	10	8	50	3	33	5
Easton	34	28	2	–	4	16	6	11	1
Edgartown	3	2	1	–	–	–	1	1	1
Egremont	1	1	–	–	–	–	–	–	1
Enfield	1	1	–	–	–	–	–	1	–
Erving	1	1	–	–	–	–	–	1	–
Essex	1	1	–	–	–	–	–	1	–
Everett	333	174	63	39	57	166	28	96	43
Fairhaven	54	36	4	3	11	21	2	19	12
Fall River	1,027	651	129	90	157	788	22	137	80
Falmouth	50	33	4	4	9	36	1	5	8
Fitchburg	361	203	74	35	49	226	12	81	42
Florida	–	–	–	–	–	–	–	–	–
Foxborough	30	18	2	4	6	13	4	7	6
Framingham	191	115	25	22	29	89	12	44	46
Franklin	39	26	–	7	6	19	1	12	7
Freetown	5	5	–	–	–	1	–	1	3
Gardner	143	69	32	16	26	101	9	20	13
Gay Head	–	–	–	–	–	–	–	–	–
Georgetown	19	17	–	1	1	4	2	3	10
Gill	1	1	–	–	–	–	–	1	–
Gloucester	176	121	11	23	21	112	5	40	19
Goshen	2	2	–	–	–	1	–	–	1
Gosnold	–	–	–	–	–	–	–	–	–
Grafton	28	19	3	3	3	17	1	8	2
Granby	2	2	–	–	–	1	–	–	1
Granville	3	3	–	–	–	1	1	–	1
Great Barrington	33	26	3	1	3	8	2	17	6
Greenfield	91	78	5	2	6	51	7	19	14
Greenwich	1	1	–	–	–	–	–	–	1
Groton	15	14	1	–	–	2	–	10	3
Groveland	10	8	1	1	–	2	1	6	1
Hadley	12	7	1	2	2	4	–	4	4
Halifax	5	4	–	–	1	2	–	1	2
Hamilton	21	16	2	1	2	7	1	6	7
Hampden	4	3	–	–	1	4	–	–	–
Hancock	2	2	–	–	–	1	–	–	1
Hanover	5	3	1	–	1	3	1	1	–
Hanson	14	12	1	–	1	4	2	6	2
Hardwick	17	13	2	1	1	3	–	11	3
Harvard	4	4	–	–	–	–	–	2	2
Harwich	21	18	–	1	2	7	–	5	9
Hatfield	14	10	–	1	3	3	1	8	2
Haverhill	315	208	39	25	43	198	13	77	27
Hawley	–	–	–	–	–	–	–	–	–
Heath	2	2	–	–	–	1	–	–	1
Hingham	25	16	–	4	5	13	1	7	4
Hinsdale	10	10	–	–	–	1	–	3	6
Holbrook	22	16	–	2	4	7	2	10	3
Holden	20	14	1	3	2	7	1	4	8
Holland	–	–	–	–	–	–	–	–	–
Holliston	11	10	–	–	1	5	–	3	3
Holyoke	460	257	82	56	65	284	19	127	30

[1] Cities are printed in small capitals.

Table 41

Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1926. Nativity. Total couples.	Bride and groom both — Native.	Bride and groom both — Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1926. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
Hopedale	11	7	1	–	3	4	–	4	3
Hopkinton	10	10	–	–	–	5	–	4	1
Hubbardston	3	2	–	1	–	1	–	1	1
Hudson	71	48	12	5	6	41	2	20	8
Hull	9	7	–	–	2	1	–	5	3
Huntington	23	20	–	1	2	7	–	6	10
Ipswich	29	12	8	4	5	12	2	10	5
Kingston	10	9	1	–	–	3	1	2	4
Lakeville	1	1	–	–	–	1	–	–	–
Lancaster	19	16	–	1	2	7	1	4	7
Lanesborough	3	3	–	–	–	1	–	1	1
LAWRENCE	696	316	176	66	138	439	62	123	72
Lee	18	17	–	–	1	8	–	6	4
Leicester	33	25	3	2	3	11	5	11	6
Lenox	24	20	–	1	3	4	2	12	6
LEOMINSTER	132	76	29	15	12	85	4	33	10
Leverett	3	3	–	–	–	–	–	1	2
Lexington	45	28	5	6	6	15	5	17	8
Leyden	1	1	–	–	–	–	–	1	–
Lincoln	3	2	–	–	1	1	1	1	–
Littleton	9	8	–	–	1	1	–	6	2
Longmeadow	23	19	–	2	2	4	1	6	12
LOWELL	795	496	90	98	111	556	38	146	55
Ludlow	46	20	17	3	6	29	–	15	2
Lunenburg	1	1	–	–	–	–	–	1	–
LYNN	879	497	178	88	116	581	53	162	83
Lynnfield	6	4	1	–	1	1	1	1	3
MALDEN	457	264	90	52	51	171	34	141	111
Manchester	20	9	3	4	4	7	1	6	6
Mansfield	49	38	3	2	6	26	2	12	9
Marblehead	52	44	–	5	3	26	3	16	7
Marion	13	8	–	3	2	3	2	3	5
MARLBOROUGH	109	77	13	7	12	56	9	34	10
Marshfield	15	10	1	2	2	3	2	1	9
Mashpee	–	–	–	–	–	–	–	–	–
Mattapoisett	5	5	–	–	–	2	1	2	–
Maynard	54	19	20	8	7	31	3	13	7
Medfield	19	10	2	6	1	12	1	4	2
MEDFORD	342	245	40	25	32	103	24	137	78
Medway	30	20	4	2	4	6	3	10	11
MELROSE	121	90	11	8	12	48	3	49	21
Mendon	–	–	–	–	–	–	–	–	–
Merrimac	11	9	–	1	1	4	2	2	3
Methuen	82	48	14	12	8	29	15	24	14
Middleborough	69	55	1	3	10	29	7	17	16
Middlefield	1	1	–	–	–	–	1	–	–
Middleton	1	1	–	–	–	–	–	–	1
Milford	111	56	24	7	24	53	7	30	21
Millbury	35	25	3	2	5	16	–	16	3
Millis	8	6	1	–	1	4	–	2	2
Millville	11	8	–	2	1	1	–	10	–
Milton	54	41	4	6	3	12	5	27	10
Monroe	–	–	–	–	–	–	–	–	–
Monson	25	18	2	2	3	17	1	4	3
Montague	61	46	4	3	8	25	4	19	13
Monterey	–	–	–	–	–	–	–	–	–
Montgomery	2	2	–	–	–	–	–	2	–
Mount Washington	–	–	–	–	–	–	–	–	–
Nahant	27	19	–	1	7	5	5	6	11
Nantucket	30	22	2	3	3	19	5	1	5
Natick	86	60	8	7	11	32	9	34	11
Needham	49	29	9	6	5	14	8	20	7
New Ashford	–	–	–	–	–	–	–	–	–
NEW BEDFORD	912	413	229	100	170	656	33	148	75
New Braintree	–	–	–	–	–	–	–	–	–
New Marlborough	3	3	–	–	–	–	2	–	1
New Salem	1	1	–	–	–	–	–	–	1
Newbury	8	6	1	1	–	–	4	2	2
NEWBURYPORT	113	86	6	14	7	55	5	36	17
NEWTON	373	247	56	41	29	124	17	179	53
Norfolk	3	3	–	–	–	1	–	1	1
NORTH ADAMS	146	103	16	12	15	84	8	40	14
North Andover	46	35	4	4	3	17	4	16	9
North Attleborough	88	60	7	8	13	36	4	24	24
North Brookfield	11	9	–	1	1	6	–	3	2
North Reading	7	6	–	–	1	2	–	3	2
NORTHAMPTON	157	115	9	16	17	86	6	45	20
Northborough	6	5	–	1	–	3	1	2	–

[1] Cities are printed in small capitals.

Table 41

Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1926. Nativity. Total couples.	Bride and groom both — Native.	Bride and groom both — Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1926. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
Northbridge	64	37	8	9	10	36	5	20	3
Northfield	11	9	–	–	2	4	–	4	3
Norton	20	18	–	–	2	8	–	8	4
Norwell	7	6	–	–	1	–	1	2	4
Norwood	87	49	17	7	14	43	9	25	10
Oak Bluffs	17	10	2	–	5	2	2	5	8
Oakham	2	2	–	–	–	–	–	1	1
Orange	35	22	2	2	9	20	3	4	8
Orleans	9	8	–	1	–	2	1	2	4
Otis	2	2	–	–	–	–	–	1	1
Oxford	26	21	–	2	3	12	2	7	5
Palmer	59	40	2	7	10	25	4	20	10
Paxton	2	2	–	–	–	–	–	1	1
PEABODY	108	61	27	4	16	48	6	39	15
Pelham	2	2	–	–	–	1	–	1	–
Pembroke	3	2	1	–	–	1	–	2	–
Pepperell	23	19	–	1	3	9	4	5	5
Peru	1	1	–	–	–	–	–	–	1
Petersham	3	2	–	1	–	–	–	1	2
Phillipston	2	2	–	–	–	–	–	–	2
PITTSFIELD	273	194	25	18	36	176	9	45	43
Plainfield	–	–	–	–	–	–	–	–	–
Plainville	5	3	1	–	1	–	–	1	4
Plymouth	105	63	13	7	22	59	8	23	15
Plympton	2	2	–	–	–	1	–	1	–
Prescott	1	1	–	–	–	–	–	–	1
Princeton	3	3	–	–	–	2	–	1	–
Provincetown	28	22	1	3	2	17	1	7	3
QUINCY	447	242	82	49	74	213	40	134	60
Randolph	31	25	1	1	4	10	–	11	10
Raynham	7	4	–	1	2	1	1	4	1
Reading	53	36	6	5	6	20	3	18	12
Rehoboth	8	8	–	–	–	2	–	2	4
REVERE	232	151	34	21	26	101	10	80	41
Richmond	–	–	–	–	–	–	–	–	–
Rochester	1	–	–	1	–	–	–	–	1
Rockland	43	28	2	6	7	16	3	17	7
Rockport	35	31	1	2	1	15	3	8	9
Rowe	1	1	–	–	–	1	–	–	–
Rowley	10	6	1	–	3	2	–	5	3
Royalston	3	2	–	–	1	2	–	1	–
Russell	5	3	2	–	–	3	1	1	–
Rutland	6	4	–	2	–	3	–	2	1
SALEM	354	232	40	33	49	172	14	117	51
Salisbury	18	18	–	–	–	4	4	4	6
Sandisfield	3	2	1	–	–	2	–	–	1
Sandwich	18	13	2	1	2	5	1	6	6
Saugus	71	52	4	8	7	31	9	24	7
Savoy	1	1	–	–	–	1	–	–	–
Scituate	27	20	1	4	2	9	1	8	9
Seekonk	49	33	3	4	9	5	3	6	35
Sharon	31	22	3	3	3	4	1	11	15
Sheffield	9	6	–	3	–	3	–	3	3
Shelburne	14	13	–	1	–	–	–	6	8
Sherborn	7	6	–	–	1	–	–	3	4
Shirley	14	8	4	2	–	6	–	5	3
Shrewsbury	22	17	2	–	3	5	3	10	4
Shutesbury	1	1	–	–	–	–	–	–	1
Somerset	39	31	4	1	3	9	3	16	11
SOMERVILLE	709	395	150	72	92	323	61	226	99
South Hadley	44	32	5	3	4	10	1	15	18
Southampton	4	4	–	–	–	1	–	–	3
Southborough	17	12	1	1	3	5	1	9	2
Southbridge	92	59	10	8	15	54	4	26	8
Southwick	6	4	1	–	1	1	–	3	2
Spencer	57	46	–	5	6	36	2	12	7
SPRINGFIELD	1,024	655	172	74	123	619	57	197	151
Sterling	8	7	1	–	–	5	1	2	–
Stockbridge	10	10	–	–	–	5	–	2	3
Stoneham	46	28	9	4	5	18	6	16	6
Stoughton	50	37	3	3	7	16	4	23	7
Stow	5	4	–	–	1	3	–	2	–
Sturbridge	7	7	–	–	–	2	1	2	2
Sudbury	8	7	–	1	–	3	1	2	2
Sunderland	2	2	–	–	–	–	–	–	2
Sutton	9	8	–	1	–	1	1	6	1
Swampscott	59	36	10	7	6	17	5	22	15
Swansea	37	29	3	3	2	9	1	10	17

[1] Cities are printed in small capitals.

Table 41

Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1926.					Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1926.			
		Nativity.							
	Total couples.	Bride and groom both — Native.	Bride and groom both — Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
Taunton	291	185	40	30	36	178	10	55	48
Templeton	22	16	–	5	1	9	–	7	6
Tewksbury	8	8	–	–	–	6	–	1	1
Tisbury	10	8	1	1	–	3	4	2	1
Tolland	–	–	–	–	–	–	–	–	–
Topsfield	4	4	–	–	–	1	1	–	2
Townsend	12	9	–	–	3	7	–	1	4
Truro	–	–	–	–	–	–	–	–	–
Tyngsborough	7	6	–	–	1	–	–	1	6
Tyringham	2	2	–	–	–	2	–	–	–
Upton	11	9	–	–	2	5	–	3	3
Uxbridge	56	32	5	5	14	18	2	20	16
Wakefield	102	59	18	5	20	38	5	42	17
Wales	4	4	–	–	–	1	–	–	3
Walpole	36	20	5	3	8	11	3	9	13
Waltham	284	135	70	41	38	173	22	66	23
Ware	51	30	4	5	12	18	2	29	2
Wareham	51	29	9	2	11	29	3	9	10
Warren	22	13	1	3	5	7	1	9	5
Warwick	3	3	–	–	–	1	–	–	2
Washington	2	1	–	–	1	–	1	–	1
Watertown	205	106	43	26	30	63	18	77	47
Wayland	18	13	–	2	3	8	1	3	6
Webster	112	79	8	5	20	41	13	41	17
Wellesley	69	47	7	10	5	18	1	30	20
Wellfleet	4	4	–	–	–	–	–	–	4
Wendell	–	–	–	–	–	–	–	–	–
Wenham	10	8	–	1	1	3	1	3	3
West Boylston	5	4	–	1	–	1	–	–	4
West Bridgewater	14	13	–	1	–	8	1	4	1
West Brookfield	3	1	–	1	1	–	–	1	2
West Newbury	5	2	1	–	2	–	–	3	2
West Springfield	71	48	7	6	10	25	8	28	10
West Stockbridge	6	2	2	–	2	3	–	1	2
West Tisbury	1	1	–	–	–	–	–	–	1
Westborough	25	15	4	2	4	9	4	6	6
Westfield	121	96	3	8	14	65	9	33	14
Westford	24	12	7	4	1	9	1	12	2
Westhampton	3	3	–	–	–	–	–	1	2
Westminster	10	9	–	1	–	2	2	3	3
Weston	18	11	5	1	1	5	3	4	6
Westport	9	5	–	3	1	6	3	–	–
Westwood	6	5	–	–	1	2	1	3	–
Weymouth	116	82	8	11	15	47	11	34	24
Whately	–	–	–	–	–	–	–	–	–
Whitman	59	42	4	8	5	28	5	19	7
Wilbraham	6	6	–	–	–	1	–	2	3
Williamsburg	12	12	–	–	–	3	–	6	3
Williamstown	16	15	–	–	1	7	–	4	5
Wilmington	24	17	2	1	4	3	4	6	11
Winchendon	40	29	1	4	6	27	2	7	4
Winchester	84	51	15	7	11	17	3	52	12
Windsor	–	–	–	–	–	–	–	–	–
Winthrop	108	86	8	7	7	55	9	38	6
Woburn	104	77	14	3	10	59	4	34	7
Worcester	1,287	783	225	115	164	968	49	178	92
Worthington	2	2	–	–	–	1	–	1	–
Wrentham	17	12	3	1	1	8	2	1	6
Yarmouth	17	14	1	–	2	4	2	5	6

[1] Cities are printed in small capitals.

Table 42

Age at Marriage.	Marriages, by Sex, Age, and Marital Condition: 1926.								
		Males.				Females.			
	Both sexes.	Total.	Single.	Widowed.	Divorced.	Total.	Single.	Widowed.	Divorced.
The State.									
13 Years and Over.	**61,168**	**30,584**	**26,766**	**2,714**	**1,104**	**30,584**	**27,235**	**1,955**	**1,394**
Under 20 years	6,694	953	953	–	–	5,741	5,728	3	10
20 to 29 years	38,393	19,750	19,365	183	202	18,643	17,877	267	499
30 to 39 years	10,610	6,478	5,280	760	438	4,132	2,931	630	571
40 to 49 years	3,336	1,965	928	734	303	1,371	546	606	219
50 to 59 years	1,480	954	203	623	128	526	129	318	79
60 to 69 years	553	399	32	336	31	154	23	115	16
70 to 79 years	97	80	4	74	2	17	1	16	–
80 years and over	5	5	1	4	–	–	–	–	–

Line No.	Table 43 — Months.	Marriages, by Months in Counties — The State. Total number.	Average daily number.	Counties. Barnstable.	Berkshire.	Bristol.	Dukes.	Essex.	Franklin.	Hampden.	Hampshire.
1	**The Year.**	**30,584**	**84**	**254**	**699**	**2,887**	**31**	**3,516**	**302**	**2,189**	**474**
2	January	1,874	60	19	22	194	1	212	17	126	27
3	February	1,679	60	10	28	162	1	188	17	109	28
4	March	901	29	11	14	74	2	111	10	53	10
5	April	2,551	85	16	58	241	4	277	23	176	40
6	May	1,973	64	15	51	209	1	214	26	190	22
7	June	4,795	160	30	121	444	–	596	46	321	68
8	July	2,360	76	23	60	238	1	256	18	159	29
9	August	2,515	81	27	79	217	3	321	21	171	49
10	September	3,672	122	35	92	376	9	407	42	305	62
11	October	3,688	119	28	91	325	4	437	39	272	51
12	November	2,919	97	23	61	302	4	322	33	213	66
13	December	1,657	53	17	22	105	1	175	10	94	22

Line No.	Table 44 — Counties and Sex.	Marriages in Each County, All ages.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 to 24 years.
	The State.									
1	**Grooms**	**30,584**	–	–	–	**10**	**54**	**272**	**617**	**10,501**
2	**Brides**	**30,584**	**4**	**17**	**119**	**467**	**905**	**1,993**	**2,236**	**12,045**
	Barnstable:									
3	Grooms	254	–	–	–	–	–	2	8	96
4	Brides	254	–	–	2	6	13	25	17	86
	Berkshire:									
5	Grooms	699	–	–	–	–	1	8	17	233
6	Brides	699	–	–	5	14	27	55	45	260
	Bristol:									
7	Grooms	2,887	–	–	–	–	4	30	66	1,178
8	Brides	2,887	–	3	10	60	108	234	245	1,192
	Dukes:									
9	Grooms	31	–	–	–	–	–	–	2	14
10	Brides	31	1	–	1	–	2	9	1	6
	Essex:									
11	Grooms	3,516	–	–	–	1	14	30	88	1,209
12	Brides	3,516	–	–	10	55	104	234	269	1,325
	Franklin:									
13	Grooms	302	–	–	–	–	–	5	6	114
14	Brides	302	–	1	1	6	19	24	25	123
	Hampden:									
15	Grooms	2,189	–	–	–	1	6	10	42	828
16	Brides	2,189	–	1	6	37	58	166	185	915
	Hampshire:									
17	Grooms	474	–	–	–	–	2	3	12	192
18	Brides	474	–	–	2	11	23	37	35	197
	Middlesex:									
19	Grooms	6,361	–	–	–	1	9	43	124	2,194
20	Brides	6,361	1	2	19	77	166	377	458	2,514
	Nantucket:									
21	Grooms	30	–	–	–	–	–	1	–	12
22	Brides	30	–	–	–	–	1	3	3	9
	Norfolk:									
23	Grooms	1,827	–	–	–	–	4	14	28	561
24	Brides	1,827	–	–	5	19	34	81	117	726
	Plymouth:									
25	Grooms	1,055	–	–	–	–	2	13	26	370
26	Brides	1,055	1	1	9	22	37	80	81	406
	Suffolk:									
27	Grooms	7,828	–	–	–	5	8	69	122	2,364
28	Brides	7,828	1	7	32	112	193	430	489	3,091
	Worcester:									
29	Grooms	3,131	–	–	–	2	4	44	76	1,136
30	Brides	3,131	–	2	17	48	120	238	266	1,195

AND IN CITIES HAVING OVER 100,000 INHABITANTS: 1926.

Line No.	COUNTIES — Con.						CITIES HAVING OVER 100,000 INHABITANTS.							
	Middlesex.	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.	Boston.	Worcester.	Springfield.	Fall River.	Cambridge.	New Bedford.	Lowell.	Lynn.
1	**6,361**	**30**	**1,827**	**1,055**	**7,828**	**3,131**	**7,151**	**1,287**	**1,024**	**1,027**	**1,062**	**912**	**795**	**879**
2	359	1	118	60	541	177	489	60	61	67	64	54	48	43
3	334	–	86	36	515	165	484	68	41	67	63	39	44	67
4	178	1	54	34	269	80	242	40	28	21	29	22	13	37
5	553	4	167	91	629	272	584	118	80	90	89	82	85	75
6	343	4	105	71	508	211	468	80	74	69	63	78	55	58
7	1,061	3	327	159	1,168	451	1,077	194	152	174	173	135	131	128
8	481	2	121	97	606	269	551	107	82	77	67	85	60	71
9	488	2	123	73	653	288	588	120	76	82	76	61	64	63
10	788	5	217	121	868	345	797	160	146	131	130	137	81	103
11	814	3	235	141	903	345	813	141	136	112	137	98	88	101
12	605	2	158	88	696	346	629	121	98	99	111	84	84	89
13	357	3	116	84	472	179	429	78	50	38	60	37	42	44

Line No.	BY SEX AND AGE: 1926.											
	25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 yrs. and over.
1	**9,249**	**4,351**	**2,127**	**1,180**	**785**	**546**	**408**	**249**	**150**	**59**	**21**	**5**
2	**6,598**	**2,661**	**1,471**	**802**	**569**	**338**	**188**	**106**	**48**	**14**	**3**	–
3	68	16	17	13	4	12	6	6	3	2	1	–
4	43	15	11	7	14	6	5	1	3	–	–	–
5	221	100	46	26	13	13	11	7	1	2	–	–
6	155	70	26	12	15	8	2	4	–	1	–	–
7	791	324	159	132	78	45	38	23	13	4	1	1
8	521	191	116	84	54	42	13	11	2	–	1	–
9	7	5	–	–	2	1	–	–	–	–	–	–
10	5	4	1	–	1	–	–	–	–	–	–	–
11	1,016	485	281	121	94	65	57	29	18	5	3	–
12	765	315	180	89	72	50	26	16	5	1	–	–
13	94	35	15	5	12	6	3	1	3	2	1	–
14	46	21	12	5	6	1	6	2	2	2	–	–
15	669	285	144	62	43	33	33	22	7	2	2	–
16	434	178	72	56	41	19	12	3	2	3	1	–
17	139	61	23	12	6	11	1	3	5	2	2	–
18	85	31	22	11	5	8	1	2	3	1	–	–
19	1,988	894	419	239	142	120	89	51	31	12	1	4
20	1,463	565	294	161	126	67	39	17	12	2	1	–
21	8	4	1	–	–	1	2	1	–	–	–	–
22	10	–	1	–	1	2	–	–	–	–	–	–
23	586	300	139	73	42	33	17	12	15	2	1	–
24	456	173	100	45	29	15	11	10	4	2	–	–
25	306	143	72	43	26	19	18	8	6	2	1	–
26	195	90	63	30	16	11	9	3	–	1	–	–
27	2,434	1,282	598	331	240	145	106	66	33	18	7	–
28	1,778	749	422	219	141	82	43	28	11	–	–	–
29	922	417	213	123	83	42	27	20	15	6	1	–
30	642	259	151	83	48	27	21	9	4	1	–	–

Table 45 — MARRIAGES, BY SEX AND AGE: 1926.

Age of Grooms.	Age of brides. All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
All Ages.	**30,584**	**5,741**	**12,045**	**6,598**	**2,661**	**1,471**	**802**	**569**	**338**	**188**	**106**	**48**	**14**	**3**	–
Under 20	953	692	248	13	–	–	–	–	–	–	–	–	–	–	–
20 to 24	10,501	3,569	5,834	983	90	21	4	–	–	–	–	–	–	–	–
25 to 29	9,249	1,148	4,375	3,065	549	96	13	2	1	–	–	–	–	–	–
30 to 34	4,351	252	1,192	1,658	929	265	42	9	4	–	–	–	–	–	–
35 to 39	2,127	53	284	585	610	419	136	35	4	1	–	–	–	–	–
40 to 44	1,180	17	78	188	271	311	212	81	17	3	1	1	–	–	–
45 to 49	785	8	21	79	133	195	150	145	41	11	2	–	–	–	–
50 to 54	546	1	6	20	49	90	128	126	90	28	5	2	1	–	–
55 to 59	408	–	5	7	21	49	72	100	78	54	16	4	2	–	–
60 to 64	249	1	1	–	6	13	30	48	60	43	37	8	2	–	–
65 to 69	150	–	–	–	1	7	14	18	31	33	23	21	1	1	–
70 to 74	59	–	1	–	1	3	1	3	9	11	16	7	7	–	–
75 to 79	21	–	–	–	–	2	–	2	2	4	5	4	1	1	–
80 and over	5	–	–	–	1	–	–	–	1	–	1	1	–	1	–

Table 46 — FIRST MARRIAGES, BY SEX AND AGE: 1926.

Age of Grooms (Bachelors).	Age of brides (maids). All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
All Ages.	**25,169**	**5,580**	**11,396**	**5,602**	**1,696**	**598**	**179**	**78**	**28**	**6**	**4**	**1**	**1**	–	–
Under 20	944	692	241	11	–	–	–	–	–	–	–	–	–	–	–
20 to 24	10,229	3,543	5,721	887	69	8	1	–	–	–	–	–	–	–	–
25 to 29	8,571	1,087	4,180	2,816	434	50	4	–	–	–	–	–	–	–	–
30 to 34	3,435	207	1,017	1,382	667	149	10	3	–	–	–	–	–	–	–
35 to 39	1,213	36	187	388	358	195	45	4	–	–	–	–	–	–	–
40 to 44	449	11	45	86	121	108	54	20	4	–	–	–	–	–	–
45 to 49	192	4	4	27	37	60	33	21	6	–	–	–	–	–	–
50 to 54	81	–	1	5	8	17	21	19	9	1	–	–	–	–	–
55 to 59	36	–	–	–	2	9	6	8	7	2	1	1	–	–	–
60 to 64	12	–	–	–	–	1	3	3	1	3	1	–	–	–	–
65 to 69	4	–	–	–	–	–	2	–	1	–	–	–	1	–	–
70 to 74	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–
75 to 79	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
80 and over	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–

Table 47 — FIRST MARRIAGES OF GROOMS AND REMARRIAGES OF BRIDES, BY AGE: 1926.

Age of Grooms (Bachelors).	Age of brides (widows).[1] All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
All Ages.	**1,597**	**12**	**190**	**391**	**352**	**298**	**173**	**100**	**47**	**19**	**10**	**5**	–	–	–
Under 20	9	–	7	2	–	–	–	–	–	–	–	–	–	–	–
20 to 24	217	8	87	87	21	12	2	–	–	–	–	–	–	–	–
25 to 29	348	3	60	155	79	41	7	2	1	–	–	–	–	–	–
30 to 34	358	–	25	96	128	77	24	5	3	–	–	–	–	–	–
35 to 39	274	1	9	36	73	90	48	14	3	–	–	–	–	–	–
40 to 44	179	–	1	11	35	48	51	22	7	2	1	1	–	–	–
45 to 49	108	–	1	3	13	22	24	31	10	3	1	–	–	–	–
50 to 54	55	–	–	1	3	5	13	12	14	5	–	2	–	–	–
55 to 59	31	–	–	–	–	3	2	11	5	5	4	1	–	–	–
60 to 64	12	–	–	–	–	–	2	2	3	2	3	–	–	–	–
65 to 69	4	–	–	–	–	–	–	1	1	–	1	1	–	–	–
70 to 74	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
75 to 79	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
80 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Includes divorced.

Table 48

REMARRIAGES OF GROOMS AND FIRST MARRIAGES OF BRIDES, BY AGE: 1926.

Age of Grooms (Widowers).[1]	Age of brides (maids). All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
All Ages.	**2,066**	**148**	**421**	**458**	**358**	**279**	**185**	**104**	**64**	**31**	**13**	**5**	–	–	–
Under 20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20 to 24	50	18	23	9	–	–	–	–	–	–	–	–	–	–	–
25 to 29	287	58	124	79	22	4	–	–	–	–	–	–	–	–	–
30 to 34	427	44	142	137	77	23	3	–	1	–	–	–	–	–	–
35 to 39	386	16	79	118	97	62	10	4	–	–	–	–	–	–	–
40 to 44	297	6	27	66	62	79	46	9	2	–	–	–	–	–	–
45 to 49	211	4	14	36	51	49	30	22	5	–	–	–	–	–	–
50 to 54	166	1	5	10	29	33	42	25	18	3	–	–	–	–	–
55 to 59	119	–	5	3	16	18	30	21	16	9	1	–	–	–	–
60 to 64	63	1	1	–	2	6	17	12	12	9	2	1	–	–	–
65 to 69	41	–	–	–	1	4	6	8	7	9	4	2	–	–	–
70 to 74	12	–	1	–	–	1	1	2	1	–	5	1	–	–	–
75 to 79	5	–	–	–	–	–	–	1	2	1	1	–	–	–	–
80 and over	2	–	–	–	1	–	–	–	–	–	–	1	–	–	–

[1] Includes divorced.

Table 49

REMARRIAGES OF BOTH PARTIES, BY AGE: 1926.

Age of Grooms (Widowers).[1]	Age of brides (widows).[1] All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
All Ages.	**1,752**	**1**	**38**	**147**	**255**	**296**	**265**	**287**	**199**	**132**	**79**	**37**	**13**	**3**	–
Under 20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20 to 24	5	–	3	–	–	1	1	–	–	–	–	–	–	–	–
25 to 29	43	–	11	15	14	1	2	–	–	–	–	–	–	–	–
30 to 34	131	1	8	43	57	16	5	1	–	–	–	–	–	–	–
35 to 39	254	–	9	43	82	72	33	13	1	1	–	–	–	–	–
40 to 44	255	–	5	25	53	76	61	30	4	1	–	–	–	–	–
45 to 49	274	–	2	13	32	64	63	71	20	8	1	–	–	–	–
50 to 54	244	–	–	4	9	35	52	70	49	19	5	–	1	–	–
55 to 59	222	–	–	4	3	19	34	60	50	38	10	2	2	–	–
60 to 64	162	–	–	–	4	6	8	31	44	29	31	7	2	–	–
65 to 69	101	–	–	–	–	3	6	9	22	24	18	18	–	1	–
70 to 74	44	–	–	–	1	1	–	1	8	10	10	6	7	–	–
75 to 79	15		–	–	–	2	–	1	–	2	4	4	1	1	–
80 and over	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–

[1] Includes divorced.

Table 50

FIRST MARRIAGES AND REMARRIAGES: 1926.

Grooms.	Brides. Total number of marriages.	First marriage.	Second marriage.	Third marriage.	Fourth marriage.	Fifth marriage.
Total Number.	**30,584**	**27,235**	**3,139**	**194**	**15**	**1**
First marriage	26,766	25,169	1,543	49	4	1
Second marriage	3,552	1,974	1,462	107	9	–
Third marriage	254	90	128	35	1	–
Fourth marriage	11	2	6	3	–	–
Fifth marriage	1	–	–	–	1	–.

Table 51

MARRIAGES, MARRIAGE RATES, AND NATIVITY OF PERSONS MARRIED: 1900 TO 1926.

Years.	Total Number.	Rates — persons married per 1,000 population.		Nativity — percentages.			
		Annual.	Five-year averages.	Bride and groom — both — Native.	Bride and groom — both — Foreign.	Native groom and foreign bride.	Foreign groom and native bride.
1900	24,342	17.4		43.9	33.2	12.1	10.8
1901	24,891	17.3		43.6	32.9	12.7	10.8
1902	25,685	17.5		43.8	33.0	12.3	10.9
1903	26,940	17.9	17.5	43.5	34.6	11.6	10.3
1904	25,993	16.9		43.7	34.1	11.5	10.7
1905	27,184	18.1		44.0	34.2	11.2	10.6
1906	29,654	19.5		43.6	34.6	11.3	10.5
1907	31,055	20.1		42.4	37.0	10.7	9.9
1908	27,071	17.3	18.3	42.9	36.6	10.9	9.6
1909	29,002	16.2		43.1	35.8	10.5	10.6
1910	30,710	18.2		43.2	35.8	10.6	10.5
1911	32,051	18.6		44.5	35.1	9.8	10.6
1912	30,898	17.6		43.5	36.2	9.6	10.6
1913	31,403	17.6	17.7	43.4	36.4	9.6	10.6
1914	32,588	17.9		44.4	36.4	9.2	10.0
1915	31,301	17.0		45.3	35.0	9.1	10.6
1916	34,386	18.2		47.0	33.3	9.3	10.3
1917	37,945	19.8		50.8	28.6	9.8	10.8
1918	29,163	14.9	18.1	52.3	26.6	9.8	11.3
1919	34,329	17.9		54.8	23.9	9.9	11.6
1920	38,048	19.7		56.8	21.7	9.8	11.7
1921	33,590	17.3		55.5	24.0	9.1	11.4
1922	32,683	16.6		57.3	21.5	9.3	11.9
1923	35,200	17.7	16.5	57.2	20.7	9.8	12.3
1924	32,080	16.0		57.4	20.0	9.6	13.0
1925	31,238	15.1		58.0	19.0	9.7	13.3
1926	30,584	14.5		59.2	17.6	9.8	13.4

Table 52

PROPORTIONS OF FIRST MARRIAGES AND REMARRIAGES PER 1,000 MARRIAGES: 1900 TO 1926.

Years.	Males.		Females.		Bachelors who married —		Widowers[1] who married —	
	Bachelors.	Widowers.[1]	Maids.	Widows.[1]	Maids.	Widows.[1]	Maids.	Widows.[1]
1900	87.4	12.6	90.7	9.3	82.6	4.7	8.1	4.4
1901	87.2	12.8	90.6	9.4	82.5	4.7	8.2	4.6
1902	87.5	12.5	90.4	9.6	82.7	4.8	7.7	4.8
1903	88.0	12.0	90.6	9.4	83.2	4.8	7.4	4.6
1904	87.8	12.2	90.2	9.8	82.7	5.1	7.5	4.7
1905	88.2	11.8	91.1	8.9	83.6	4.6	7.5	4.3
1906	88.7	11.3	91.2	8.8	84.1	4.6	7.1	4.2
1907	88.9	11.1	91.2	8.8	84.3	4.5	6.8	4.3
1908	88.0	12.0	90.4	9.6	83.0	4.9	7.4	4.6
1909	88.4	11.6	90.9	9.1	83.8	4.6	7.1	4.5
1910	88.3	11.7	90.4	9.6	83.5	4.9	7.0	4.7
1911	89.0	11.0	90.5	9.5	84.0	5.0	6.5	4.5
1912	89.7	10.3	91.8	8.2	85.4	4.2	6.4	4.0
1913	89.5	10.5	91.7	8.3	85.4	4.1	6.3	4.2
1914	89.6	10.4	91.7	8.3	85.3	4.2	6.4	4.1
1915	89.6	10.4	91.7	8.3	85.3	4.2	6.4	4.1
1916	89.8	10.2	91.3	8.7	85.3	4.6	6.1	4.1
1917	89.8	10.2	90.9	9.1	84.9	4.9	6.0	4.2
1918	86.7	13.3	88.0	12.0	80.6	6.1	7.4	5.9
1919	85.9	14.1	88.0	12.0	80.2	5.7	7.9	6.2
1920	86.1	13.9	88.0	12.0	80.3	5.9	7.7	6.1
1921	85.2	14.8	87.3	12.7	79.2	6.0	8.1	6.7
1922	86.4	13.6	88.0	12.0	80.5	5.9	7.5	6.1
1923	86.9	13.1	88.4	11.6	81.2	5.7	7.2	5.9
1924	86.9	13.1	88.3	11.7	81.3	5.6	7.1	6.0
1925	87.4	12.6	88.8	11.2	82.1	5.4	6.7	5.8
1926	87.5	12.5	89.0	11.0	82.3	5.2	6.8	5.7

[1] Includes divorced.

Table 53

Marriages and Marriage Rates in the State and in Cities having over 100,000 Inhabitants in 1925: **1900** to **1926**.

Years.	The State.	Cities having over 100,000 inhabitants in 1925.							
		Boston.	Worcester.	Springfield.	Fall River.	Cambridge.	New Bedford.	Lowell.	Lynn.
1900	24,342	6,044	1,048	549	648	1,082	1,059	714	639
1901	24,891	6,311	1,119	565	710	1,070	953	769	691
1902	25,685	6,172	1,098	596	806	1,198	1,010	792	665
1903	26,940	6,640	1,227	598	809	1,291	939	795	769
1904	25,993	6,736	1,138	593	725	1,063	998	790	721
1905	27,184	6,775	1,184	654	805	1,164	937	834	849
1906	29,654	7,374	1,330	727	872	1,342	1,033	944	960
1907	31,055	7,761	1,343	883	944	1,327	1,066	950	973
1908	27,071	6,993	1,064	720	889	1,174	872	815	775
1909	29,002	7,165	1,233	827	981	1,186	1,030	819	836
1910	30,710	7,596	1,395	904	1,092	1,241	999	934	890
1911	32,051	8,110	1,457	986	1,193	1,230	955	983	983
1912	30,898	7,896	1,404	732	1,056	1,146	997	1,003	966
1913	31,403	8,130	1,495	887	1,166	1,126	1,023	1,016	959
1914	32,588	8,522	1,411	871	1,229	1,141	1,017	1,058	856
1915	31,301	8,141	1,408	828	1,118	1,121	1,035	986	832
1916	34,386	8,552	1,687	1,062	1,207	1,163	1,166	1,113	1,043
1917	37,945	9,191	1,836	1,265	1,451	1,297	1,280	1,243	1,044
1918	29,163	7,396	1,325	1,081	1,102	973	1,091	1,111	837
1919	34,329	8,122	1,569	1,257	1,248	1,296	1,206	1,132	1,036
1920	38,048	8,545	1,811	1,403	1,565	1,372	1,238	1,271	1,092
1921	33,590	8,241	1,466	1,136	1,211	1,221	996	1,051	954
1922	32,683	7,816	1,414	1,104	1,176	1,350	895	1,070	897
1923	35,200	8,243	1,505	1,181	1,255	1,340	1,004	1,164	1,001
1924	32,080	7,688	1,375	1,148	978	1,114	880	1,093	894
1925	31,238	7,263	1,420	1,080	1,052	1,015	1,028	843	808
1926	30,584	7,151	1,287	1,024	1,027	1,062	912	795	879
	Marriage Rates — Persons married per 1,000 Population, Census Years **1900** to **1925**.								
1900	17.4	21.6	17.7	17.7	20.8	20.6	22.3	15.5	18.7
1905	18.1	22.8	18.5	17.8	21.7	22.0	19.7	17.1	22.0
1910	18.2	22.1	19.1	20.3	22.6	20.8	18.8	17.8	19.9
1915	17.0	21.8	17.3	16.1	20.4	18.0	19.2	18.1	17.4
1920	19.8	22.8	20.1	21.7	25.8	22.8	21.9	23.2	22.0
1925	15.1	18.6	14.9	15.2	16.3	17.0	17.2	15.3	15.7

PART II. C.
DIVORCE STATISTICS

	PAGE
Introduction	144, 145
Causes for divorce	144
Source of data	144
Applications for divorce	144
Contested cases	144
Number of divorces	144
Divorce rates	144, 145
Party to which granted	145
Divorces classified by causes	145
Annulment classified as divorce	145
Duration of marriages	145
Statistical tables	146–164

INTRODUCTION.

Causes for Divorce. — Causes for which divorce from the bonds of matrimony may be granted in Massachusetts under the provisions of chapter 208, Sections 1 and 2 of the General Laws, are as follows: —

1. Adultery.
2. Impotency.
3. Desertion for three consecutive years next prior to the filing of the libel.
4. Gross and confirmed habits of intoxication caused by the voluntary and excessive use of intoxicating liquor, opium or other drugs.
5. Cruel and abusive treatment.
6. Neglect to provide.
7. Sentence to imprisonment at hard labor for five years or more.

A marriage may be declared void in consequence of violation of the provisions of the laws concerning marriage; that is, a separation may be granted because of the demonstration of conditions obtaining at the time of, or previous to, the alleged marriage, which show that there never was a legal marriage.

Source of Data. — The statistics of divorce presented in this report are compiled from returns made to the Secretary of the Commonwealth annually by the clerks of courts and registers of probate for the several counties.

In Massachusetts there is no central record office for divorces, the statistics only being returned as stated above. The records remain with the clerks or registers.

Previous to 1922 the superior court only had jurisdiction in such matters, and the filing of returns was in compliance with chapter 208, Sections 46 and 47 of the General Laws. By the provisions of chapter 465 of the Acts of 1921, it was provided in Section 2 that any divorce case in which the libellee has not filed appearance within the time limited should be transferred to the probate court of the county where such case was entered. By chapter 532 of the Acts of 1922 the probate court was given concurrent jurisdiction with the superior court to hear libels for divorce and to determine the same in a similar manner. This Act took effect on *October 1, 1922.*

Applications for Divorce. — The courts granted about 3 petitions out of every 4 filed. This proportion fluctuated considerably during the period 1900 to 1926, the highest proportion of applications being granted in 1924 (89.5 per cent), and the lowest proportion in 1906 (67.1 per cent). During this entire period 81.5 per cent of all applications were granted, .9 per cent were refused, and 17.6 per cent were dismissed.

Contested Cases. — Of the total number of applications for divorces during the twenty-seven years from 1900 to 1926, only 12.2 per cent were contested. In 1926, of the 4,044 applications for divorce, only 919, or 22.7 per cent, were contested, and of the 3,363 divorces granted, 688, or 20.5 per cent, were contested. The proportion of contested cases is larger for divorces granted to the wife (21.3 per cent) than for those granted to the husband (18.1 per cent).

Number of Divorces. — Divorces granted in 1926 numbered 3,363, a decrease of 32, or .8 per cent less than the number granted in 1925, and a decrease of 220, or 6.1 per cent less than the average number granted for the five-year period 1921 to 1925.

Divorce Rates. — The number of divorces granted per 100,000 population was 79.8, as compared with 81.9 in 1925, 96.1 in 1924, 90.5 in 1923, 83.3 in 1922, and 97.9 in 1921.

Divorce rates based on the married population, i.e., the number of divorces per 100,000 married population, are more significant than rates based upon the total population, because of the elimination of possible variations in the proportion married, and because of the fact that divorce can arise only among the married. Rates calculated in this manner are shown in Table 58, page 161, for the census years 1900 to 1920. In this table the number of divorces shown for the census years 1900 to 1920 is not the actual number in that year, but the annual average for the five-year period of which the census year is the median. This method eliminates any peculiarities in the census year which may have affected divorce, and makes the figures more typical of the period as a whole.

Party to Which Granted. — Over two-thirds (71.8 per cent) of the total number of divorces in the period 1900 to 1926 were granted to the wife. In other words, divorces obtained by the wife are more than twice as numerous as those obtained by the husband. This difference may be partially explained by the fact that without any reference to the question of which party is the more frequently responsible for the marital unhappiness, the wife has tangible ground for divorce more frequently than the husband, because certain well known and comparatively common grounds are more readily applicable against the husband than against the wife. For example, cruelty, in so far as it is physical cruelty, is not ordinarily an available ground for a husband, although men are sometimes granted divorces on this ground.

The proportion of divorces granted to the wife fluctuated between 73.8 per cent in 1905, and 68.3 in 1902, as compared with 71.8 per cent for the entire period of 1900 to 1926.

Divorces Classified by Causes. — The statistics concerning the cause of divorce deal with the legal cause as ascertained from the court records. It should be borne in mind, however, that the cause for which a divorce is granted by the courts is not necessarily the underlying reason for the marital unhappiness, and that the value of statistics of divorce as an index to the actual causes is as a consequence impaired.

Divorces granted on the ground of desertion have increased threefold in the twenty-seven-year period 1900 to 1926, while the increase in the number of divorces granted for adultery has been very slight.

The most common ground on which divorce was granted by the courts was desertion, which accounted for 47.8 per cent of all the divorces granted in the period 1900 to 1926, for 64.9 per cent of all those granted to the husband in this period, and for 41.1 per cent of those granted to the wife.

The number and per cent of divorces granted for all causes, to the husband and to the wife, for the twenty-seven-year period 1900 to 1926, are shown in Table 60, page 162.

Annulment Classified as Divorce. — Among the less important classes of causes appears the term "nullity of marriage." In 526 cases, or .8 per cent of the total number of divorces granted during the period 1900 to 1926, there was some cause shown which may have existed at the time of marriage. These cases form but a small proportion of all cases considered, and do not affect the results to any material degree.

Duration of Marriages. — The average number of years libellants were married at the time of application for divorce has fluctuated between 10.4 years in 1923, and 11.4 years in 1903. The average number of years the libellants were married in 1926 was 10.6. Ten and four-tenths years in 1923 was the lowest average since 1900.

Of the total libellants in Massachusetts for whom the number of years married was reported in 1926, 57.2 per cent made application for divorce before they had been married ten years, as compared with 57 per cent in 1925, 55.7 in 1924, 56.3 in 1923, 54 in 1922, 54.4 in 1921, and 53.2 for the twenty-seven-year period 1900 to 1926.

Table 54

Libels for Divorces Granted, Refused, Dismissed, Contested, and not Contested, and Number of Years Libellants were Married, by Statutory Causes and Sex of Libellant: The State — 1926.

Libels and Libellants.	Causes.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
The State.	**4,044** [1]	**1,701**	**1,570**	**310**	**216**	**182**	**9**	**5**	**51**
Husband	1,197	709	237	197	28	–	3	–	23
Wife	2,847	992	1,333	113	188	182	6	5	28
Granted	3,363	1,539	1,220	232	164	154	6	4	44
Husband	908	611	121	142	14	–	1	–	19
Wife	2,455	928	1,099	90	150	154	5	4	25
Refused	23	4	11	4	2	1	–	–	1
Husband	17	4	7	3	2	–	–	–	1
Wife	6	–	4	1	–	1	–	–	–
Dismissed	658	158	339	74	50	27	3	1	6
Husband	272	94	109	52	12	–	2	–	3
Wife	386	64	230	22	38	27	1	1	3
Contested	919	255	461	100	46	41	2	–	14
Husband	291	113	87	73	8	–	1	–	9
Wife	628	142	374	27	38	41	1	–	5
Not contested	3,125	1,446	1,109	210	170	141	7	5	37
Husband	906	596	150	124	20	–	2	–	14
Wife	2,219	850	959	86	150	141	5	5	23
Duration of Marriage.									
Less than 6 months	44	1	32	2	1	–	–	–	8
Husband	13	1	11	–	–	–	–	–	1
Wife	31	–	21	2	1	–	–	–	7
6 to 11 months	67	1	52	1	4	6	1	–	2
Husband	8	–	5	1	1	–	–	–	1
Wife	59	1	47	–	3	6	1	–	1
1 to 4 years	979	233	517	73	54	75	5	2	20
Husband	239	99	79	45	8	–	1	–	7
Wife	740	134	438	28	46	75	4	2	13
5 to 9 years	1,225	532	453	115	67	42	–	2	14
Husband	366	214	58	75	9	–	–	–	10
Wife	859	318	395	40	58	42	–	2	4
10 to 19 years	1,195	598	380	100	60	48	3	1	5
Husband	389	255	57	65	8	–	2	–	2
Wife	806	343	323	35	52	48	1	1	3
20 to 29 years	430	259	121	17	22	9	–	–	2
Husband	151	114	24	10	1	–	–	–	2
Wife	279	145	97	7	21	9	–	–	–
30 years and over	104	77	15	2	8	2	–	–	–
Husband	31	26	3	1	1	–	–	–	–
Wife	73	51	12	1	7	2	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.6	13.2	8.5	9.8	10.8	8.0	5.3	6.9	5.3

Number of libels for divorce pending January 1, 1926 (including all cases, whether decrees *nisi* had been entered or not)	8,476
Number of libels for divorce pending January 1, 1926, in which decrees *nisi* had been entered at that date	1,552
Number of libels for divorce filed during the year 1926	4,879
Number of libels for divorce in which decrees *nisi* were entered during the year 1926	3,449
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1926	3,442
Number of cases finally determined in 1926	4,062

[1] Seven hundred eighty-eight libels were received from the Superior Court; three thousand two hundred seventy-four from the Probate Court. One thousand one hundred seventy-one libels dismissed under General Order of Court, no action having been taken within two years. Five libels from Middlesex county and one each from Hampden and Worcester counties, transferred to other counties. Eight libels discontinued. Two petitions to vacate decree. One decree revoked.

Table 54a

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Barnstable County — 1926.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Barnstable County.	**36** [1]	**12**	**23**	**1**	–	–	–	–	
Husband	13	5	7	1	–	–	–	–	–
Wife	23	7	16	–	–	–	–	–	–
Granted	31	12	18	1	–	–	–	–	–
Husband	11	5	5	1	–	–	–	–	–
Wife	20	7	13	–	–	–	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	5	–	5	–	–	–	–	–	–
Husband	2	–	2	–	–	–	–	–	–
Wife	3	–	3	–	–	–	–	–	–
Contested	5	3	2	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	4	2	2	–	–	–	–	–	–
Not contested	31	9	21	1	–	–	–	–	–
Husband	12	4	7	1	–	–	–	–	–
Wife	19	5	14	–	–	–	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	3	–	3	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	3	–	3	–	–	–	–	–	–
1 to 4 years	9	3	6	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	8	3	5	–	–	–	–	–	–
5 to 9 years	7	2	5	–	–	–	–	–	–
Husband	4	2	2	–	–	–	–	–	–
Wife	3	–	3	–	–	–	–	–	–
10 to 19 years	11	5	5	1	–	–	–	–	–
Husband	5	2	2	1	–	–	–	–	–
Wife	6	3	3	–	–	–	–	–	–
20 to 29 years	6	2	4	–	–	–	–	–	–
Husband	3	1	2	–	–	–	–	–	–
Wife	3	1	2	–	–	–	–	–	–
30 years and over	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.9	12.4	10.0	13.0	–	–	–	–	–

Number of libels for divorce pending January 1, 1926 (including all cases, whether decrees *nisi* had been entered or not)	69
Number of libels for divorce pending January 1, 1926, in which decrees *nisi* had been entered at that date	19
Number of libels for divorce filed during the year 1926	71
Number of libels for divorce in which decrees *nisi* were entered during the year 1926	35
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1926	30
Number of cases finally determined in 1926	36

[1] No libels were received from the Superior Court; thirty-six from the Probate Court.

Table 54b

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Berkshire County — 1926.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Berkshire County.	**156** [1]	**56**	**73**	**5**	**2**	**13**	–	–	**7**
Husband	51	25	19	4	–	–	–	–	3
Wife	105	31	54	1	2	13	–	–	4
Granted	134	54	59	2	2	13	–	–	4
Husband	39	24	12	2	–	–	–	–	1
Wife	95	30	47	–	2	13	–	–	3
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	22	2	14	3	–	–	–	–	3
Husband	12	1	7	2	–	–	–	–	2
Wife	10	1	7	1	–	–	–	–	1
Contested	17	4	7	2	1	–	–	–	3
Husband	7	1	2	2	–	–	–	–	2
Wife	10	3	5	–	1	–	–	–	1
Not contested	139	52	66	3	1	13	–	–	4
Husband	44	24	17	2	–	–	–	–	1
Wife	95	28	49	1	1	13	–	–	3
DURATION OF MARRIAGE.									
Less than 6 months	3	–	1	–	–	–	–	–	2
Husband	1	–	1	–	–	–	–	–	–
Wife	2	–	–	–	–	–	–	–	2
6 to 11 months	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
1 to 4 years	40	5	27	–	–	5	–	–	3
Husband	9	2	6	–	–	–	–	–	1
Wife	31	3	21	–	–	5	–	–	2
5 to 9 years	43	16	20	3	1	3	–	–	–
Husband	18	9	6	3	–	–	–	–	–
Wife	25	7	14	–	1	3	–	–	–
10 to 19 years	47	22	17	2	1	4	–	–	1
Husband	16	11	3	1	–	–	–	–	1
Wife	31	11	14	1	1	4	–	–	–
20 to 29 years	19	11	6	–	–	1	–	–	1
Husband	5	2	2	–	–	–	–	–	1
Wife	14	9	4	–	–	1	–	–	–
30 years and over	3	2	1	–	–	–	–	–	–
Husband	2	1	1	–	–	–	–	–	–
Wife	1	1	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	9.4	11.4	8.4	9.2	9.0	8.7	–	–	6.3

Number of libels for divorce pending January 1, 1926 (including all cases, whether decrees *nisi* had been entered or not)	240
Number of libels for divorce pending January 1, 1926, in which decrees *nisi* had been entered at that date	65
Number of libels for divorce filed during the year 1926	162
Number of libels for divorce in which decrees *nisi* were entered during the year 1926	129
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1926	130
Number of cases finally determined in 1926	156

[1] No libels were received from the Superior Court; one hundred fifty-six from the Probate Court.

Table 54c

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Bristol County — 1926.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Bristol County.	**284** [1]	**132**	**100**	**22**	**7**	**15**	–	–	**8**
Husband	79	50	9	16	1	–	–	–	3
Wife	205	82	91	6	6	15	–	–	5
Granted	260	126	87	18	6	15	–	–	8
Husband	65	48	2	12	–	–	–	–	3
Wife	195	78	85	6	6	15	–	–	5
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	24	6	13	4	1	–	–	–	–
Husband	14	2	7	4	1	–	–	–	–
Wife	10	4	6	–	–	–	–	–	–
Contested	33	8	16	6	2	1	–	–	–
Husband	16	4	5	6	1	–	–	–	–
Wife	17	4	11	–	1	1	–	–	–
Not contested	251	124	84	16	5	14	–	–	8
Husband	63	46	4	10	–	–	–	–	3
Wife	188	78	80	6	5	14	–	–	5
DURATION OF MARRIAGE.									
Less than 6 months	2	–	2	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
6 to 11 months	3	–	2	–	–	–	–	–	1
Husband	–	–	–	–	–	–	–	–	–
Wife	3	–	2	–	–	–	–	–	1
1 to 4 years	52	11	28	4	1	4	–	–	4
Husband	11	3	3	4	–	–	–	–	1
Wife	41	8	25	–	1	4	–	–	3
5 to 9 years	98	54	25	10	2	4	–	–	3
Husband	36	26	2	6	–	–	–	–	2
Wife	62	28	23	4	2	4	–	–	1
10 to 19 years	78	43	24	6	1	4	–	–	–
Husband	19	14	1	4	–	–	–	–	–
Wife	59	29	23	2	1	4	–	–	–
20 to 29 years	37	16	16	1	2	2	–	–	–
Husband	8	5	2	1	–	–	–	–	–
Wife	29	11	14	–	2	2	–	–	–
30 years and over	14	8	3	1	1	1	–	–	–
Husband	4	2	–	1	1	–	–	–	–
Wife	10	6	3	–	–	1	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.5	13.4	9.4	10.5	18.4	12.1	–	–	3.7

Number of libels for divorce pending January 1, 1926 (including all cases, whether decrees *nisi* had been entered or not)	654
Number of libels for divorce pending January 1, 1926, in which decrees *nisi* had been entered at that date	100
Number of libels for divorce filed during the year 1926	373
Number of libels for divorce in which decrees *nisi* were entered during the year 1926	260
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1926	251
Number of cases finally determined in 1926	284

[1] Four libels were received from the Superior Court; two hundred eighty from the Probate Court.

Table 54d

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Dukes County — 1926.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Dukes County.	7[1]	2	4	1	–	–	–	–	–
Husband	3	1	1	1	–	–	–	–	–
Wife	4	1	3	–	–	–	–	–	–
Granted	5	2	2	1	–	–	–	–	–
Husband	2	1	–	1	–	–	–	–	–
Wife	3	1	2	–	–	–	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	2	–	2	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
Contested	2	–	2	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
Not contested	5	2	2	1	–	–	–	–	–
Husband	2	1	–	1	–	–	–	–	–
Wife	3	1	2	–	–	–	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
5 to 9 years	3	1	1	1	–	–	–	–	–
Husband	1	–	–	1	–	–	–	–	–
Wife	2	1	1	–	–	–	–	–	–
10 to 19 years	3	1	2	–	–	–	–	–	–
Husband	2	1	1	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
20 to 29 years	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
30 years and over	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.1	11.5	10.5	6.0	–	–	–	–	–

Number of libels for divorce pending January 1, 1926 (including all cases, whether decrees *nisi* had been entered or not)	23
Number of libels for divorce pending January 1, 1926, in which decrees *nisi* had been entered at that date	2
Number of libels for divorce filed during the year 1926	5
Number of libels for divorce in which decrees *nisi* were entered during the year 1926	6
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1926	7
Number of cases finally determined in 1926	7

[1] Two libels were received from the Superior Court; five from the Probate Court.

Table 54e

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Essex County — 1926.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Essex County.	**430** [1]	**190**	**138**	**40**	**30**	**32**	–	–	–
Husband	111	75	9	25	2	–	–	–	–
Wife	319	115	129	15	28	32	–	–	–
Granted	387	182	114	36	28	27	–	–	–
Husband	97	71	2	22	2	–	–	–	–
Wife	290	111	112	14	26	27	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	43	8	24	4	2	5	–	–	–
Husband	14	4	7	3	–	–	–	–	–
Wife	29	4	17	1	2	5	–	–	–
Contested	62	16	29	9	3	5	–	–	–
Husband	20	10	4	6	–	–	–	–	–
Wife	42	6	25	3	3	5	–	–	–
Not contested	368	174	109	31	27	27	–	–	–
Husband	91	65	5	19	2	–	–	–	–
Wife	277	109	104	12	25	27	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	11	–	9	–	1	1	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	11	–	9	–	1	1	–	–	–
1 to 4 years	94	26	43	7	4	14	–	–	–
Husband	17	9	2	5	1	–	–	–	–
Wife	77	17	41	2	3	14	–	–	–
5 to 9 years	142	69	43	12	11	7	–	–	–
Husband	33	25	1	7	–	–	–	–	–
Wife	109	44	42	5	11	7	–	–	–
10 to 19 years	125	58	32	19	8	8	–	–	–
Husband	43	26	5	11	1	–	–	–	–
Wife	82	32	27	8	7	8	–	–	–
20 to 29 years	40	25	8	2	3	2	–	–	–
Husband	12	10	–	2	–	–	–	–	–
Wife	28	15	8	–	3	2	–	–	–
30 years and over	18	12	3	–	3	–	–	–	–
Husband	6	5	1	–	–	–	–	–	–
Wife	12	7	2	–	3	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.9	13.0	8.6	10.7	11.9	7.7	–	–	–

Number of libels for divorce pending January 1, 1926 (including all cases, whether decrees *nisi* had been entered or not)	1,027
Number of libels for divorce pending January 1, 1926, in which decrees *nisi* had been entered at that date	183
Number of libels for divorce filed during the year 1926	595
Number of libels for divorce in which decrees *nisi* were entered during the year 1926	431
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1926	387
Number of cases finally determined in 1926	430

[1] Eleven libels were received from the Superior Court; four hundred nineteen from the Probate Court.

Table 54f

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Franklin County — 1926.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Franklin County.	**39** [1]	**12**	**17**	**6**	**1**	**3**	–	–	–
Husband	8	4	–	4	–	–	–	–	–
Wife	31	8	17	2	1	3	–	–	–
Granted	34	11	14	5	1	3	–	–	–
Husband	8	4	–	4	–	–	–	–	–
Wife	26	7	14	1	1	3	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	5	1	3	1	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	5	1	3	1	–	–	–	–	–
Contested	6	–	4	1	–	1	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	6	–	4	1	–	1	–	–	–
Not contested	33	12	13	5	1	2	–	–	–
Husband	8	4	–	4	–	–	–	–	–
Wife	25	8	13	1	1	2	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
1 to 4 years	10	3	3	2	–	2	–	–	–
Husband	3	1	–	2	–	–	–	–	–
Wife	7	2	3	–	–	2	–	–	–
5 to 9 years	10	4	3	2	1	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	9	3	3	2	1	–	–	–	–
10 to 19 years	9	1	5	2	–	1	–	–	–
Husband	2	–	–	2	–	–	–	–	–
Wife	7	1	5	–	–	1	–	–	–
20 to 29 years	6	3	3	–	–	–	–	–	–
Husband	2	2	–	–	–	–	–	–	–
Wife	4	1	3	–	–	–	–	–	–
30 years and over	3	1	2	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	3	1	2	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	12.5	14.1	13.7	9.7	6.0	3.7	–	–	–

Number of libels for divorce pending January 1, 1926 (including all cases, whether decrees *nisi* had been entered or not)	94
Number of libels for divorce pending January 1, 1926, in which decrees *nisi* had been entered at that date	18
Number of libels for divorce filed during the year 1926	44
Number of libels for divorce in which decrees *nisi* were entered during the year 1926	29
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1926	34
Number of cases finally determined in 1926	40

[1] One libel was received from the Superior Court; thirty-nine from the Probate Court. One libel discontinued.

Table 54g

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Hampden County — 1926.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Hampden County.	**444** [1]	**170**	**172**	**40**	**46**	**12**	**3**	**1**	–
Husband	127	75	19	25	7	–	1	–	–
Wife	317	95	153	15	39	12	2	1	–
Granted	203	94	71	17	16	4	1	–	–
Husband	43	29	4	10	–	–	–	–	–
Wife	160	65	67	7	16	4	1	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	241	76	101	23	30	8	2	1	–
Husband	84	46	15	15	7	–	1	–	–
Wife	157	30	86	8	23	8	1	1	–
Contested	2	–	2	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
Not contested	442	170	170	40	46	12	3	1	–
Husband	126	75	18	25	7	–	1	–	–
Wife	316	95	152	15	39	12	2	1	–
DURATION OF MARRIAGE.									
Less than 6 months	3	–	2	1	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	3	–	2	1	–	–	–	–	–
6 to 11 months	10	–	7	–	2	1	–	–	–
Husband	1	–	–	–	1	–	–	–	–
Wife	9	–	7	–	1	1	–	–	–
1 to 4 years	120	25	58	12	16	6	3	–	–
Husband	28	9	7	7	4	–	1	–	–
Wife	92	16	51	5	12	6	2	–	–
5 to 9 years	103	32	43	17	9	1	–	1	–
Husband	26	10	5	11	–	–	–	–	–
Wife	77	22	38	6	9	1	–	1	–
10 to 19 years	151	74	48	9	17	3	–	–	–
Husband	49	36	5	6	2	–	–	–	–
Wife	102	38	43	3	15	3	–	–	–
20 to 29 years	53	37	13	1	2	–	–	–	–
Husband	23	20	2	1	–	–	–	–	–
Wife	30	17	11	–	2	–	–	–	–
30 years and over	4	2	1	–	–	1	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	4	2	1	–	–	1	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.6	14.1	8.6	8.0	9.1	8.8	4.0	6.0	–

Number of libels for divorce pending January 1, 1926 (including all cases, whether decrees *nisi* had been entered or not)	689
Number of libels for divorce pending January 1, 1926, in which decrees *nisi* had been entered at that date	83
Number of libels for divorce filed during the year 1926	306
Number of libels for divorce in which decrees *nisi* were entered during the year 1926	216
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1926	206
Number of cases finally determined in 1926	445

[1] Four hundred forty-one libels were received from the Superior Court; four from the Probate Court. One libel transferred to Worcester county.

Table 54h

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Hampshire County — 1926.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Hampshire County.	35 [1]	15	11	4	1	4	–	–	–
Husband	11	9	1	1	–	–	–	–	–
Wife	24	6	10	3	1	4	–	–	–
Granted	30	14	10	2	1	3	–	–	–
Husband	10	9	1	–	–	–	–	–	–
Wife	20	5	9	2	1	3	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	5	1	1	2	–	1	–	–	–
Husband	1	–	–	1	–	–	–	–	–
Wife	4	1	1	1	–	1	–	–	–
Contested	13	5	5	3	–	–	–	–	–
Husband	4	3	–	1	–	–	–	–	–
Wife	9	2	5	2	–	–	–	–	–
Not contested	22	10	6	1	1	4	–	–	–
Husband	7	6	1	–	–	–	–	–	–
Wife	15	4	5	1	1	4	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	6	1	3	–	–	2	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	5	–	3	–	–	2	–	–	–
5 to 9 years	12	4	6	–	–	2	–	–	–
Husband	2	1	1	–	–	–	–	–	–
Wife	10	3	5	–	–	2	–	–	–
10 to 19 years	11	6	1	3	1	–	–	–	–
Husband	5	4	–	1	–	–	–	–	–
Wife	6	2	1	2	1	–	–	–	–
20 to 29 years	3	2	1	–	–	–	–	–	–
Husband	2	2	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
30 years and over	3	2	–	1	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	2	1	–	1	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	12.7	17.4	8.7	13.5	13.0	5.5	–	–	–

Number of libels for divorce pending January 1, 1926 (including all cases, whether decrees *nisi* had been entered or not)	93
Number of libels for divorce pending January 1, 1926, in which decrees *nisi* had been entered at that date	14
Number of libels for divorce filed during the year 1926	43
Number of libels for divorce in which decrees *nisi* were entered during the year 1926	29
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1926	30
Number of cases finally determined in 1926	35

[1] Four libels were received from the Superior Court; thirty-one from the Probate Court.

Table 541

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Middlesex County — 1926.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Middlesex County.	**713** [1]	**299**	**288**	**57**	**38**	**26**	**4**	**1**	–
Husband	221	137	46	34	3	–	1	–	–
Wife	492	162	242	23	35	26	3	1	–
Granted	605	276	228	44	33	20	3	1	–
Husband	171	120	24	25	2	–	–	–	–
Wife	434	156	204	19	31	20	3	1	–
Refused	7	3	1	2	–	1	–	–	–
Husband	5	3	1	1	–	–	–	–	–
Wife	2	–	–	1	–	1	–	–	–
Dismissed	101	20	59	11	5	5	1	–	–
Husband	45	14	21	8	1	–	1	–	–
Wife	56	6	38	3	4	5	–	–	–
Contested	224	58	117	26	11	11	1	–	–
Husband	74	29	23	19	2	–	1	–	–
Wife	150	29	94	7	9	11	–	–	–
Not contested	489	241	171	31	27	15	3	1	–
Husband	147	108	23	15	1	–	–	–	–
Wife	342	133	148	16	26	15	3	1	–
DURATION OF MARRIAGE.									
Less than 6 months	11	1	9	–	1	–	–	–	–
Husband	5	1	4	–	–	–	–	–	–
Wife	6	–	5	–	1	–	–	–	–
6 to 11 months	9	–	6	–	–	2	1	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	9	–	6	–	–	2	1	–	–
1 to 4 years	170	48	84	10	13	13	1	1	–
Husband	39	24	12	3	–	–	–	–	–
Wife	131	24	72	7	13	13	1	1	–
5 to 9 years	224	100	89	22	10	3	–	–	–
Husband	70	43	11	14	2	–	–	–	–
Wife	154	57	78	8	8	3	–	–	–
10 to 19 years	220	103	78	20	9	8	2	–	–
Husband	71	43	12	14	1	–	1	–	–
Wife	149	60	66	6	8	8	1	–	–
20 to 29 years	71	42	21	5	3	–	–	–	–
Husband	34	25	6	3	–	–	–	–	–
Wife	37	17	15	2	3	–	–	–	–
30 years and over	8	5	1	–	2	–	–	–	–
Husband	2	1	1	–	–	–	–	–	–
Wife	6	4	–	–	2	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.5	12.5	8.7	12.2	10.0	6.4	8.0	4.0	–

Number of libels for divorce pending January 1, 1926 (including all cases, whether decrees *nisi* had been entered or not)	1,527
Number of libels for divorce pending January 1, 1926, in which decrees *nisi* had been entered at that date	248
Number of libels for divorce filed during the year 1926	907
Number of libels for divorce in which decrees *nisi* were entered during the year 1926	646
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1926	608
Number of cases finally determined in 1926	718

[1] Sixty libels were received from the Superior Court; six hundred fifty-eight from the Probate Court. Five libels transferred to other counties. Three hundred forty-eight libels dismissed under General Order of Court, no action having been taken within two years.

Table 54j

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Nantucket County — 1926.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Nantucket County.	3[1]	1	–	1	1	–	–	–	–
Husband	2	1	–	1	–	–	–	–	–
Wife	1	–	–	–	1	–	–	–	–
Granted	3	1	–	1	1	–	–	–	–
Husband	2	1	–	1	–	–	–	–	–
Wife	1	–	–	–	1	–	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Contested	1	–	–	–	1	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	–	–	1	–	–	–	–
Not contested	2	1	–	1	–	–	–	–	–
Husband	2	1	–	1	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	2	1	–	–	1	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	1	–	–	–	1	–	–	–	–
5 to 9 years	1	–	–	1	–	–	–	–	–
Husband	1	–	–	1	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
10 to 19 years	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
20 to 29 years	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
30 years and over	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	4.0	4.0	–	5.0	3.0	–	–	–	–

Number of libels for divorce pending January 1, 1926 (including all cases, whether decrees *nisi* had been entered or not)	–
Number of libels for divorce pending January 1, 1926, in which decrees *nisi* had been entered at that date	2
Number of libels for divorce filed during the year 1926	9
Number of libels for divorce in which decrees *nisi* were entered during the year 1926	5
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1926	3
Number of cases finally determined in 1926	3

[1] No libels were received from the Superior Court; three from the Probate Court.

Table 54k

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Norfolk County — 1926.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Norfolk County.	**182** [1]	**85**	**78**	**10**	**6**	**3**	–	–	–
Husband	53	38	11	4	–	–	–	–	–
Wife	129	47	67	6	6	3	–	–	–
Granted	164	80	67	9	5	3	–	–	–
Husband	45	34	7	4	–	–	–	–	–
Wife	119	46	60	5	5	3	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	18	5	11	1	1	–	–	–	–
Husband	8	4	4	–	–	–	–	–	–
Wife	10	1	7	1	1	–	–	–	–
Contested	55	20	28	3	4	–	–	–	–
Husband	13	8	3	2	–	–	–	–	–
Wife	42	12	25	1	4	–	–	–	–
Not contested	127	65	50	7	2	3	–	–	–
Husband	40	30	8	2	–	–	–	–	–
Wife	87	35	42	5	2	3	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	2	–	2	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
6 to 11 months	3	–	3	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
1 to 4 years	44	11	29	3	1	–	–	–	–
Husband	9	4	4	1	–	–	–	–	–
Wife	35	7	25	2	1	–	–	–	–
5 to 9 years	40	22	12	1	3	2	–	–	–
Husband	16	13	2	1	–	–	–	–	–
Wife	24	9	10	–	3	2	–	–	–
10 to 19 years	59	34	21	3	1	–	–	–	–
Husband	17	15	1	1	–	–	–	–	–
Wife	42	19	20	2	1	–	–	–	–
20 to 29 years	29	15	9	3	1	1	–	–	–
Husband	7	4	2	1	–	–	–	–	–
Wife	22	11	7	2	1	1	–	–	–
30 years and over	5	3	2	–	–	–	–	–	–
Husband	2	2	–	–	–	–	–	–	–
Wife	3	1	2	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.7	13.5	9.5	14.2	11.0	12.7	–	–	–

Number of libels for divorce pending January 1, 1926 (including all cases, whether decrees *nisi* had been entered or not)	391
Number of libels for divorce pending January 1, 1926, in which decrees *nisi* had been entered at that date	73
Number of libels for divorce filed during the year 1926	282
Number of libels for divorce in which decrees *nisi* were entered during the year 1926	160
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1926	163
Number of cases finally determined in 1926	185

[1] Twelve libels were received from the Superior Court; one hundred seventy-three from the Probate Court. Three libels discontinued.

Table 541

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Plymouth County — 1926.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Plymouth County.	**172** [1]	**85**	**62**	**9**	**9**	**4**	**1**	**1**	**1**
Husband	57	39	10	6	–	–	1	–	1
Wife	115	46	52	3	9	4	–	1	–
Granted	154	79	55	6	8	3	1	1	1
Husband	50	36	8	4	–	–	1	–	1
Wife	104	43	47	2	8	3	–	1	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	18	6	7	3	1	1	–	–	–
Husband	7	3	2	2	–	–	–	–	–
Wife	11	3	5	1	1	1	–	–	–
Contested	49	13	26	7	2	1	–	–	–
Husband	14	6	2	6	–	–	–	–	–
Wife	35	7	24	1	2	1	–	–	–
Not contested	123	72	36	2	7	3	1	1	1
Husband	43	33	8	–	–	–	1	–	1
Wife	80	39	28	2	7	3	–	1	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	32	12	16	4	–	–	–	–	–
Husband	11	6	2	3	–	–	–	–	–
Wife	21	6	14	1	–	–	–	–	–
5 to 9 years	49	25	14	4	4	1	–	–	1
Husband	17	10	4	2	–	–	–	–	1
Wife	32	15	10	2	4	1	–	–	–
10 to 19 years	63	35	21	1	2	2	1	1	–
Husband	21	17	2	1	–	–	1	–	–
Wife	42	18	19	–	2	2	–	1	–
20 to 29 years	20	8	10	–	1	1	–	–	–
Husband	7	5	2	–	–	–	–	–	–
Wife	13	3	8	–	1	1	–	–	–
30 years and over	8	5	1	–	2	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	7	4	1	–	2	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	12.1	12.7	11.5	7.5	16.4	13.2	10.0	16.0	9.0

Number of libels for divorce pending January 1, 1926 (including all cases, whether decrees *nisi* had been entered or not)	269
Number of libels for divorce pending January 1, 1926, in which decrees *nisi* had been entered at that date	86
Number of libels for divorce filed during the year 1926	183
Number of libels for divorce in which decrees *nisi* were entered during the year 1926	118
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1926	154
Number of cases finally determined in 1926	173

[1] Fifty-three libels were received from the Superior Court; one hundred twenty from the Probate Court. One libel discontinued, want of jurisdiction.

Table 54m

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Suffolk County — 1926.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Suffolk County.	**1,119** [1]	**457**	**463**	**88**	**40**	**45**	**1**	**1**	**24**
Husband	339	174	86	58	10	–	–	–	11
Wife	780	283	377	30	30	45	1	1	13
Granted	994	433	390	72	36	41	1	1	20
Husband	269	159	50	45	6	–	–	–	9
Wife	725	274	340	27	30	41	1	1	11
Refused	16	1	10	2	2	–	–	–	1
Husband	12	1	6	2	2	–	–	–	1
Wife	4	–	4	–	–	–	–	–	–
Dismissed	109	23	63	14	2	4	–	–	3
Husband	58	14	30	11	2	–	–	–	1
Wife	51	9	33	3	–	4	–	–	2
Contested	287	72	158	28	10	11	1	–	7
Husband	93	30	35	20	3	–	–	–	5
Wife	194	42	123	8	7	11	1	–	2
Not contested	832	385	305	60	30	34	–	1	17
Husband	246	144	51	38	7	–	–	–	6
Wife	586	241	254	22	23	34	–	1	11
DURATION OF MARRIAGE.									
Less than 6 months	19	–	12	1	–	–	–	–	6
Husband	3	–	2	–	–	–	–	–	1
Wife	16	–	10	1	–	–	–	–	5
6 to 11 months	25	1	19	1	1	2	–	–	1
Husband	5	–	3	1	–	–	–	–	1
Wife	20	1	16	–	1	2	–	–	–
1 to 4 years	310	66	176	29	12	18	1	1	7
Husband	86	28	35	18	2	–	–	–	3
Wife	224	38	141	11	10	18	1	1	4
5 to 9 years	358	145	150	28	14	14	–	–	7
Husband	99	51	19	20	5	–	–	–	4
Wife	259	94	131	8	9	14	–	–	3
10 to 19 years	278	149	86	25	7	9	–	–	2
Husband	104	61	22	17	3	–	–	–	1
Wife	174	88	64	8	4	9	–	–	1
20 to 29 years	103	71	19	4	6	2	–	–	1
Husband	36	28	5	2	–	–	–	–	1
Wife	67	43	14	2	6	2	–	–	–
30 years and over	26	25	1	–	–	–	–	–	–
Husband	6	6	–	–	–	–	–	–	–
Wife	20	19	1	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	9.7	13.1	7.1	8.2	9.8	7.1	1.0	3.0	5.1

Number of libels for divorce pending January 1, 1926 (including all cases, whether decrees *nisi* had been entered or not)	2,488
Number of libels for divorce pending January 1, 1926, in which decrees *nisi* had been entered at that date	476
Number of libels for divorce filed during the year 1926	1,400
Number of libels for divorce in which decrees *nisi* were entered during the year 1926	1,029
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1926	1,086
Number of cases finally determined in 1926	1,119

[1] One hundred ninety-three libels were received from the Superior Court; nine hundred twenty-six from the Probate Court. Eight hundred twenty-three libels dismissed under General Order of Court, no action having been taken within two years.

Table 54n

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Worcester County —1926.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Nonsupport.	Impotency.	Imprisonment.	Nullity of marriage.
Worcester County.	**424** [1]	**185**	**141**	**26**	**35**	**25**	–	**1**	**11**
Husband	122	76	19	17	5	–	–	–	5
Wife	302	109	122	9	30	25	–	1	6
Granted	359	175	105	18	27	22	–	1	11
Husband	96	70	6	11	4	–	–	–	5
Wife	263	105	99	7	23	22	–	1	6
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	65	10	36	8	8	3	–	–	–
Husband	26	6	13	6	1	–	–	–	–
Wife	39	4	23	2	7	3	–	–	–
Contested	163	56	65	15	12	11	–	–	4
Husband	47	21	11	11	2	–	–	–	2
Wife	116	35	54	4	10	11	–	–	2
Not contested	261	129	76	11	23	14	–	1	7
Husband	75	55	8	6	3	–	–	–	3
Wife	186	74	68	5	20	14	–	1	4
DURATION OF MARRIAGE.									
Less than 6 months	4	–	4	–	–	–	–	–	–
Husband	2	–	2	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
6 to 11 months	1	–	1	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	89	21	43	2	6	11	–	–	6
Husband	23	11	7	2	1	–	–	–	2
Wife	66	10	36	–	5	11	–	–	4
5 to 9 years	135	58	42	14	12	5	–	1	3
Husband	42	23	5	9	2	–	–	–	3
Wife	93	35	37	5	10	5	–	1	–
10 to 19 years	140	67	40	9	13	9	–	–	2
Husband	35	25	3	6	1	–	–	–	–
Wife	105	42	37	3	12	9	–	–	2
20 to 29 years	43	27	11	1	4	–	–	–	–
Husband	12	10	1	–	1	–	–	–	–
Wife	31	17	10	1	3	–	–	–	–
30 years and over	12	12	–	–	–	–	–	–	–
Husband	7	7	–	–	–	–	–	–	–
Wife	5	5	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.1	13.8	8.9	9.8	11.1	8.0	–	5.0	5.8

Number of libels for divorce pending January 1, 1926 (including all cases, whether decrees *nisi* had been entered or not)	912
Number of libels for divorce pending January 1, 1926, in which decrees *nisi* had been entered at that date	183
Number of libels for divorce filed during the year 1926	499
Number of libels for divorce in which decrees *nisi* were entered during the year 1926	356
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1926	353
Number of cases finally determined in 1926	431

[1] Seven libels were received from the Superior Court; four hundred twenty-four from the Probate Court. One libel transferred to Hampshire county. Three libels discontinued. One decree revoked. Two petitions to vacate decree.

Table 55

Years.	Divorces Granted: 1900 to 1926.				
	Total number.	Granted to husband.		Granted to wife.	
		Number.	Per cent.	Number.	Per cent.
1900	1,258	376	29.9	882	70.1
1901	1,376	408	29.7	968	70.3
1902	1,480	469	31.7	1,011	68.3
1903	1,721	464	27.0	1,257	73.0
1904	1,698	471	27.7	1,227	72.3
1905	1,554	407	26.2	1,147	73.8
1906	1,752	486	27.7	1,266	72.3
1907	1,932	556	28.8	1,376	71.2
1908	1,766	497	28.1	1,269	71.9
1909	1,739	477	27.4	1,262	72.6
1910	1,929	517	26.8	1,412	73.2
1911	2,137	597	27.9	1,540	72.1
1912	1,927	557	28.9	1,370	71.1
1913	2,126	653	30.7	1,473	69.3
1914	2,200	591	26.9	1,609	73.1
1915	2,252	632	28.1	1,620	71.9
1916	2,301	650	28.2	1,651	71.8
1917	2,635	771	29.3	1,864	70.7
1918	2,351	704	29.9	1,647	70.1
1919	2,536	754	29.7	1,782	70.3
1920	3,647	1,061	29.1	2,586	70.9
1921	3,803	1,081	28.4	2,722	71.6
1922	3,277	869	26.5	2,408	73.5
1923	3,593	972	27.1	2,621	72.9
1924	3,845	1,074	27.9	2,771	72.1
1925	3,395	910	26.8	2,485	73.2
1926	3,363	908	27.0	2,455	73.0

Table 56

Period of Years.	Divorces Granted: 1900 to 1924.			Per cent increase in total population over preceding census.
	Total number.	Increase over preceding period.		
		Number.	Per cent.	
1900 to 1904	7,531	1,878	33.2	7.1
1905 to 1909	8,743	1,212	16.1	12.1
1910 to 1914	10,319	1,576	18.0	8.2
1915 to 1919	12,075	1,756	17.0	3.9
1920 to 1924	18,165	6,090	50.4	3.9

Table 57

Census Years.	Comparison of Increase in Divorce with Increase in Population: 1900 to 1925.							
	Divorces.			Population.			Population to one divorce.	Divorces per 100,000 population.
	Total number.	Increase over preceding census year.		Total.	Increase over preceding census year.			
		Number.	Per cent.		Number.	Per cent.		
1900	1,258	304	31.9	2,805,346	305,163	12.2	2,230	44.8
1905	1,554	296	23.5	3,003,680	198,334	7.1	1,933	51.7
1910	1,929	375	24.1	3,366,416	362,736	12.1	1,745	57.3
1915	2,252	323	16.7	3,693,310	326,894	9.7	1,640	61.0
1920	3,647	1,395	61.9	3,852,356	159,046	4.3	1,056	94.7
1925	3,395	252[1]	6.9[1]	4,144,205	291,849	7.6	1,221	81.9

[1] Decrease.

Table 58

Census Years.	Divorce Rates based on Total Population and on Married Population: Census Years, 1900 to 1920.					
	Population.		Divorce: annual average.[1]		Married population to one divorce.	Divorces per 100,000 married population.
	Total.	Married.	Number.	Per 100,000 population.		
1900	2,805,346	1,053,898	1,292	47	816	123
1905	3,003,680	1,134,320	1,731	58	655	153
1910	3,366,416	1,300,271	1,900	56	684	146
1915	3,693,310	1,474,590	2,303	62	640	156
1920	3,852,356	1,534,584	3,123	81	491	204

[1] For the five-year period of which the census year is the median year.

Table 59

Counties.	Annual Average[1] Number of Divorces in the State and in Each County: Census Years 1900 to 1920. Number.				
	1920.	1915.	1910.	1905.	1900.
The State.	**3,123**	**2,303**	**1,900**	**1,731**	**1,292**
Barnstable	22	22	16	14	11
Berkshire	84	65	57	56	41
Bristol	262	184	140	139	99
Dukes	5	3	2	1	2
Essex	416	304	268	230	183
Franklin	39	28	27	26	20
Hampden	247	172	130	107	78
Hampshire	29	22	22	22	16
Middlesex	491	388	311	313	231
Nantucket	2	1	1	–	2
Norfolk	118	86	75	52	39
Plymouth	150	122	108	94	66
Suffolk	974	696	544	499	379
Worcester	284	209	200	176	140

[1] For the five-year period of which the census year is the median year.

Table 60

Statutory Causes.	Divorces Granted for Specified Causes for 27 Years: 1900 to 1926.								
	Total.			Granted to husband.			Granted to wife.		
	Number.	Per cent.	Per cent distribution.	Number.	Per cent.	Per cent distribution.	Number.	Per cent.	Per cent distribution.
All Causes.	**63,593**	**100.0**	**100.0**	**17,912**	**28.2**	**100.0**	**45,681**	**71.8**	**100.0**
Desertion	30,399	100.0	47.8	11,617	38.2	64.9	18,782	61.8	41.1
Adultery	7,256	100.0	11.4	4,186	57.7	23.4	3,070	42.3	6.7
Cruel and abusive treatment	17,860	100.0	28.1	1,048	5.9	5.9	16,812	94.1	36.8
Intoxication	5,338	100.0	8.4	797	14.9	4.4	4,541	85.1	9.9
Non-support	1,915	100.0	3.0	–	–	–	1,915	100.0	4.2
Nullity of marriage	526	100.0	.8	221	42.0	1.2	305	58.0	.7
Imprisonment	139	100.0	.2	–	–	–	139	100.0	.3
Impotency	160	100.0	.3	43	26.9	.2	117	73.1	.3

Table 61

Years Divorces were Granted.	Statutory Causes of Divorce: 1900 to 1926.								
	All causes.	Desertion.	Adultery.	Cruel and abusive treatment.	Intoxication.	Non-support.	Nullity of marriage.	Imprisonment.	Impotency.
1900	1,258	591	229	227	152	51	2	5	1
1901	1,376	649	256	225	181	50	11	2	2
1902	1,480	687	273	244	199	62	8	5	2
1903	1,721	768	299	343	220	68	9	5	9
1904	1,698	801	290	340	193	52	10	7	5
1905	1,554	718	245	327	194	49	13	6	2
1906	1,752	802	291	337	240	66	7	5	4
1907	1,932	859	303	395	297	54	15	4	5
1908	1,766	815	259	382	232	53	16	3	6
1909	1,739	782	246	426	212	49	8	8	8
1910	1,929	849	282	445	255	76	13	4	5
1911	2,137	964	323	478	282	74	8	3	5
1912	1,927	946	219	474	214	44	20	6	4
1913	2,126	1,002	259	501	260	79	17	4	4
1914	2,200	1,095	224	525	244	83	20	5	4
1915	2,252	1,124	235	571	214	72	21	4	11
1916	2,301	1,157	234	644	193	43	16	9	5
1917	2,635	1,345	268	687	236	68	21	5	5
1918	2,351	1,191	249	619	195	65	23	2	7
1919	2,536	1,328	228	748	158	45	21	3	5
1920	3,647	1,887	394	1,093	156	68	33	5	11
1921	3,803	1,970	356	1,242	117	71	32	4	11
1922	3,277	1,574	280	1,229	90	64	28	5	7
1923	3,593	1,622	271	1,442	123	87	30	9	9
1924	3,845	1,776	271	1,424	171	157	32	6	8
1925	3,395	1,558	240	1,272	146	111	48	11	9
1926	3,363	1,539	232	1,220	164	154	44	4	6

Table 62

Years of Application.	Applications for Divorce: 1900 to 1926.										
	Total.	Granted.		Refused.		Dismissed.		Contested.		Not contested.	
		Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.
1900 to 1926.	**77,982**	**63,593**	**81.5**	**704**	**.9**	**13,685**	**17.6**	**9,508**	**12.2**	**68,474**	**87.8**
1900	1,413	1,258	89.0	10	.7	145	10.3	167	11.8	1,246	88.2
1901	1,637	1,376	84.1	9	.5	252	15.4	202	12.3	1,435	87.7
1902	1,863	1,480	79.4	12	.6	371	19.9	260	14.0	1,603	86.0
1903	2,233	1,721	77.1	33	1.5	479	21.5	338	15.1	1,895	84.9
1904	2,184	1,698	77.7	98	4.5	388	17.8	436	20.0	1,748	80.0
1905	1,822	1,554	85.3	30	1.6	238	13.1	292	16.0	1,530	84.0
1906	2,610	1,752	67.1	19	.7	839	32.1	153	6.0	2,457	94.1
1907	2,259	1,932	85.5	24	1.1	303	13.4	184	8.1	2,075	91.9
1908	2,135	1,766	82.7	12	.6	357	16.7	162	7.6	1,973	92.4
1909	2,366	1,739	73.5	37	1.6	590	24.9	248	10.5	2,118	89.5
1910	2,473	1,929	78.0	13	.5	531	21.5	238	9.6	2,235	90.4
1911	2,909	2,137	73.5	–	–	772	26.5	290	10.0	2,619	90.0
1912	2,532	1,927	76.1	12	.5	593	23.4	259	10.2	2,273	90.0
1913	2,640	2,126	80.5	30	1.1	484	18.3	237	9.0	2,403	91.0
1914	2,964	2,200	74.2	25	.8	739	24.9	267	9.0	2,697	91.0
1915	2,728	2,252	82.6	–	–	476	17.4	203	7.4	2,525	92.6
1916	2,789	2,301	82.5	23	.8	465	16.7	193	6.9	2,596	93.1
1917	3,221	2,635	81.8	24	.7	562	17.5	258	8.0	2,963	92.0
1918	3,077	2,351	76.4	31	1.0	695	22.6	366	11.9	2,711	88.1
1919	3,121	2,536	81.2	33	1.1	552	17.7	388	12.4	2,733	87.6
1920	4,376	3,647	83.3	33	.8	696	15.9	392	9.0	3,984	91.0
1921	4,556	3,803	83.5	38	.8	715	15.7	402	8.8	4,154	91.2
1922	3,733	3,277	87.8	28	.7	428	11.5	328	8.8	3,405	91.2
1923	4,116	3,593	87.3	42	1.0	481	11.7	508	12.3	3,608	87.7
1924	4,294	3,845	89.5	32	.7	417	9.7	895	20.8	3,399	79.1
1925	3,887	3,395	87.4	33	.8	459	11.8	923	23.7	2,964	76.3
1926	4,044	3,363	83.2	23	.6	658	16.2	919	22.7	3,125	77.3

Table 63

Statutory Cause and Party to which Granted.	Divorces Granted classified by Statutory Cause and Party to which Granted: 1926.				
	Total number.	Cases contested.		Cases not contested.	
		Number.	Per cent.	Number.	Per cent.
All Causes.	**3,363**	**688**	**20.5**	**2,675**	**79.5**
Husband	**908**	**164**	**18.1**	**744**	**81.9**
Wife	**2,455**	**524**	**21.3**	**1,931**	**78.7**
Desertion	1,539	209	13.6	1,330	86.4
Husband	611	82	13.4	529	86.6
Wife	928	127	13.7	801	86.3
Cruel and abusive treatment	1,220	337	27.6	883	72.4
Husband	121	27	22.3	94	77.7
Wife	1,099	310	28.2	789	71.8
Adultery	232	66	28.4	166	71.6
Husband	142	46	32.4	96	67.6
Wife	90	20	–[1]	70	–[1]
Intoxication	164	32	19.5	132	80.5
Husband	14	3	–[1]	11	–[1]
Wife	150	29	19.3	121	80.7
Non-support	154	33	21.4	121	78.6
Husband	–	–	–	–	–
Wife	154	33	21.4	121	78.6
Impotency	6	1	–[1]	5	–[1]
Husband	1	–	–[1]	1	–[1]
Wife	5	1	–[1]	4	–[1]
Imprisonment	4	–	–[1]	4	–[1]
Husband	–	–	–	–	–
Wife	4	–	–[1]	4	–[1]
Nullity of marriage	44	10	–[1]	34	–[1]
Husband	19	6	–[1]	13	–[1]
Wife	25	4	–[1]	21	–[1]

[1] Per cent not shown where base is less than 100.

Table 64

Party to which Granted.	Libels for Divorce Granted and Not Granted, Contested and Not Contested, classified by Party to which Granted: 1926.							
	Total.		Granted.		Refused.		Dismissed.	
	Contested.	Not contested.	Contested.	Not contested.	Contested.	Not contested.	Contested.	Not contested.
Total.	**919**	**3,125**	**688**	**2,675**	**17**	**6**	**214**	**444**
Husband	291	906	164	744	15	2	112	160
Wife	628	2,219	524	1,931	2	4	102	284

Table 65

Years of Application.	Number of Years Libellants were Married at Time of Application for Divorce: 1900 to 1926.								
	Total.[1]	Under 6 months.	6 to 11 months.	1 to 4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 years and over.	Average.
1900	1,413	4	2	247	444	534	138	44	11.3
1901	1,637	9	2	299	514	599	175	39	11.0
1902	1,863	13	3	355	545	691	202	54	11.2
1903	2,233	17	28	333	673	858	251	73	11.4
1904	2,184	25	31	413	634	781	234	66	10.9
1905	1,819	9	23	361	572	621	184	49	11.0
1906	2,610	41	2	485	820	890	303	69	10.7
1907	2,259	22	5	411	715	776	269	61	11.2
1908	2,135	8	12	556	613	665	235	46	11.0
1909	2,366	21	32	406	726	822	283	76	11.2
1910	2,473	30	–	526	740	829	285	63	10.8
1911	2,909	20	29	543	880	974	406	57	11.2
1912	2,532	3	21	501	820	823	304	60	10.5
1913	2,640	23	23	479	835	891	318	71	11.2
1914	2,963	20	1	809	910	850	307	66	10.9
1915	2,728	20	23	437	946	940	280	82	10.7
1916	2,789	20	32	548	917	887	316	69	10.6
1917	3,220	13	49	585	1,026	1,079	375	93	10.9
1918	3,077	26	41	567	937	1,035	382	89	11.1
1919	3,117	35	37	551	925	1,104	374	91	10.9
1920	4,373	43	48	939	1,370	1,431	430	112	10.7
1921	4,555	39	79	968	1,392	1,425	511	141	10.9
1922	3,727	40	57	841	1,073	1,190	405	121	10.9
1923	4,116	45	80	1,027	1,166	1,276	418	102	10.4
1924	4,286	41	71	990	1,287	1,351	456	90	10.6
1925	3,883	45	72	919	1,181	1,154	391	121	10.7
1926	4,044	44	67	979	1,225	1,195	430	104	10.6

[1] Exclusive of those for which duration of marriage was unknown.

PART II. D.

POPULATION STATISTICS

	PAGE
Introductory	165
Estimated population	165
Statistical table	166

Introductory. — All vital statistics are based upon the population. The number of births, marriages, divorces and deaths is expressed in relation to the population, usually as rates giving the number occurring during the calendar year per 1,000 inhabitants or group of inhabitants, such as age groups, sex, nativity, race, marital condition, and occupation groups.

Information regarding population is obtained by a census enumeration, and in Massachusetts these enumerations are made every five years. The statistics for 1926 in this report are based on the Federal census taken as of January 1, 1920, and the State census taken as of March 31, 1925.

It is unfortunate for statistical purposes that the census of 1925 did not enumerate the population by sex and age groups. The lack of this information is particularly noticed in the mortality tables numbered 5 and 6.

The population of any community or State is continually changing, in most cases increasing, and for this reason it becomes necessary to make estimates of the population for the periods between the census enumerations upon which to base rates for the various vital events, and especially for the accurate computation and expression of birth, marriage, divorce, and death rates. Such estimates are necessary for all dates except those on which the census enumerations are made, and are in all cases preferable to a repetition of the census returns for a certain year.

For non-census years the statistical tables in this book are based upon the estimated population as determined by the arithmetical method, which assumes a constant amount of increase between the census years.

The unexpected result of the national census of 1920, in which the State of Massachusetts shows a gain in population of only 159,046 in the five-year period 1916 to 1920, has made the estimated population for the years 1916, 1917, and 1918 based on the censuses of the years 1910 and 1915 appear almost absurd. In fact, the 1918 statistics on births, marriages, divorces, and deaths were based on a higher estimated population (3,907,576) than the estimated population for 1919 (3,835,614) obtained from the censuses of 1915 and 1920.

Estimated Population. — The method of calculating estimates of population for the intercensal years is shown in the following example:

Massachusetts had a population of 4,144,205 at the State census of 1925 (March 31), and of 3,852,356 at the Federal census of 1920 (January 1). The increase during the intercensal period (63 months) was 291,849, and the monthly increase, according to the arithmetical method of estimating population, was —

$$\frac{4{,}144{,}205-3{,}852{,}356}{63}=4{,}633$$

The same annual increase is also assumed to occur until the next census shall have been taken. The population for June 30, 1926, is estimated by adding to the population as it existed at the preceding census (March 31, 1925), 4,633 for each month intervening between the date of enumeration and the date for which the estimate is desired (June 30, 1926). There being 15 months between these dates, the calculation would be

$$4{,}144{,}205+(15\times4633)=4{,}213{,}700.$$

The census population for each municipality in the Commonwealth for the years 1910, 1915, and 1920, is shown in the Annual Report on Births, Marriages, and Deaths, 1920, pages 216–221, inclusive; and for 1925, in the Annual Report for 1925, pages 165–167, inclusive.

Table 66

Municipalities.	Census Population of Municipalities having over 15,000 Inhabitants in 1925: 1900 to 1925.					
	March 31, 1925.	January 1, 1920.	April 1, 1915.	April 15, 1910.	May 1, 1905.	June 1, 1900.
The State.	**4,144,205**	**3,852,356**	**3,693,310**	**3,366,416**	**3,003,680**	**2,805,846**
Cities over 100,000.						
Boston[1]	779,620	748,060	745,439	670,585	595,380	560,892
Worcester	190,757	179,754	162,697	145,986	128,135	118,421
Springfield	142,065	129,614	102,971	88,926	73,540	62,059
Fall River	128,993	120,485	124,791	119,295	105,762	104,863
Cambridge	119,669	109,694	108,822	104,839	97,434	91,886
New Bedford	119,539	121,217	109,568	96,652	74,362	62,442
Lowell	110,296	112,759	107,978	106,294	94,889	94,969
Lynn	103,081	99,148	95,803	89,336	77,042	68,513
50,000 to 100,000.						
Somerville	99,032	93,091	86,854	77,236	69,272	61,643
Lawrence	93,527	94,270	90,259	85,892	70,050	62,559
Brockton	65,343	66,254	62,288	56,878	47,794	40,063
Holyoke	60,335	60,203	60,816	57,730	49,934	45,712
Quincy	60,055	47,876	40,674	32,642	28,076	23,899
Newton	53,003	46,054	43,113	39,806	36,827	33,587
Malden	51,789	49,103	48,907	44,404	38,037	33,664
25,000 to 50,000.						
Haverhill	49,232	53,884	49,450	44,115	37,830	37,175
Medford	47,627	39,038	30,509	23,150	19,686	18,244
Chelsea[2]	47,247	43,184	43,426	32,452	37,289	34,072
Pittsfield	46,877	41,763	39,607	32,121	25,001	21,766
Fitchburg	43,609	41,029	39,656	37,826	33,021	31,531
Salem[3]	42,821	42,529	37,200	43,697	37,627	35,956
Brookline (town)	42,681	37,748	33,490	27,792	23,436	19,935
Everett	42,072	40,120	37,718	33,484	29,111	24,336
Chicopee	41,882	36,214	30,138	25,401	20,191	19,167
Taunton	39,255	37,137	36,161	34,259	30,967	31,036
Waltham	34,746	30,915	30,154	27,834	26,282	23,481
Revere	33,261	28,823	25,178	18,219	12,659	10,395
Watertown (town)	25,480	21,457	16,515	12,875	11,258	9,706
15,000 to 25,000.						
Arlington (town)	24,943	18,665	14,889	11,187	9,668	8,603
Northampton	24,145	21,951	21,654	19,431	19,957	18,643
Gloucester	23,375	22,947	24,478	24,398	26,011	26,121
North Adams	22,717	22,282	22,035	22,019	22,150	24,200
Beverly	22,685	22,561	22,959	18,650	15,223	13,884
Leominster	22,120	19,744	17,646	17,580	14,297	12,392
Framingham (town)	21,078	17,033	15,860	12,948	11,548	11,302
Attleboro	20,623	19,731	18,480	16,215	12,702	11,335
Metheun (town)	20,606	15,189	14,007	11,448	8,676	7,512
Melrose	20,165	18,204	16,880	15,715	14,295	12,962
Peabody	19,870	19,552	18,625	15,721	13,098	11,523
Westfield	19,342	18,604	18,411	16,044	13,611	12,310
Gardner	18,730	16,971	16,376	14,699	12,012	10,813
Woburn	18,370	16,574	16,410	15,308	14,402	14,254
Weymouth (town)	17,253	15,057	13,969	12,895	11,585	11,324
Marlborough	16,236	15,028	15,250	14,579	14,073	13,609
Winthrop (town)	16,158	15,455	12,758	10,132	7,034	6,058
Newburyport	15,656	15,618	15,311	14,949	14,675	14,478
Wakefield (town)	15,611	13,025	12,781	11,404	10,268	9,290
Southbridge (town)	15,489	14,245	14,217	12,592	11,000	10,225
W. Springfield (town)	15,326	13,443	11,339	9,224	8,101	7,105
Belmont (town)	15,256	10,749	8,081	5,542	4,360	3,929
Greenfield (town)	15,246	15,462	12,618	10,427	9,156	7,927

[1] Hyde Park (in Norfolk County), annexed to Boston (in Suffolk County) in 1911, contained 15,507 inhabitants in 1910, 14,510 in 1905, and 13,244 in 1900. No other counties have had their boundaries changed since 1874.

[2] Abnormal decrease between 1905 and 1910 due to conflagration of April 12, 1908.

[3] Abnormal decrease between 1910 and 1915 due to conflagration of June 25, 1914.

APPENDIX

International Classification of Causes of Death
1. Detailed International List
2. Abridged International List

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH.[1]

There are two separate and distinct classifications of causes of death embodied in the International List of Causes of Death: these are the detailed and abridged International Lists. The former, as indicated by its name, presents causes of death in greater detail than does the latter; that is, it shows separately certain diseases which in the abridged list are grouped together for presentation. The majority of the titles of the abridged list are therefore consolidations of certain titles of the detailed list. The shorter list is used as a basis for certain tables in this volume for which it is either unnecessary or impracticable to present data for each disease and cause of death shown in the detailed list.

The distinction between these lists should always be considered when using the tables of these reports. There are several cases in which the title headings in the two lists are identical, but the causes included are widely at variance. As an example of this the title "Other epidemic diseases" of the detailed list (title No. 25) includes only such epidemic maladies as are not classified separately in titles 1 to 24 of that list; but "Other epidemic diseases" of the abridged list includes titles 3, 4, 12, 13, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25 and 42 of the detailed list. These identical expressions, it will be noted, have two different and distinct meanings.

An asterisk (*) denotes that, in the opinion of the committee appointed by the Section on Vital Statistics of the American Public Health Association, the titles are acceptable statements of causes of death without autopsy.

The following table shows each title of the Detailed International List: —

1. Detailed International List.

I. Epidemic, Endemic and Infectious Diseases.

1. Typhoid and paratyphoid fever.*
   (a) Typhoid fever.
   (b) Paratyphoid fever.
2. Typhus fever.*
3. Relapsing fever (*spirillum obermeieri*).[2]
4. Malta fever.
5. Malaria.[3]
6. Smallpox.*
7. Measles.*
8. Scarlet fever.*
9. Whooping cough.*
10. Diphtheria.*
11. Influenza.
    (a) With pulmonary complications specified.
    (b) Without pulmonary complications specified.
12. Miliary fever.

I. Epidemic, Endemic and Infectious Diseases — *Con.*

13. Mumps.
14. Asiatic cholera.*
15. Cholera nostras.
16. Dysentery.[4]
    (a) Amebic.
    (b) Bacillary.
    (c) Unspecified or due to other causes.
17. Plague.*
    (a) Bubonic.
    (b) Pneumonic.
    (c) Septicemic.
    (d) Unspecified.
18. Yellow fever.*
19. Spirochetal hemorrhagic jaundice.
20. Leprosy.*
21. Erysipelas.*

[1] This second decennial revision of the International Classification of Causes of Death was made at Paris July 1 to 3, 1909. The next revision was also made at Paris, Oct. 11 to 14, 1920, and is used beginning with 1921. The causes of death as given in the third revision number 205, compared with 179 in the first, and 189 in the second classification.

[2] This statement is a reliable one, without autopsy, only when the statement of the cause of death is accompanied or supported by a record of the finding of the etiological factor, that is, the *Spirillum* (*Spirochætal*) *obermeieri*, before death.

[3] Not a reliable statement of cause of death without the supporting statement that the etiological factor, the *plasmodium malariæ*, was found in the blood before death or an autopsy.

[4] Not a reliable statement of cause of death unless the specific cause of infection has been identified.

Detailed International List — *Continued.*

I. Epidemic, Endemic and Infectious Diseases — *Con.*

22. Acute poliomyelitis.*
23. Lethargic encephalitis.
24. Meningococcus meningitis.
25. Other epidemic and endemic diseases.
    (*a*) Chicken-pox.
    (*b*) German measles.
    (*c*) Others under this title.
26. Glanders.[1]
27. Anthrax.[2]
28. Rabies.[3]
29. Tetanus.[4]
30. Mycoses.[5]
31. Tuberculosis of the respiratory system.*
32. Tuberculosis of the meninges and central nervous system.[6]
33. Tuberculosis of the intestines and peritoneum.[7]
34. Tuberculosis of the vertebral column.*
35. Tuberculosis of the joints.*
36. Tuberculosis of other organs.[8]
    (*a*) Tuberculosis of the skin and subcutaneous cellular tissue.
    (*b*) Tuberculosis of the bones (vertebral column excepted.)
    (*c*) Tuberculosis of the lymphatic system (mesenteric and retroperitoneal glands excepted.)
    (*d*) Tuberculosis of the genito-urinary system.
    (*e*) Tuberculosis of organs other than the above.
37. Disseminated tuberculosis.*
    (*a*) Acute.
    (*b*) Chronic.
38. Syphilis.[9]
39. Soft chancre.
40. Gonococcus infection.[10]
41. Purulent infection, septicemia.
42. Other infectious diseases.

II. General Diseases not included above.

43. Cancer and other malignant tumors of the buccal cavity.*
44. Cancer and other malignant tumors of the stomach and liver.[11]
45. Cancer and other malignant tumors of the peritoneum, intestines and rectum.[11]
46. Cancer and other malignant tumors of the female genital organs.[11]
47. Cancer and other malignant tumors of the breast.*
48. Cancer and other malignant tumors of the skin.*

II. General Diseases not included above — *Con.*

49. Cancer and other malignant tumors of other or unspecified organs.[11]
50. Benign tumors and tumors not returned as malignant (tumors of the female genital organs excepted).[12]
51. Acute rheumatic fever.*
52. Chronic rheumatism, osteoarthritis, gout.
53. Scurvy.*
54. Pellagra.*
55. Beriberi.*
56. Rickets.*
57. Diabetes mellitus.*
58. Anemia chlorosis.[13]
    (*a*) Pernicious anemia.
    (*b*) Other anemias and chlorosis.
59. Diseases of the pituitary gland.
60. Diseases of the thyroid gland.
    (*a*) Exophthalmic goiter.
    (*b*) Other diseases of the thyroid gland.
61. Diseases of the parathyroid glands.
62. Diseases of the thymus gland.
63. Diseases of the adrenals (Addison's disease).*
64. Diseases of the spleen.
65. Leukemia and Hodgkin's disease.[13]
    (*a*) Leukemia.
    (*b*) Hodgkin's disease.
66. Alcoholism (acute or chronic).*
67. Chronic poisoning by mineral substances.
    (*a*) Chronic lead poisoning.[14]
    (*b*) Others under this title.[15]
68. Chronic poisoning by organic substances.[16]
69. Other general diseases.

III. Diseases of the Nervous System and of the Organs of Special Sense.

70. Encephalitis.
71. Meningitis (does not include meningitis specified as meningococcic, tuberculous, rheumatic, etc.).
    (*a*) Simple meningitis.
    (*b*) Non-epidemic cerebrospinal meningitis.
72. Tabes dorsalis (locomotor ataxia).*
73. Other diseases of the spinal cord.
74. Cerebral hemorrhage, apoplexy.
    (*a*) Cerebral hemorrhage.
    (*b*) Cerebral thrombosis and embolism.
75. Paralysis without specified cause.
    (*a*) Hemiplegia.
    (*b*) Others under this title.
76. General paralysis of the insane.*

---

[1] Not a reliable statement of cause of death, without autopsy, unless there is an accompanying record of the finding of the etiological factor; *i.e.*, the *bacillus mallei.*

[2] Not a reliable statement of cause of death, without autopsy, or without determination of the etiological factor; *i.e.*, the *bacillus anthracis.*

[3] Not a reliable statement of cause of death unless verified by autopsy, or proof that the infecting bite was by a proved rabid animal.

[4] A reliable statement of cause of death, without autopsy, when it is accompanied by information as to date, site, nature, and means of injury.

[5] A reliable statement of cause of death, without autopsy, *only* when lesion is accessible to direct examination, or the etiological factor has been identified in the discharges before death.

[6] A reliable statement of cause of death, without autopsy, for children under 10 years of age, but not for decedents of older groups, unless there is confirmatory bacteriological proof of the presence of the tubercle bacillus in the spinal fluid.

[7] An unreliable statement of cause of death, without autopsy, unless proof of an abdominal operation or recovery of tubercle bacillus from the abdominal fluid is presented.

[8] Statements of cause of death which relate to organs or parts of the body which are accessible to direct vision are reliable without autopsy.

[9] Not reliable as a statement of cause of death, without autopsy, unless diagnosis was based on lesions superficially situated or visible through body orifices, or confirmed by unquestioned specific test. A statement of the site, extent, and character of the lesion should be given.

[10] An unreliable statement of cause of death, without autopsy, unless a gonococcic lesion has been demonstrated by the recovery of the gonococcus from the site of the lesion, or by a specific serum reaction, and unless the lesion was an adequate cause of death.

[11] An unreliable statement of cause of death, without autopsy, unless an operation was performed or the neoplasm was otherwise visible or accessible for direct observation.

[12] An unreliable statement of cause of death, without autopsy, unless an operation was performed.

[13] Not a reliable statement of cause of death unless verified by confirmatory blood examination.

[14] A reliable statement of cause of death, without autopsy, *if* there appears a statement of an occupation in which decedent would be subject to lead poisoning, or if the source of the poisoning is specified and complications accompanying, sufficient to cause death, are described.

[15] A reliable statement of cause of death, without autopsy, *only* in cases where the occupation or source of poison is specified and it is indicated that the poison was absorbed as a result of occupation; or the characteristic lesions are superficially located or accessible to direct inspection; or there is chemical or microscopic proof of the presence of poison within the body.

[16] A reliable statement of cause of death, without autopsy, *only* when the source of the poison is specified, or when there is chemical or microscopic proof of the presence of the poison within the body.

Detailed International List — *Continued.*

III. Diseases of the Nervous System and of the Organs of Special Sense — *Con.*

77. Other forms of mental alienation.
78. Epilepsy.[1]
79. Convulsions (non-puerperal) five years and over.
80. Infantile convulsions (under five years of age).
81. Chorea.*
82. Neuralgia and neuritis.
83. Softening of the brain.
84. Other diseases of the nervous system.
85. Diseases of the eye and annexa.*
86. Diseases of the ear and of the mastoid process.*
    (*a*) Diseases of the ear.*
    (*b*) Diseases of the mastoid process.*

IV. Diseases of the Circulatory System.

87. Pericarditis.[2]
88. Endocarditis and myocarditis (acute).*
89. Angina pectoris.*
90. Other diseases of the heart.*
91. Diseases of the arteries.
    (*a*) Aneurysm.
    (*b*) Arteriosclerosis.
    (*c*) Other diseases of the arteries.
92. Embolism and thrombosis (not cerebral).*
93. Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).[3]
94. Diseases of the lymphatic system (lymphangitis, etc.).*
95. Hemorrhage without specified cause.*
96. Other diseases of the circulatory system.*

V. Diseases of the Respiratory System.

97. Diseases of the nasal fossæ and their annexa.*
    (*a*) Diseases of the nasal fossæ.
    (*b*) Others under this title.
98. Diseases of the larynx.*
99. Bronchitis.
    (*a*) Acute.
    (*b*) Chronic.*
    (*c*) Not otherwise defined (under five years of age).
    (*d*) Not otherwise defined (five years and over).
100. Bronchopneumonia (including capillary bronchitis).*
    (*a*) Bronchopneumonia.*
    (*b*) Capillary bronchitis.*
101. Pneumonia.
    (*a*) Lobar.
    (*b*) Not otherwise defined.
102. Pleurisy.*
103. Congestion and hemorrhagic infarct of the lung.[4]
104. Gangrene of the lung.*
105. Asthma.
106. Pulmonary emphysema.*
107. Other diseases of the respiratory system (tuberculosis excepted).
    (*a*) Chronic interstitial pneumonia, including occupational diseases of the lung.
    (*b*) Diseases of the mediastinum.
    (*c*) Others under this title.*

VI. Diseases of the Digestive System.

108. Diseases of the mouth and annexa.*
109. Diseases of the pharynx and tonsils (including adenoid vegetations.)*
    (*a*) Adenoid vegetations.*
    (*b*) Others under this title.*
110. Diseases of the esophagus.*
111. Ulcer of the stomach and duodenum.
    (*a*) Ulcer of the stomach.
    (*b*) Ulcer of the duodenum.
112. Other diseases of the stomach (cancer excepted).
113. Diarrhea and enteritis (under two years of age).*
114. Diarrhea and enteritis (two years and over).
115. Ankylostomiasis.[5]
116. Diseases due to other intestinal parasites.[6]
    (*a*) Cestodes (hydatids of the liver excepted).
    (*b*) Trematodes.
    (*c*) Nematodes (other than ankylostoma).
    (*d*) Coccidia.
    (*e*) Other parasites specified.
    (*f*) Parasites not specified.
117. Appendicitis and typhlitis.
118. Hernia, intestinal obstruction.
    (*a*) Hernia.[7]
    (*b*) Intestinal obstruction.[8]
119. Other diseases of the intestines.
120. Acute yellow atrophy of the liver.*
121. Hydatid tumor of the liver.
122. Cirrhosis of the liver.*
    (*a*) Specified as alcoholic.
    (*b*) Not specified as alcoholic.
123. Biliary calculi.*
124. Other diseases of the liver.
125. Diseases of the pancreas.
126. Peritonitis without specified cause.
127. Other diseases of the digestive system (cancer and tuberculosis excepted).

VII. Non-Venereal Diseases of the Genito-urinary System and Annexa.

128. Acute nephritis (including unspecified under ten years of age).
129. Chronic nephritis (including unspecified ten years and over).*
130. Chyluria.*
131. Other diseases of the kidneys and annexa (diseases of the kidneys in pregnancy excepted).
132. Calculi of the urinary passages.*
133. Diseases of the bladder.*
134. Diseases of the urethra, urinary abscess, etc.*
    (*a*) Stricture of the urethra.
    (*b*) Others under this title.
135. Diseases of the prostate.*
136. Non-venereal diseases of the male genital organs.*
137. Cysts and other benign tumors of the ovary.
138. Salpingitis and pelvic abscess.
139. Benign tumors of the uterus.*
140. Non-puerperal uterine hemorrhage.
141. Other diseases of the female genital organs.*
142. Non-puerperal diseases of the breast (cancer excepted).*

---

[1] An unreliable statement of cause of death, without autopsy, unless death occurred in an epileptic attack and was witnessed, and there was a previous history of epilepsy.

[2] An unreliable statement of cause of death, without autopsy, unless accompanied by a statement of primary cause or of the character of exudate obtained by paracentesis.

[3] A reliable statement of cause of death, without autopsy, if there is an accompanying statement of the site of the lesion or name of the vessel or vessels involved.

[4] Pulmonary congestion is considered a reliable statement of cause of death, without autopsy, only when the cause is specified; as, for example, *accidental inhalation of irritating fumes*, or accompanying lesions which are known to lead to congestion of the lungs.

[5] A reliable statement of cause of death, without autopsy, *provided* the infectious parasite *ankylostoma duodenale* or its ova have been demonstrated.

[6] A reliable statement of cause of death, without autopsy, *only* with the demonstration of the parasite or its ova in the tissues or discharges.

[7] A reliable statement of cause of death if the hernia is external, or is exposed on operation or autopsy, when internal; also, when conditions adequate to cause of death, together with type and location of hernia, are specified.

[8] An unreliable statement of cause of death unless the obstruction is demonstrated on autopsy or operation, or is accessible by examination through the body orifices.

Detailed International List — *Concluded.*

VIII. The Puerperal State.

143. Accidents of pregnancy.*
    (*a*) Abortion.
    (*b*) Ectopic gestation.
    (*c*) Others under this title.
144. Puerperal hemorrhage.*
145. Other accidents of labor.*
    (*a*) Cesarean section.
    (*b*) Other surgical operations and instrumental delivery.
    (*c*) Others under this title.
146. Puerperal septicemia.*
147. Puerperal phlegmasia alba dolens, embolus, sudden death.*
148. Puerperal albuminuria and convulsions.*
149. Following childbirth (not otherwise defined).*
150. Puerperal diseases of the breast.*

IX. Diseases of the Skin and of the Cellular Tissue.

151. Gangrene.[1]
152. Furuncle.[1]
153. Acute abscess.[1]
154. Other diseases of the skin and annexa.*

X. Diseases of the Bones and of the Organs of Locomotion.

155. Diseases of the bones (tuberculosis excepted).*
156. Diseases of the joints (tuberculosis and rheumatism excepted).*
157. Amputations.
158. Other diseases of the organs of locomotion.

XI. Malformations.

159. Congenital malformations (stillbirths not included).*
    (*a*) Hydrocephalus.*
    (*b*) Congenital malformations of the heart.*
    (*c*) Others under this title.*

XII. Early Infancy.

160. Congenital debility, icterus, and sclerema.
161. Premature birth; injury at birth.
    (*a*) Premature birth.*
    (*b*) Injury at birth.*
162. Other diseases peculiar to early infancy.
163. Lack of care.*

XIII. Old Age.

164. Senility.

XIV. External Causes.

165. Suicide by solid or liquid poisons (corrosive substances excepted).[2]
166. Suicide by corrosive substances.*
167. Suicide by poisonous gas.[3]
168. Suicide by hanging or strangulation.*

XIV. External Causes — *Con.*

169. Suicide by drowning.*
170. Suicide by firearms.*
171. Suicide by cutting or piercing instruments.*
172. Suicide by jumping from high places.*
173. Suicide by crushing.*
174. Other suicides.*
175. Poisoning by food.[4]
176. Poisoning by venemous animals.*
177. Other acute accidental poisonings (gas excepted).
178. Conflagration.*
179. Accidental burns (conflagration excepted).*
180. Accidental mechanical suffocation.*
181. Accidental absorption of irrespirable or poisonous gas.*
182. Accidental drowning.*
183. Accidental traumatism by firearms (wounds of war excepted).[5]
184. Accidental traumatism by cutting or piercing instruments.[5]
185. Accidental traumatism by fall.*
186. Accidental traumatism in mines and quarries.*
    (*a*) Mines.*
    (*b*) Quarries.*
187. Accidental traumatism by machines.*
188. Accidental traumatism by other crushing (vehicles, railways, landslides, etc.).
    (*a*) Railroad accidents.*
    (*b*) Street car accidents.*
    (*c*) Automobile accidents.*
    (*d*) Aeroplane and balloon accidents.*
    (*e*) Motorcycle accidents.*
    (*f*) Injuries by other vehicles.*
    (*g*) Landslide, other crushing.
189. Injuries by animals (not poisoning).*
190. Wounds of war.
191. Execution of civilians by belligerent armies.
192. Starvation (deprivation of food or water).*
193. Excessive cold.*
194. Excessive heat.*
195. Lightning.*
196. Other accidental electric shocks.*
197. Homicide by firearms.*
198. Homicide by cutting or piercing instruments.*
199. Homicide by other means.*
200. Infanticide (murder of infants less than one year of age).*
201. Fracture (cause not specified).
202. Other external violence (cause specified).
203. Other external violence (cause not specified).

XV. Ill-defined Diseases.

204. Sudden death.
205. Cause of death not specified or ill-defined.
    (*a*) Ill-defined.
    (*b*) Not specified or unknown.

---

[1] A reliable statement of cause of death, without autopsy, *if* there is an accompanying statement of the site and nature of the original infection.

[2] A reliable statement of cause of death, without autopsy, if the character of the solid or liquid is specified.

[3] A reliable statement of cause of death, without autopsy, if the character of the gas is specified.

[4] An unreliable statement of cause of death without supporting data as to a group of accompanying cases or the ingestion of the particular poisonous substances.

[5] An unreliable statement of cause of death without supporting data, such as site and extent of injury.

2. Abridged International List.

The following table shows each title of the Abridged International List. The numbers of the titles of the Detailed International List included in each title of the abridged list appear in parentheses.

Abridged Int. List Number.	Cause of Death.
1.	Typhoid fever (1).*
2.	Typhus fever (2).*
3.	Malaria (5).
4.	Smallpox (6).*
5.	Measles (7).*
6.	Scarlet fever (8).*
7.	Whooping cough (9).*
8.	Diphtheria and croup (10).*
9.	Influenza (11).
10.	Asiatic cholera (14).*
11.	Cholera nostras (15).
12.	Other epidemic diseases (3, 4, 12, 13, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 42).
13.	Tuberculosis of the lungs (31).
14.	Tuberculous meningitis (32).
15.	Other forms of tuberculosis (33, 34, 35, 36, 37).
16.	Cancer and other malignant tumors (43, 44, 45, 46, 47, 48, 49).
17.	Simple meningitis (71*a*).
18.	Cerebral hemorrhage and softening (74, 83).
19.	Organic diseases of the heart (90).*
20.	Acute bronchitis (99*a*).
21.	Chronic bronchitis (99*b*).*
22.	Pneumonia (101).
23.	Other diseases of the respiratory system (tuberculosis excepted) (97, 98, 99*c*, 99*d*, 100, 102, 103, 104, 105, 106, 107).
24.	Diseases of the stomach (cancer excepted) (111*a*, 112).
25.	Diarrhea and enteritis (under 2 years) (113).*
26.	Appendicitis and typhlitis (117).
27.	Hernia, intestinal obstruction (118).
28.	Cirrhosis of the liver (122).*
29.	Acute nephritis and Bright's disease (128, 129).
30.	Noncancerous tumors and other diseases of the female genital organs (137, 138, 139, 140, 141, 142).
31.	Puerperal septicemia (puerperal fever, peritonitis) (146).*
32.	Other puerperal accidents of pregnancy and labor (143, 144, 145, 147, 148, 149, 150).*
33.	Congenital debility and malformations (159, 160, 161).
34.	Senility (164).
35.	Violent deaths (suicide excepted) (175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203).
36.	Suicide (165, 166, 167, 168, 169, 170, 171, 172, 173, 174).*
37.	Other diseases (26, 27, 28, 29, 30, 38, 39, 40, 41, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71*b*, 72, 73, 75, 76, 77, 78, 79, 80, 81, 82, 84, 85, 86, 87, 88, 89, 91, 92, 93, 94, 95, 96, 108, 109, 110, 111*b*, 114, 115, 116, 119, 120, 121, 123, 124, 125, 126, 127, 130, 131, 132, 133, 134, 135, 136, 151, 152, 153, 154, 155, 156, 157, 158, 162, 163).
38.	Unknown or ill-defined diseases (204, 205).

2

BOSTON PUBLIC LIBRARY
3 9999 06351 649 4

MAR 8 1929